

Data Path : Z:\HPCHEM1\BNA F\DATA\BF061416\
 Data File : BF088033.D
 Acq On : 15 Jun 2016 8:12
 Operator : UM/SJ
 Sample : H3473-19
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 STA-1172-(0-4)

Quant Time: Jun 15 13:17:10 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 13 14:10:49 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.79	152	101491	20.00	ng	0.00
21) Naphthalene-d8	8.07	136	408789	20.00	ng	-0.01
38) Acenaphthene-d10	9.82	164	169784	20.00	ng	-0.02
63) Phenanthrene-d10	11.30	188	283373	20.00	ng	-0.01
75) Chrysene-d12	13.93	240	238549	20.00	ng	-0.02
86) Perylene-d12	15.35	264	191188	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.39	112	771518	129.96	ng	0.01
7) Phenol-d6	6.42	99	851646	118.37	ng	-0.01
23) Nitrobenzene-d5	7.35	82	526624	75.23	ng	-0.01
41) 2,4,6-Tribromophenol	10.62	330	205242	114.49	ng	-0.01
44) 2-Fluorobiphenyl	9.15	172	1091230	102.08	ng	-0.01
78) Terphenyl-d14	12.89	244	749165	71.46	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF061416\
Data File : BF088033.D
Acq On : 15 Jun 2016 8:12
Operator : UM/SJ
Sample : H3473-19
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
STA-1172-(0-4)

Quant Time: Jun 15 13:17:10 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 13 14:10:49 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.79 min Scan# 455

Delta R.T. -0.00 min

Lab File: BF088033.D

Acq: 15 Jun 2016 8:12

Instrument :

BNA_F

ClientSampleId :

STA-1172-(0-4)


Tot Ion:152 Resp: 101491

Ion Ratio Lower Upper

152 100

150 151.1 123.8 185.6




115 48.0 39.6 59.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 129.96 ng

RT: 5.39 min Scan# 333

Delta R.T. 0.01 min

Lab File: BF088033.D

Acq: 15 Jun 2016 8:12


Tgt Ion:112 Resp: 771518

Ion Ratio Lower Upper

112 100

64 49.2 42.2 63.2



63 25.3 21.8 32.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 118.37 ng

RT: 6.42 min Scan# 423

Delta R.T. -0.01 min

Lab File: BF088033.D

Acq: 15 Jun 2016 8:12

Instrument :

BNA_F

ClientSampleId :

STA-1172-(0-4)


Tot Ion: 99 Resp: 851646

Ion Ratio Lower Upper

99 100

42 16.0 12.2 18.2




71 32.6 23.4 35.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.07 min Scan# 567

Delta R.T. -0.01 min

Lab File: BF088033.D

Acq: 15 Jun 2016 8:12

Tgt Ion: 136 Resp: 408789


Ion Ratio Lower Upper

136 100

137 11.1 9.1 13.7

54 7.1 6.6 10.0

68 5.9 5.1 7.7






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 75.23 ng
 RT: 7.35 min Scan# 504
 Delta R.T. -0.01 min
 Lab File: BF088033.D
 Acq: 15 Jun 2016 8:12




Instrument :
 BNA_F
 ClientSampleId :
 STA-1172-(0-4)


Tot Ion: 82 Resp: 526624
 Ion Ratio Lower Upper
 82 100
 128 46.2 35.9 53.9
 54 47.3 40.9 61.3



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.82 min Scan# 720
 Delta R.T. -0.02 min
 Lab File: BF088033.D
 Acq: 15 Jun 2016 8:12

Tgt Ion:164 Resp: 169784
 Ion Ratio Lower Upper
 164 100
 162 103.4 85.4 128.2
 160 47.0 39.5 59.3









#41
 2,4,6-Tribromophenol
 Concen: 114.49 ng
 RT: 10.62 min Scan# 790
 Delta R.T. -0.01 min
 Lab File: BF088033.D
 Acq: 15 Jun 2016 8:12

Instrument :
 BNA_F
 ClientSampleId :
 STA-1172-(0-4)

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.3	0.0	0.0#
141	32.3	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 102.08 ng
 RT: 9.15 min Scan# 662
 Delta R.T. -0.01 min
 Lab File: BF088033.D
 Acq: 15 Jun 2016 8:12

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.0	28.6	43.0
170	24.4	19.2	28.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.30 min Scan# 850
Delta R.T. -0.01 min
Lab File: BF088033.D
Acq: 15 Jun 2016 8:12

Instrument :
BNA_F
ClientSampleId :
STA-1172-(0-4)

Tot Ion	Ratio	Lower	Upper
188	100		
94	10.9	9.0	13.6
80	11.6	10.0	15.0




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.93 min Scan# 1080
Delta R.T. -0.02 min
Lab File: BF088033.D
Acq: 15 Jun 2016 8:12

Tgt Ion	Ratio	Lower	Upper
240	100		
120	17.7	6.8	10.2#
236	25.4	20.2	30.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 71.46 ng
 RT: 12.89 min Scan# 989
 Delta R.T. -0.01 min
 Lab File: BF088033.D
 Acq: 15 Jun 2016 8:12

Instrument :
 BNA_F
 ClientSampleId :
 STA-1172-(0-4)

Tot Ion:244 Resp: 749165
 Ion Ratio Lower Upper
 244 100
 212 7.4 6.0 9.0
 122 14.1 11.2 16.8



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.35 min Scan# 1204
 Delta R.T. -0.01 min
 Lab File: BF088033.D
 Acq: 15 Jun 2016 8:12

Tgt Ion:264 Resp: 191188
 Ion Ratio Lower Upper
 264 100
 260 23.8 19.2 28.8
 265 21.0 16.9 25.3

