

Data Path : Z:\HPCHEM1\BNA F\DATA\BF061417\
 Data File : BF095931.D
 Acq On : 14 Jun 2017 19:47
 Operator : SJ/MA
 Sample : I3670-01
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-CLINTON-AVE-1-2

Quant Time: Jun 15 02:14:10 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 05 16:15:31 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.33	152	58477	20.00	ng	-0.06
21) Naphthalene-d8	9.37	136	243144	20.00	ng	-0.06
38) Acenaphthene-d10	12.19	164	116101	20.00	ng	-0.07
63) Phenanthrene-d10	14.58	188	205284	20.00	ng	-0.06
75) Chrysene-d12	18.30	240	155527	20.00	ng	-0.05
86) Perylene-d12	19.97	264	120328	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.23	112	425639	115.98	ng	-0.06
7) Phenol-d6	6.90	99	527389	120.04	ng	-0.05
23) Nitrobenzene-d5	8.25	82	299921	76.61	ng	-0.07
41) 2,4,6-Tribromophenol	13.48	330	112221	109.25	ng	-0.07
44) 2-Fluorobiphenyl	11.14	172	592785	71.05	ng	-0.07
78) Terphenyl-d14	16.96	244	460006	73.40	ng	-0.06
Target Compounds						Qvalue
49) Dimethylphthalate	11.84	163	71518	8.11	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF061417\
Data File : BF095931.D
Acq On : 14 Jun 2017 19:47
Operator : SJ/MA
Sample : I3670-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-CLINTON-AVE-1-2

Quant Time: Jun 15 02:14:10 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 05 16:15:31 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.33 min Scan# 977
 Delta R.T. -0.06 min
 Lab File: BF095931.D
 Acq: 14 Jun 2017 19:47

Instrument :
 BNA_F
 ClientSampleId :
 TP-CLINTON-AVE-1-2

Tot Ion:152 Resp: 58477
 Ion Ratio Lower Upper
 152 100
 150 157.4 126.2 189.2
 115 61.3 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
 Concen: 115.98 ng
 RT: 5.23 min Scan# 619
 Delta R.T. -0.06 min
 Lab File: BF095931.D
 Acq: 14 Jun 2017 19:47

Tgt Ion:112 Resp: 425639
 Ion Ratio Lower Upper
 112 100
 64 55.9 46.0 69.0
 63 26.2 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 120.04 ng

RT: 6.90 min Scan# 904

Delta R.T. -0.05 min

Lab File: BF095931.D

Acq: 14 Jun 2017 19:47

Instrument :

BNA_F

ClientSampleId :

TP-CLINTON-AVE-1-2


Tot Ion: 99 Resp: 527389

Ion Ratio Lower Upper

99 100

42 14.7 13.5 20.3

71 30.8 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0

6.90



300000

200000

100000

0

Time-->



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.37 min Scan# 1323

Delta R.T. -0.06 min

Lab File: BF095931.D

Acq: 14 Jun 2017 19:47

Tgt Ion: 136 Resp: 243144


Ion Ratio Lower Upper

136 100

137 10.0 8.5 12.7

54 6.5 4.9 7.3

68 5.2 4.1 6.1



Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0

9.37

250000

200000


150000


100000

50000

0

Time-->









#23
 Nitrobenzene-d5
 Concen: 76.61 ng
 RT: 8.25 min Scan# 1133
 Delta R.T. -0.07 min
 Lab File: BF095931.D
 Acq: 14 Jun 2017 19:47




Instrument :
 BNA_F
 ClientSampleId :
 TP-CLINTON-AVE-1-2


Tot Ion	Ratio	Lower	Upper
82	100		
128	45.7	34.0	51.0
54	45.9	42.2	63.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 12.19 min Scan# 1802
 Delta R.T. -0.07 min
 Lab File: BF095931.D
 Acq: 14 Jun 2017 19:47

Tgt Ion	Ratio	Lower	Upper
164	100		
162	105.6	82.6	123.8
160	46.7	36.2	54.2









#41
 2,4,6-Tribromophenol
 Concen: 109.25 ng
 RT: 13.48 min Scan# 2022
 Delta R.T. -0.07 min
 Lab File: BF095931.D
 Acq: 14 Jun 2017 19:47

Instrument :
 BNA_F
 ClientSampleId :
 TP-CLINTON-AVE-1-2

Tot Ion:330 Resp: 112221
 Ion Ratio Lower Upper
 330 100
 332 97.0 76.6 115.0
 141 37.7 31.4 47.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 71.05 ng
 RT: 11.14 min Scan# 1625
 Delta R.T. -0.07 min
 Lab File: BF095931.D
 Acq: 14 Jun 2017 19:47

Tgt Ion:172 Resp: 592785
 Ion Ratio Lower Upper
 172 100
 171 36.0 29.6 44.4
 170 23.2 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 8.11 ng

RT: 11.84 min Scan# 1744

Delta R.T. -0.07 min

Lab File: BF095931.D

Acq: 14 Jun 2017 19:47

Instrument :

BNA_F

ClientSampleId :

TP-CLINTON-AVE-1-2


Tot Ion:163 Resp: 71518

Ion Ratio Lower Upper

163 100

194 3.7 2.6 4.0




164 9.0 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 14.58 min Scan# 2209

Delta R.T. -0.06 min

Lab File: BF095931.D

Acq: 14 Jun 2017 19:47


Tgt Ion:188 Resp: 205284

Ion Ratio Lower Upper

188 100

94 10.7 9.4 14.2



80 10.8 10.2 15.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 18.30 min Scan# 2842
 Delta R.T. -0.05 min
 Lab File: BF095931.D
 Acq: 14 Jun 2017 19:47




Instrument :
 BNA_F
 ClientSampleId :
 TP-CLINTON-AVE-1-2


Tot Ion:240 Resp: 155527
 Ion Ratio Lower Upper
 240 100
 120 13.2 5.8 8.8#
 236 25.6 20.5 30.7



#78
 Terphenyl-d14
 Concen: 73.40 ng
 RT: 16.96 min Scan# 2613
 Delta R.T. -0.06 min
 Lab File: BF095931.D
 Acq: 14 Jun 2017 19:47

Tgt Ion:244 Resp: 460006
 Ion Ratio Lower Upper
 244 100
 212 6.5 6.0 9.0
 122 13.0 10.3 15.5





#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 19.97 min Scan# 3125
 Delta R.T. -0.05 min
 Lab File: BF095931.D
 Acq: 14 Jun 2017 19:47

Instrument :
 BNA_F
 ClientSampleId :
 TP-CLINTON-AVE-1-2

Tot Ion: 264 Resp: 120328
 Ion Ratio Lower Upper
 264 100
 260 23.5 19.5 29.3
 265 21.7 17.2 25.8

