

Data Path : Z:\HPCHEM1\BNA F\DATA\BF061417\
 Data File : BF095932.D
 Acq On : 14 Jun 2017 20:20
 Operator : SJ/MA
 Sample : I3614-06RE
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-5RE

Quant Time: Jun 15 02:20:16 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 05 16:15:31 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.33	152	72686	20.00	ng	-0.06
21) Naphthalene-d8	9.36	136	290257	20.00	ng	-0.07
38) Acenaphthene-d10	12.19	164	123433	20.00	ng	-0.07
63) Phenanthrene-d10	14.58	188	184932	20.00	ng	-0.06
75) Chrysene-d12	18.30	240	137226	20.00	ng	-0.06
86) Perylene-d12	19.97	264	112586	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.30	112	45733	10.03	ng	0.02
7) Phenol-d6	6.96	99	52243	9.57	ng	0.00
23) Nitrobenzene-d5	8.25	82	305938	65.46	ng	-0.07
41) 2,4,6-Tribromophenol	13.49	330	26711	24.46	ng	-0.06
44) 2-Fluorobiphenyl	11.15	172	594971	67.08	ng	-0.07
78) Terphenyl-d14	16.95	244	390446	70.61	ng	-0.06
Target Compounds						Qvalue
49) Dimethylphthalate	11.84	163	179165	19.12	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF061417\
Data File : BF095932.D
Acq On : 14 Jun 2017 20:20
Operator : SJ/MA
Sample : I3614-06RE
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-5RE

Quant Time: Jun 15 02:20:16 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 05 16:15:31 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.33 min Scan# 977
Delta R.T. -0.06 min
Lab File: BF095932.D
Acq: 14 Jun 2017 20:20

Instrument :
BNA_F
ClientSampleId :
MW-5RE

Tot Ion:152 Resp: 72686
Ion Ratio Lower Upper
152 100
150 156.7 126.2 189.2
115 59.6 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 10.03 ng
RT: 5.30 min Scan# 632
Delta R.T. 0.02 min
Lab File: BF095932.D
Acq: 14 Jun 2017 20:20

Tgt Ion:112 Resp: 45733
Ion Ratio Lower Upper
112 100
64 56.3 46.0 69.0
63 22.4 23.4 35.0#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 9.57 ng

RT: 6.96 min Scan# 914

Delta R.T. 0.01 min

Lab File: BF095932.D

Acq: 14 Jun 2017 20:20

Instrument :

BNA_F

ClientSampleId :

MW-5RE


Tot Ion: 99 Resp: 52243

Ion Ratio Lower Upper

99 100

42 17.3 13.5 20.3




71 32.5 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.36 min Scan# 1322

Delta R.T. -0.07 min

Lab File: BF095932.D

Acq: 14 Jun 2017 20:20

Tgt Ion: 136 Resp: 290257


Ion Ratio Lower Upper

136 100

137 10.8 8.5 12.7

54 6.5 4.9 7.3

68 5.1 4.1 6.1





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 65.46 ng
 RT: 8.25 min Scan# 1133
 Delta R.T. -0.07 min
 Lab File: BF095932.D
 Acq: 14 Jun 2017 20:20




Instrument :
 BNA_F
 ClientSampleID :
 MW-5RE

Tot Ion: 82 Resp: 305938
 Ion Ratio Lower Upper
 82 100
 128 46.8 34.0 51.0
 54 46.3 42.2 63.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 12.19 min Scan# 1802
 Delta R.T. -0.07 min
 Lab File: BF095932.D
 Acq: 14 Jun 2017 20:20

Tgt Ion:164 Resp: 123433
 Ion Ratio Lower Upper
 164 100
 162 106.3 82.6 123.8
 160 45.8 36.2 54.2








#41
 2,4,6-Tribromophenol
 Concen: 24.46 ng
 RT: 13.49 min Scan# 2023
 Delta R.T. -0.06 min
 Lab File: BF095932.D
 Acq: 14 Jun 2017 20:20

Instrument :
 BNA_F
 ClientSampleId :
 MW-5RE

Tot Ion:330 Resp: 26711
 Ion Ratio Lower Upper
 330 100
 332 98.9 76.6 115.0
 141 40.5 31.4 47.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 67.08 ng
 RT: 11.15 min Scan# 1625
 Delta R.T. -0.07 min
 Lab File: BF095932.D
 Acq: 14 Jun 2017 20:20

Tgt Ion:172 Resp: 594971
 Ion Ratio Lower Upper
 172 100
 171 35.9 29.6 44.4
 170 22.9 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 19.12 ng

RT: 11.84 min Scan# 1743

Delta R.T. -0.08 min

Lab File: BF095932.D

Acq: 14 Jun 2017 20:20

Instrument :

BNA_F

ClientSampleId :

MW-5RE


Tot Ion:163 Resp: 179165

Ion Ratio Lower Upper

163 100

194 3.5 2.6 4.0




164 10.5 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 14.58 min Scan# 2209

Delta R.T. -0.06 min

Lab File: BF095932.D

Acq: 14 Jun 2017 20:20


Tgt Ion:188 Resp: 184932

Ion Ratio Lower Upper

188 100

94 11.7 9.4 14.2



80 10.5 10.2 15.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 18.30 min Scan# 2841
 Delta R.T. -0.06 min
 Lab File: BF095932.D
 Acq: 14 Jun 2017 20:20




Instrument :
 BNA_F
 ClientSampled :
 MW-5RE


Tot Ion:240 Resp: 137226
 Ion Ratio Lower Upper
 240 100
 120 15.3 5.8 8.8#
 236 24.5 20.5 30.7



#78
 Terphenyl-d14
 Concen: 70.61 ng
 RT: 16.95 min Scan# 2612
 Delta R.T. -0.06 min
 Lab File: BF095932.D
 Acq: 14 Jun 2017 20:20

Tgt Ion:244 Resp: 390446
 Ion Ratio Lower Upper
 244 100
 212 7.4 6.0 9.0
 122 14.7 10.3 15.5






#86
Pervlene-d12
Concen: 20.00 ng
RT: 19.97 min Scan# 3125
Delta R.T. -0.05 min
Lab File: BF095932.D
Acq: 14 Jun 2017 20:20

Instrument :
BNA_F
ClientSampleId :
MW-5RE

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.2	19.5	29.3
265	21.3	17.2	25.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

