

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF061515\
 Data File : BF079982.D
 Acq On : 15 Jun 2015 16:18
 Operator : TP/IZ
 Sample : G2639-02
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SP15-LF2MW1

Quant Time: Jun 16 01:09:20 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF061115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 15 15:44:31 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.35	152	40133	20.00	ng	0.00
21) Naphthalene-d8	8.64	136	159747	20.00	ng	0.00
38) Acenaphthene-d10	10.41	164	82219	20.00	ng	0.00
63) Phenanthrene-d10	11.93	188	163560	20.00	ng	0.01
75) Chrysene-d12	15.03	240	177829	20.00	ng	0.13
86) Perylene-d12	16.99	264	176556	20.00	ng	0.18
System Monitoring Compounds						
5) 2-Fluorophenol	5.96	112	137408	62.78	ng	0.00
7) Phenol-d6	6.95	99	115399	38.70	ng	0.00
23) Nitrobenzene-d5	7.91	82	270537	111.74	ng	0.00
41) 2,4,6-Tribromophenol	11.21	330	123016	148.13	ng	0.00
44) 2-Fluorobiphenyl	9.72	172	562097	95.73	ng	0.00
78) Terphenyl-d14	13.69	244	739947	95.93	ng	0.07
Target Compounds						
82) Chrysene	15.01	228	3386	Below Cal		Qvalue 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF061515\
Data File : BF079982.D
Acq On : 15 Jun 2015 16:18
Operator : TP/IZ
Sample : G2639-02
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SP15-LF2MW1

Quant Time: Jun 16 01:09:20 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF061115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 15 15:44:31 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.35 min Scan# 373
 Delta R.T. -0.00 min
 Lab File: BF079982.D
 Acq: 15 Jun 2015 16:18

Instrument :
 BNA_F
 ClientSampleId :
 SP15-LF2MW1

Tgt Ion:152 Resp: 40133
 Ion Ratio Lower Upper
 152 100
 150 161.6 131.0 196.4
 115 67.0 49.8 74.6




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5
 2-Fluorophenol
 Concen: 62.78 ng
 RT: 5.96 min Scan# 251
 Delta R.T. -0.00 min
 Lab File: BF079982.D
 Acq: 15 Jun 2015 16:18

Tgt Ion:112 Resp: 137408
 Ion Ratio Lower Upper
 112 100
 64 69.2 54.5 81.7
 63 33.9 27.9 41.9



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 38.70 ng

RT: 6.95 min Scan# 338

Delta R.T. -0.00 min

Lab File: BF079982.D

Acq: 15 Jun 2015 16:18

Instrument :

BNA_F

ClientSampleId :

SP15-LF2MW1


Tgt Ion: 99 Resp: 115399

Ion Ratio Lower Upper

99 100

42 17.3 12.9 19.3




71 31.0 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.64 min Scan# 486

Delta R.T. -0.00 min

Lab File: BF079982.D

Acq: 15 Jun 2015 16:18

Tgt Ion: 136 Resp: 159747


Ion Ratio Lower Upper

136 100

137 11.3 8.7 13.1

54 9.6 7.3 10.9

68 7.5 5.9 8.9






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 111.74 ng
 RT: 7.91 min Scan# 422
 Delta R.T. -0.00 min
 Lab File: BF079982.D
 Acq: 15 Jun 2015 16:18

Instrument :
 BNA_F
 ClientSampleId :
 SP15-LF2MW1

Tgt Ion	Ratio	Lower	Upper
82	100		
128	45.9	40.3	60.5
54	47.3	38.0	57.0




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.41 min Scan# 641
 Delta R.T. -0.00 min
 Lab File: BF079982.D
 Acq: 15 Jun 2015 16:18

Tgt Ion	Ratio	Lower	Upper
164	100		
162	102.7	80.7	121.1
160	44.5	34.6	51.8



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 148.13 ng
 RT: 11.21 min Scan# 711
 Delta R.T. -0.00 min
 Lab File: BF079982.D
 Acq: 15 Jun 2015 16:18




Instrument :
 BNA_F
 ClientSampleId :
 SP15-LF2MW1


Tgt Ion: 330 Resp: 123016
 Ion Ratio Lower Upper
 330 100
 332 98.4 77.3 115.9
 141 34.8 26.8 40.2



#44
 2-Fluorobiphenyl
 Concen: 95.73 ng
 RT: 9.72 min Scan# 580
 Delta R.T. -0.00 min
 Lab File: BF079982.D
 Acq: 15 Jun 2015 16:18

Tgt Ion: 172 Resp: 562097
 Ion Ratio Lower Upper
 172 100
 171 35.7 28.3 42.5
 170 23.8 19.0 28.4









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.93 min Scan# 774
Delta R.T. 0.01 min
Lab File: BF079982.D
Acq: 15 Jun 2015 16:18

Instrument :
BNA_F
ClientSampleId :
SP15-LF2MW1

Tgt Ion:188 Resp: 163560
Ion Ratio Lower Upper
188 100
94 11.7 5.8 8.8#
80 13.4 5.9 8.9#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 15.03 min Scan# 1045
Delta R.T. 0.13 min
Lab File: BF079982.D
Acq: 15 Jun 2015 16:18

Tgt Ion:240 Resp: 177829
Ion Ratio Lower Upper
240 100
120 11.0 9.4 14.2
236 25.6 19.6 29.4



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 95.93 ng
 RT: 13.69 min Scan# 928
 Delta R.T. 0.07 min
 Lab File: BF079982.D
 Acq: 15 Jun 2015 16:18

Instrument :
 BNA_F
 ClientSampleId :
 SP15-LF2MW1

Tgt Ion:244 Resp: 739947
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.4 8.2
 122 11.9 7.8 11.8#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 16.99 min Scan# 1216
 Delta R.T. 0.18 min
 Lab File: BF079982.D
 Acq: 15 Jun 2015 16:18

Tgt Ion:264 Resp: 176556
 Ion Ratio Lower Upper
 264 100
 260 23.5 19.3 28.9
 265 22.0 17.0 25.6

