

Data Path : Z:\HPCHEM1\BNA F\DATA\BF061516\
 Data File : BF088069.D
 Acq On : 16 Jun 2016 8:21
 Operator : UM/SJ
 Sample : H3570-15
 Misc :
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-17-COMP

Quant Time: Jun 16 11:42:30 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 13 14:10:49 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.74	152	125436	20.00	ng	-0.05
21) Naphthalene-d8	8.03	136	476529	20.00	ng	-0.05
38) Acenaphthene-d10	9.78	164	209093	20.00	ng	-0.06
63) Phenanthrene-d10	11.26	188	314517	20.00	ng	-0.06
75) Chrysene-d12	13.89	240	249085	20.00	ng	-0.07
86) Perylene-d12	15.29	264	257566	20.00	ng	-0.07
System Monitoring Compounds						
5) 2-Fluorophenol	5.34	112	549765	74.93	ng	-0.05
7) Phenol-d6	6.39	99	709806	79.82	ng	-0.05
23) Nitrobenzene-d5	7.31	82	421173	51.61	ng	-0.05
41) 2,4,6-Tribromophenol	10.57	330	124796	56.53	ng	-0.06
44) 2-Fluorobiphenyl	9.11	172	613068	43.35	ng	-0.06
78) Terphenyl-d14	12.85	244	420600	38.42	ng	-0.06
Target Compounds						
49) Dimethylphthalate	9.51	163	198298	13.09	ng	Qvalue 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF061516\
Data File : BF088069.D
Acq On : 16 Jun 2016 8:21
Operator : UM/SJ
Sample : H3570-15
Misc :
ALS Vial : 40 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-17-COMP

Quant Time: Jun 16 11:42:30 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 13 14:10:49 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.74 min Scan# 451
 Delta R.T. -0.05 min
 Lab File: BF088069.D
 Acq: 16 Jun 2016 8:21

Instrument :
 BNA_F
 ClientSampleId :
 SB-17-COMP

Tot Ion	Ratio	Lower	Upper
152	100		
150	155.0	123.8	185.6
115	58.8	39.6	59.4




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 74.93 ng
 RT: 5.34 min Scan# 328
 Delta R.T. -0.05 min
 Lab File: BF088069.D
 Acq: 16 Jun 2016 8:21

Tgt Ion	Ratio	Lower	Upper
112	100		
64	51.6	42.2	63.2
63	26.1	21.8	32.8



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 79.82 ng

RT: 6.39 min Scan# 420

Delta R.T. -0.05 min

Lab File: BF088069.D

Acq: 16 Jun 2016 8:21

Instrument :

BNA_F

ClientSampleId :

SB-17-COMP


Tot Ion: 99 Resp: 709806

Ion Ratio Lower Upper

99 100

42 11.8 12.2 18.2#




71 28.2 23.4 35.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.03 min Scan# 564

Delta R.T. -0.05 min

Lab File: BF088069.D

Acq: 16 Jun 2016 8:21

Tgt Ion: 136 Resp: 476529


Ion Ratio Lower Upper

136 100

137 10.6 9.1 13.7

54 5.0 6.6 10.0#

68 4.4 5.1 7.7#





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
Nitrobenzene-d5
Concen: 51.61 ng
RT: 7.31 min Scan# 501
Delta R.T. -0.05 min
Lab File: BF088069.D
Acq: 16 Jun 2016 8:21

Instrument :
BNA_F
ClientSampleID :
SB-17-COMP

Tot Ion: 82 Resp: 421173
Ion Ratio Lower Upper
82 100
128 55.9 35.9 53.9#
54 41.0 40.9 61.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0





#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.78 min Scan# 717
Delta R.T. -0.06 min
Lab File: BF088069.D
Acq: 16 Jun 2016 8:21

Tgt Ion:164 Resp: 209093
Ion Ratio Lower Upper
164 100
162 104.8 85.4 128.2
160 47.6 39.5 59.3



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 56.53 ng
 RT: 10.57 min Scan# 786
 Delta R.T. -0.06 min
 Lab File: BF088069.D
 Acq: 16 Jun 2016 8:21

Instrument :
 BNA_F
 ClientSampleId :
 SB-17-COMP

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.4	0.0	0.0#
141	34.7	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 43.35 ng
 RT: 9.11 min Scan# 658
 Delta R.T. -0.06 min
 Lab File: BF088069.D
 Acq: 16 Jun 2016 8:21

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.0	28.6	43.0
170	24.1	19.2	28.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 13.09 ng
RT: 9.51 min Scan# 693
Delta R.T. -0.06 min
Lab File: BF088069.D
Acq: 16 Jun 2016 8:21

Instrument :
BNA_F
ClientSampleId :
SB-17-COMP

Tot Ion:163 Resp: 198298
Ion Ratio Lower Upper
163 100
194 3.6 2.8 4.2
164 9.7 8.3 12.5




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.26 min Scan# 846
Delta R.T. -0.06 min
Lab File: BF088069.D
Acq: 16 Jun 2016 8:21

Tgt Ion:188 Resp: 314517
Ion Ratio Lower Upper
188 100
94 12.0 9.0 13.6
80 12.6 10.0 15.0



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0









#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.89 min Scan# 1076
Delta R.T. -0.07 min
Lab File: BF088069.D
Acq: 16 Jun 2016 8:21




Instrument :
BNA_F
ClientSampleId :
SB-17-COMP




Tot Ion:240 Resp: 249085
Ion Ratio Lower Upper
240 100
120 19.3 6.8 10.2#
236 25.5 20.2 30.2



#78
Terphenyl-d14
Concen: 38.42 ng
RT: 12.85 min Scan# 985
Delta R.T. -0.06 min
Lab File: BF088069.D
Acq: 16 Jun 2016 8:21

Tgt Ion:244 Resp: 420600
Ion Ratio Lower Upper
244 100
212 7.0 6.0 9.0
122 11.4 11.2 16.8





#86

Pervlene-d12

Concen: 20.00 ng

RT: 15.29 min Scan# 1199

Delta R.T. -0.07 min

Lab File: BF088069.D

Acq: 16 Jun 2016 8:21

Instrument :

BNA_F

ClientSampleId :

SB-17-COMP

Tot Ion:264 Resp: 257566

Ion Ratio Lower Upper

264 100

260 23.2 19.2 28.8

265 21.2 16.9 25.3

