

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061521\
 Data File : BF124331.D
 Acq On : 15 Jun 2021 19:45
 Operator : JU/CG
 Sample : M2658-17
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 G-WALL-2

Quant Time: Jun 15 20:14:21 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF060321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 15 20:09:26 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.786	152	31680	20.00	ng	0.00
21) Naphthalene-d8	8.069	136	120069	20.00	ng	# 0.00
39) Acenaphthene-d10	9.822	164	69810	20.00	ng	0.00
64) Phenanthrene-d10	11.310	188	121552	20.00	ng	# 0.00
76) Chrysene-d12	13.957	240	69043	20.00	ng	0.00
86) Perylene-d12	15.415	264	70331	20.00	ng	# 0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.422	112	273914	130.16	ng	0.00
7) Phenol-d6	6.439	99	317048	112.08	ng	0.00
23) Nitrobenzene-d5	7.351	82	279250	92.24	ng	0.00
42) 2,4,6-Tribromophenol	10.616	330	110363	111.59	ng	0.00
45) 2-Fluorobiphenyl	9.145	172	515839	92.98	ng	0.00
79) Terphenyl-d14	12.898	244	383887	76.34	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.539	163	16594	2.87	ng	Qvalue 97
84) Bis(2-ethylhexyl)phtha...	13.939	149	18516	5.79	ng	# 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061521\
Data File : BF124331.D
Acq On : 15 Jun 2021 19:45
Operator : JU/CG
Sample : M2658-17
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
G-WALL-2

Quant Time: Jun 15 20:14:21 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF060321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 15 20:09:26 2021
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.786 min Scan# 799
Delta R.T. 0.000 min
Lab File: BF124331.D
Acq: 15 Jun 2021 19:45




Instrument :
BNA_F
ClientSampled :
G-WALL-2


Tgt Ion:152 Resp: 31680
Ion Ratio Lower Upper
152 100
150 152.1 127.0 190.6
115 62.9 54.3 81.5



#5
2-Fluorophenol
Concen: 130.16 ng
RT: 5.422 min Scan# 567
Delta R.T. 0.006 min
Lab File: BF124331.D
Acq: 15 Jun 2021 19:45

Tgt Ion:112 Resp: 273914
Ion Ratio Lower Upper
112 100
64 82.2 61.4 92.0
63 44.7 33.0 49.4









#7
Phenol-d6
Concen: 112.08 ng
RT: 6.439 min Scan# 740
Delta R.T. -0.006 min
Lab File: BF124331.D
Acq: 15 Jun 2021 19:45




Instrument :
BNA_F
ClientSampleId :
G-WALL-2

Tgt Ion: 99 Resp: 317048
Ion Ratio Lower Upper
99 100
42 23.0 19.8 29.8
71 47.4 31.1 46.7#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.069 min Scan# 1017
Delta R.T. -0.006 min
Lab File: BF124331.D
Acq: 15 Jun 2021 19:45

Tgt Ion: 136 Resp: 120069
Ion Ratio Lower Upper
136 100
137 9.4 8.7 13.1
54 9.0 9.8 14.6#
68 4.5 4.1 6.1





#23

Nitrobenzene-d5

Concen: 92.24 ng

RT: 7.351 min Scan# 895

Delta R.T. -0.006 min

Lab File: BF124331.D

Acq: 15 Jun 2021 19:45

Instrument :





BNA_F

ClientSampleId :

G-WALL-2

Tgt Ion: 82 Resp: 279250

Ion	Ratio	Lower	Upper
82	100		
128	36.5	29.4	44.2
54	63.0	54.1	81.1



#39

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.822 min Scan# 1315




Delta R.T. -0.006 min


Lab File: BF124331.D

Acq: 15 Jun 2021 19:45

Tgt Ion: 164 Resp: 69810

Ion	Ratio	Lower	Upper
164	100		
162	106.1	80.7	121.1
160	47.0	37.3	55.9









#42
2,4,6-Tribromophenol
Concen: 111.59 ng
RT: 10.616 min Scan# 1450
Delta R.T. -0.006 min
Lab File: BF124331.D
Acq: 15 Jun 2021 19:45




Instrument :
BNA_F
ClientSampleID :
G-WALL-2


Tgt Ion: 330 Resp: 110363
Ion Ratio Lower Upper
330 100
332 97.8 77.1 115.7
141 38.4 27.9 41.9



#45
2-Fluorobiphenyl
Concen: 92.98 ng
RT: 9.145 min Scan# 1200
Delta R.T. -0.006 min
Lab File: BF124331.D
Acq: 15 Jun 2021 19:45

Tgt Ion: 172 Resp: 515839
Ion Ratio Lower Upper
172 100
171 35.6 28.1 42.1
170 23.1 19.2 28.8









#50
Dimethylphthalate
Concen: 2.87 ng
RT: 9.539 min Scan# 1267
Delta R.T. -0.018 min
Lab File: BF124331.D
Acq: 15 Jun 2021 19:45




Instrument :
BNA_F
ClientSampleId :
G-WALL-2


Tgt Ion:163 Resp: 16594
Ion Ratio Lower Upper
163 100
194 4.4 3.1 4.7
164 8.7 8.2 12.2



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.310 min Scan# 1568
Delta R.T. -0.006 min
Lab File: BF124331.D
Acq: 15 Jun 2021 19:45

Tgt Ion:188 Resp: 121552
Ion Ratio Lower Upper
188 100
94 6.4 6.9 10.3#
80 8.5 8.2 12.2





#76

Chrysene-d12

Concen: 20.00 ng

RT: 13.957 min Scan# 2018

Delta R.T. -0.006 min

Lab File: BF124331.D

Acq: 15 Jun 2021 19:45





Tgt Ion:	240	Resp:	69043
Ion Ratio	Lower	Upper	
240	100		
120	8.8	7.2	10.8
236	27.3	19.0	28.4

Instrument :

BNA_F

ClientSampleId :

G-WALL-2



#79

Terphenyl-d14

Concen: 76.34 ng




RT: 12.898 min Scan# 1838


Delta R.T. -0.006 min

Lab File: BF124331.D

Acq: 15 Jun 2021 19:45

Tgt Ion:	244	Resp:	383887
Ion Ratio	Lower	Upper	
244	100		
212	8.1	5.7	8.5
122	10.2	9.7	14.5









#84
Bis(2-ethylhexyl)phthalate
Concen: 5.79 ng
RT: 13.939 min Scan# 2015
Delta R.T. -0.000 min
Lab File: BF124331.D
Acq: 15 Jun 2021 19:45

Instrument :
BNA_F
ClientSampleId :
G-WALL-2

Tgt Ion:149 Resp: 18516
Ion Ratio Lower Upper
149 100
167 28.4 21.8 32.6
279 6.3 3.3 4.9#



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.415 min Scan# 2266
Delta R.T. 0.000 min
Lab File: BF124331.D
Acq: 15 Jun 2021 19:45

Tgt Ion:264 Resp: 70331
Ion Ratio Lower Upper
264 100
260 22.5 18.7 28.1
265 17.2 17.8 26.8#

