

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061521\
 Data File : BF124332.D
 Acq On : 15 Jun 2021 20:19
 Operator : JU/CG
 Sample : M2674-09 5X
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TMR-DS-03-060921

Quant Time: Jun 15 20:40:09 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF060321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 15 20:09:26 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.781	152	35147	20.00	ng	0.00
21) Naphthalene-d8	8.069	136	129538	20.00	ng	# 0.00
39) Acenaphthene-d10	9.822	164	73111	20.00	ng	0.00
64) Phenanthrene-d10	11.310	188	129467	20.00	ng	0.00
76) Chrysene-d12	13.957	240	81385	20.00	ng	0.00
86) Perylene-d12	15.410	264	72794	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.416	112	48925	20.95	ng	0.00
7) Phenol-d6	6.440	99	56952	18.15	ng	0.00
23) Nitrobenzene-d5	7.345	82	55216	16.91	ng	-0.01
42) 2,4,6-Tribromophenol	10.616	330	22764	21.98	ng	0.00
45) 2-Fluorobiphenyl	9.145	172	101637	17.49	ng	0.00
79) Terphenyl-d14	12.898	244	97813	16.50	ng	0.00
Target Compounds						
10) Phenol	6.457	94	37192	10.97	ng	Qvalue 93
17) 2-Methylphenol	7.057	107	41280	19.55	ng	97
20) 3+4-Methylphenols	7.216	107	104416	37.31	ng	# 69
27) 2,4-Dimethylphenol	7.734	122	66798	32.37	ng	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061521\
Data File : BF124332.D
Acq On : 15 Jun 2021 20:19
Operator : JU/CG
Sample : M2674-09 5X
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TMR-DS-03-060921

Quant Time: Jun 15 20:40:09 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF060321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 15 20:09:26 2021
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.781 min Scan# 798
Delta R.T. -0.005 min
Lab File: BF124332.D
Acq: 15 Jun 2021 20:19




Instrument :
BNA_F
ClientSampleId :
TMR-DS-03-060921


Tgt Ion:152 Resp: 35147
Ion Ratio Lower Upper
152 100
150 148.4 127.0 190.6
115 63.3 54.3 81.5



#5
2-Fluorophenol
Concen: 20.95 ng
RT: 5.416 min Scan# 566
Delta R.T. 0.000 min
Lab File: BF124332.D
Acq: 15 Jun 2021 20:19

Tgt Ion:112 Resp: 48925
Ion Ratio Lower Upper
112 100
64 81.0 61.4 92.0
63 44.7 33.0 49.4









#7
Phenol-d6
Concen: 18.15 ng
RT: 6.440 min Scan# 740
Delta R.T. -0.006 min
Lab File: BF124332.D
Acq: 15 Jun 2021 20:19




Instrument :
BNA_F
ClientSampleId :
TMR-DS-03-060921


Tgt Ion: 99 Resp: 56952
Ion Ratio Lower Upper
99 100
42 20.5 19.8 29.8
71 47.3 31.1 46.7#



#10
Phenol
Concen: 10.97 ng
RT: 6.457 min Scan# 743
Delta R.T. 0.000 min
Lab File: BF124332.D
Acq: 15 Jun 2021 20:19

Tgt Ion: 94 Resp: 37192
Ion Ratio Lower Upper
94 100
65 31.9 18.1 58.1
66 45.8 29.0 69.0









#17
2-Methylphenol
Concen: 19.55 ng
RT: 7.057 min Scan# 845
Delta R.T. -0.006 min
Lab File: BF124332.D
Acq: 15 Jun 2021 20:19




Instrument :
BNA_F
ClientSampleId :
TMR-DS-03-060921


Tgt Ion:	107	Resp:	41280
Ion	Ratio	Lower	Upper
107	100		
108	109.4	89.8	134.8
77	53.4	40.9	61.3
79	53.5	40.2	60.4



#20
3+4-Methylphenols
Concen: 37.31 ng
RT: 7.216 min Scan# 872
Delta R.T. 0.000 min
Lab File: BF124332.D
Acq: 15 Jun 2021 20:19

Tgt Ion:	107	Resp:	104416
Ion	Ratio	Lower	Upper
107	100		
108	89.7	71.5	111.5
77	40.7	82.0	122.0#
79	46.7	14.1	54.1









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.069 min Scan# 1017
Delta R.T. -0.006 min
Lab File: BF124332.D
Acq: 15 Jun 2021 20:19

Instrument :
BNA_F
ClientSampleId :
TMR-DS-03-060921

Tgt Ion:136 Resp: 129538




Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.7	13.1
54	9.4	9.8	14.6#
68	4.7	4.1	6.1




#23
Nitrobenzene-d5
Concen: 16.91 ng
RT: 7.345 min Scan# 894
Delta R.T. -0.012 min
Lab File: BF124332.D
Acq: 15 Jun 2021 20:19

Tgt Ion: 82 Resp: 55216

Ion	Ratio	Lower	Upper
82	100		
128	34.4	29.4	44.2
54	65.3	54.1	81.1









#27
2,4-Dimethylphenol
Concen: 32.37 ng
RT: 7.734 min Scan# 960
Delta R.T. -0.006 min
Lab File: BF124332.D
Acq: 15 Jun 2021 20:19




Instrument :
BNA_F
ClientSampleId :
TMR-DS-03-060921


Tgt Ion:122	Resp:	66798
Ion Ratio	Lower	Upper
122	100	
107	137.2	106.3 159.5
121	66.4	45.4 68.0



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.822 min Scan# 1315
Delta R.T. -0.006 min
Lab File: BF124332.D
Acq: 15 Jun 2021 20:19

Tgt Ion:164	Resp:	73111
Ion Ratio	Lower	Upper
164	100	
162	105.2	80.7 121.1
160	46.8	37.3 55.9









#42
2,4,6-Tribromophenol
Concen: 21.98 ng
RT: 10.616 min Scan# 1450
Delta R.T. -0.006 min
Lab File: BF124332.D
Acq: 15 Jun 2021 20:19




Instrument :
BNA_F
ClientSampleId :
TMR-DS-03-060921


Tgt Ion: 330 Resp: 22764
Ion Ratio Lower Upper
330 100
332 87.5 77.1 115.7
141 42.0 27.9 41.9#



#45
2-Fluorobiphenyl
Concen: 17.49 ng
RT: 9.145 min Scan# 1200
Delta R.T. -0.006 min
Lab File: BF124332.D
Acq: 15 Jun 2021 20:19

Tgt Ion: 172 Resp: 101637
Ion Ratio Lower Upper
172 100
171 37.2 28.1 42.1
170 23.7 19.2 28.8









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.310 min Scan# 1568
Delta R.T. -0.006 min
Lab File: BF124332.D
Acq: 15 Jun 2021 20:19




Instrument :
BNA_F
ClientSampleId :
TMR-DS-03-060921


Tgt Ion:188 Resp: 129467
Ion Ratio Lower Upper
188 100
94 9.7 6.9 10.3
80 11.6 8.2 12.2



#76
Chrysene-d12
Concen: 20.00 ng
RT: 13.957 min Scan# 2018
Delta R.T. -0.006 min
Lab File: BF124332.D
Acq: 15 Jun 2021 20:19

Tgt Ion:240 Resp: 81385
Ion Ratio Lower Upper
240 100
120 7.4 7.2 10.8
236 26.3 19.0 28.4









#79
 Terphenyl-d14
 Concen: 16.50 ng
 RT: 12.898 min Scan# 1838
 Delta R.T. -0.006 min
 Lab File: BF124332.D
 Acq: 15 Jun 2021 20:19

Instrument :
 BNA_F
 ClientSampleId :
 TMR-DS-03-060921

Tgt Ion:244 Resp: 97813
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.7 8.5
 122 7.3 9.7 14.5#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.410 min Scan# 2265
 Delta R.T. -0.006 min
 Lab File: BF124332.D
 Acq: 15 Jun 2021 20:19

Tgt Ion:264 Resp: 72794
 Ion Ratio Lower Upper
 264 100
 260 23.9 18.7 28.1
 265 23.4 17.8 26.8

