

Data Path : Z:\HPCHEM1\BNA F\DATA\BF061617\
 Data File : BF095952.D
 Acq On : 16 Jun 2017 13:15
 Operator : SJ/MA
 Sample : I3661-01
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Jun 16 22:59:49 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 16 17:12:03 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.32	152	62469	20.00	ng	0.00
21) Naphthalene-d8	9.35	136	252022	20.00	ng	0.00
38) Acenaphthene-d10	12.17	164	113778	20.00	ng	-0.01
63) Phenanthrene-d10	14.56	188	210147	20.00	ng	0.00
75) Chrysene-d12	18.29	240	168595	20.00	ng	-0.01
86) Perylene-d12	19.96	264	124229	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.22	112	220083	56.14	ng	0.00
7) Phenol-d6	6.90	99	259160	55.22	ng	0.00
23) Nitrobenzene-d5	8.24	82	271607	66.93	ng	-0.01
41) 2,4,6-Tribromophenol	13.47	330	69417	68.96	ng	-0.01
44) 2-Fluorobiphenyl	11.13	172	546996	66.90	ng	0.00
78) Terphenyl-d14	16.94	244	468857	69.02	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	8.24	70	33345	11.21	ng	# 73
50) 2,6-Dinitrotoluene	12.17	165	14536	7.71	ng	# 31

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF061617\
Data File : BF095952.D
Acq On : 16 Jun 2017 13:15
Operator : SJ/MA
Sample : I3661-01
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Jun 16 22:59:49 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 16 17:12:03 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.32 min Scan# 974
 Delta R.T. -0.01 min
 Lab File: BF095952.D
 Acq: 16 Jun 2017 13:15

Instrument :
 BNA_F
 ClientSampled :

Tot Ion:152 Resp: 62469
 Ion Ratio Lower Upper
 152 100
 150 157.3 126.2 189.2
 115 59.9 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
 Concen: 56.14 ng
 RT: 5.22 min Scan# 618
 Delta R.T. 0.01 min
 Lab File: BF095952.D
 Acq: 16 Jun 2017 13:15

Tgt Ion:112 Resp: 220083
 Ion Ratio Lower Upper
 112 100
 64 52.9 46.0 69.0
 63 27.8 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 55.22 ng

RT: 6.90 min Scan# 904

Delta R.T. -0.01 min

Lab File: BF095952.D

Acq: 16 Jun 2017 13:15

Instrument :

BNA_F

ClientSampled :


Tot Ion: 99 Resp: 259160

Ion Ratio Lower Upper

99 100

42 15.1 13.5 20.3




71 30.0 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 11.21 ng

RT: 8.24 min Scan# 1131

Delta R.T. 0.17 min

Lab File: BF095952.D

Acq: 16 Jun 2017 13:15

Tgt Ion: 70 Resp: 33345


Ion Ratio Lower Upper

70 100

42 41.8 47.2 70.8#

101 0.0 7.2 10.8#

130 1.8 15.9 23.9#





Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.35 min Scan# 1320

Delta R.T. -0.01 min

Lab File: BF095952.D

Acq: 16 Jun 2017 13:15

Instrument :

BNA_F

ClientSampleId :

Tot Ion:136 Resp: 252022


Ion Ratio Lower Upper

136 100

137 11.2 8.5 12.7

54 6.4 4.9 7.3

68 5.1 4.1 6.1





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 66.93 ng

RT: 8.24 min Scan# 1131

Delta R.T. -0.01 min

Lab File: BF095952.D

Acq: 16 Jun 2017 13:15


Tgt Ion: 82 Resp: 271607

Ion Ratio Lower Upper

82 100

128 47.9 34.0 51.0



54 44.6 42.2 63.2



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 12.17 min Scan# 1799

Delta R.T. -0.01 min

Lab File: BF095952.D

Acq: 16 Jun 2017 13:15

Instrument :

BNA_F

ClientSampleId :


Tot Ion:164 Resp: 113778

Ion Ratio Lower Upper

164 100

162 104.9 82.6 123.8



160 41.9 36.2 54.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 68.96 ng

RT: 13.47 min Scan# 2020

Delta R.T. -0.01 min

Lab File: BF095952.D

Acq: 16 Jun 2017 13:15


Tgt Ion:330 Resp: 69417

Ion Ratio Lower Upper

330 100

332 96.4 76.6 115.0



141 38.4 31.4 47.2




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 66.90 ng
RT: 11.13 min Scan# 1623
Delta R.T. -0.01 min
Lab File: BF095952.D
Acq: 16 Jun 2017 13:15




Instrument :
BNA_F
ClientSampled :


Tot Ion	Ratio	Lower	Upper
172	100		
171	36.0	29.6	44.4
170	23.6	19.8	29.8



#50
2,6-Dinitrotoluene
Concen: 7.71 ng
RT: 12.17 min Scan# 1799
Delta R.T. 0.22 min
Lab File: BF095952.D
Acq: 16 Jun 2017 13:15

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	34.3	51.5#
89	0.0	37.1	55.7#









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 14.56 min Scan# 2206
Delta R.T. -0.01 min
Lab File: BF095952.D
Acq: 16 Jun 2017 13:15




Instrument :
BNA_F
ClientSampleId :

Tot Ion:188 Resp: 210147
Ion Ratio Lower Upper
188 100
94 10.3 9.4 14.2
80 11.4 10.2 15.2



#75
Chrysene-d12
Concen: 20.00 ng
RT: 18.29 min Scan# 2839
Delta R.T. -0.01 min
Lab File: BF095952.D
Acq: 16 Jun 2017 13:15

Tgt Ion:240 Resp: 168595
Ion Ratio Lower Upper
240 100
120 15.1 5.8 8.8#
236 25.5 20.5 30.7









#78
 Terphenyl-d14
 Concen: 69.02 ng
 RT: 16.94 min Scan# 2611
 Delta R.T. -0.01 min
 Lab File: BF095952.D
 Acq: 16 Jun 2017 13:15

Instrument :
 BNA_F
 ClientSampled :

Tot Ion:244 Resp: 468857
 Ion Ratio Lower Upper
 244 100
 212 7.1 6.0 9.0
 122 14.1 10.3 15.5



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 19.96 min Scan# 3123
 Delta R.T. -0.01 min
 Lab File: BF095952.D
 Acq: 16 Jun 2017 13:15

Tgt Ion:264 Resp: 124229
 Ion Ratio Lower Upper
 264 100
 260 23.4 19.5 29.3
 265 20.4 17.2 25.8

