

Data Path : Z:\HPCHEM1\BNA F\DATA\BF061617\
 Data File : BF095981.D
 Acq On : 17 Jun 2017 6:03
 Operator : SJ/MA
 Sample : I3693-09
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Jun 19 01:06:45 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 16 17:12:03 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.32	152	61496	20.00	ng	0.00
21) Naphthalene-d8	9.35	136	256049	20.00	ng	0.00
38) Acenaphthene-d10	12.17	164	110268	20.00	ng	-0.01
63) Phenanthrene-d10	14.56	188	173893	20.00	ng	0.00
75) Chrysene-d12	18.29	240	130401	20.00	ng	0.00
86) Perylene-d12	19.96	264	118797	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.23	112	501556	129.96	ng	0.02
7) Phenol-d6	6.90	99	563951	122.06	ng	-0.01
23) Nitrobenzene-d5	8.24	82	396504	96.17	ng	-0.01
41) 2,4,6-Tribromophenol	13.47	330	134430	137.79	ng	-0.01
44) 2-Fluorobiphenyl	11.13	172	774510	97.74	ng	0.00
78) Terphenyl-d14	16.94	244	505464	96.20	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	8.24	70	48256	16.48	ng	# 77
50) 2,6-Dinitrotoluene	12.17	165	15090	8.26	ng	# 31


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF061617\
Data File : BF095981.D
Acq On : 17 Jun 2017 6:03
Operator : SJ/MA
Sample : I3693-09
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Jun 19 01:06:45 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 16 17:12:03 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.32 min Scan# 975
Delta R.T. 0.00 min
Lab File: BF095981.D
Acq: 17 Jun 2017 6:03

Instrument :
BNA_F
ClientSampled :

Tot Ion	Ratio	Lower	Upper
152	100		
150	163.6	126.2	189.2
115	63.1	52.2	78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 129.96 ng
RT: 5.23 min Scan# 620
Delta R.T. 0.02 min
Lab File: BF095981.D
Acq: 17 Jun 2017 6:03

Tgt Ion	Ratio	Lower	Upper
112	100		
64	54.9	46.0	69.0
63	26.2	23.4	35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 122.06 ng

RT: 6.90 min Scan# 903

Delta R.T. -0.01 min

Lab File: BF095981.D

Acq: 17 Jun 2017 6:03

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 563951

Ion Ratio Lower Upper

99 100

42 14.9 13.5 20.3




71 31.9 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 16.48 ng

RT: 8.24 min Scan# 1131

Delta R.T. 0.17 min

Lab File: BF095981.D

Acq: 17 Jun 2017 6:03

Tgt Ion: 70 Resp: 48256


Ion Ratio Lower Upper

70 100

42 46.1 47.2 70.8#

101 0.0 7.2 10.8#

130 1.8 15.9 23.9#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.35 min Scan# 1320

Delta R.T. -0.01 min

Lab File: BF095981.D

Acq: 17 Jun 2017 6:03

Instrument :

BNA_F

ClientSampled :

Tot Ion:136 Resp: 256049


Ion Ratio Lower Upper

136 100

137 10.9 8.5 12.7

54 7.6 4.9 7.3#

68 6.2 4.1 6.1#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 96.17 ng

RT: 8.24 min Scan# 1131

Delta R.T. -0.01 min

Lab File: BF095981.D

Acq: 17 Jun 2017 6:03


Tgt Ion: 82 Resp: 396504

Ion Ratio Lower Upper

82 100

128 45.5 34.0 51.0



54 47.5 42.2 63.2




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0









#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 12.17 min Scan# 1799
Delta R.T. -0.01 min
Lab File: BF095981.D
Acq: 17 Jun 2017 6:03

Instrument :
BNA_F
ClientSampleId :

Tot Ion:164 Resp: 110268
Ion Ratio Lower Upper
164 100
162 102.9 82.6 123.8
160 42.1 36.2 54.2




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#41
2,4,6-Tribromophenol
Concen: 137.79 ng
RT: 13.47 min Scan# 2020
Delta R.T. -0.01 min
Lab File: BF095981.D
Acq: 17 Jun 2017 6:03

Tgt Ion:330 Resp: 134430
Ion Ratio Lower Upper
330 100
332 93.6 76.6 115.0
141 37.2 31.4 47.2



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 97.74 ng
RT: 11.13 min Scan# 1623
Delta R.T. -0.01 min
Lab File: BF095981.D
Acq: 17 Jun 2017 6:03




Instrument :
BNA_F
ClientSampleId :


Tot Ion:172 Resp: 774510
Ion Ratio Lower Upper
172 100
171 35.5 29.6 44.4
170 23.4 19.8 29.8



#50
2,6-Dinitrotoluene
Concen: 8.26 ng
RT: 12.17 min Scan# 1799
Delta R.T. 0.22 min
Lab File: BF095981.D
Acq: 17 Jun 2017 6:03

Tgt Ion:165 Resp: 15090
Ion Ratio Lower Upper
165 100
63 0.0 34.3 51.5#
89 0.0 37.1 55.7#









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 14.56 min Scan# 2206
Delta R.T. -0.01 min
Lab File: BF095981.D
Acq: 17 Jun 2017 6:03




Instrument :
BNA_F
ClientSampleId :


Tot Ion:188 Resp: 173893
Ion Ratio Lower Upper
188 100
94 10.6 9.4 14.2
80 11.3 10.2 15.2



#75
Chrysene-d12
Concen: 20.00 ng
RT: 18.29 min Scan# 2840
Delta R.T. -0.01 min
Lab File: BF095981.D
Acq: 17 Jun 2017 6:03

Tgt Ion:240 Resp: 130401
Ion Ratio Lower Upper
240 100
120 13.5 5.8 8.8#
236 25.5 20.5 30.7









#78
 Terphenyl-d14
 Concen: 96.20 ng
 RT: 16.94 min Scan# 2611
 Delta R.T. -0.01 min
 Lab File: BF095981.D
 Acq: 17 Jun 2017 6:03

Instrument :
 BNA_F
 ClientSampled :

Tot Ion:244 Resp: 505464
 Ion Ratio Lower Upper
 244 100
 212 6.4 6.0 9.0
 122 12.9 10.3 15.5



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 19.96 min Scan# 3123
 Delta R.T. -0.01 min
 Lab File: BF095981.D
 Acq: 17 Jun 2017 6:03

Tgt Ion:264 Resp: 118797
 Ion Ratio Lower Upper
 264 100
 260 23.0 19.5 29.3
 265 21.3 17.2 25.8

