

Data Path : Z:\HPCHEM1\BNA F\DATA\BF061617\
 Data File : BF095956.D
 Acq On : 16 Jun 2017 15:28
 Operator : SJ/MA
 Sample : I3725-01
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 A-598-FRAC-TANK

Quant Time: Jun 16 23:47:20 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 16 17:12:03 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.32	152	66123	20.00	ng	0.00
21) Naphthalene-d8	9.35	136	267093	20.00	ng	0.00
38) Acenaphthene-d10	12.17	164	120132	20.00	ng	-0.01
63) Phenanthrene-d10	14.56	188	195978	20.00	ng	0.00
75) Chrysene-d12	18.29	240	140461	20.00	ng	0.00
86) Perylene-d12	19.96	264	136843	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.23	112	243500	58.68	ng	0.01
7) Phenol-d6	6.92	99	164705	33.15	ng	0.00
23) Nitrobenzene-d5	8.25	82	425023	98.83	ng	0.00
41) 2,4,6-Tribromophenol	13.47	330	147177	138.47	ng	0.00
44) 2-Fluorobiphenyl	11.13	172	835296	96.76	ng	0.00
78) Terphenyl-d14	16.94	244	519251	91.74	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF061617\
Data File : BF095956.D
Acq On : 16 Jun 2017 15:28
Operator : SJ/MA
Sample : I3725-01
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
A-598-FRAC-TANK

Quant Time: Jun 16 23:47:20 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 16 17:12:03 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.32 min Scan# 975
Delta R.T. 0.00 min
Lab File: BF095956.D
Acq: 16 Jun 2017 15:28

Instrument :
BNA_F
ClientSampleId :
A-598-FRAC-TANK

Tot Ion:152 Resp: 66123
Ion Ratio Lower Upper
152 100
150 151.7 126.2 189.2
115 59.5 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 58.68 ng
RT: 5.23 min Scan# 619
Delta R.T. 0.01 min
Lab File: BF095956.D
Acq: 16 Jun 2017 15:28

Tgt Ion:112 Resp: 243500
Ion Ratio Lower Upper
112 100
64 52.7 46.0 69.0
63 25.2 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 33.15 ng

RT: 6.92 min Scan# 906

Delta R.T. 0.01 min

Lab File: BF095956.D

Acq: 16 Jun 2017 15:28

Instrument :

BNA_F

ClientSampleId :

A-598-FRAC-TANK


Tot Ion: 99 Resp: 164705

Ion Ratio Lower Upper

99 100

42 14.4 13.5 20.3




71 31.6 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.35 min Scan# 1320

Delta R.T. -0.01 min

Lab File: BF095956.D

Acq: 16 Jun 2017 15:28

Tgt Ion: 136 Resp: 267093


Ion Ratio Lower Upper

136 100

137 10.7 8.5 12.7

54 6.9 4.9 7.3

68 6.0 4.1 6.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
Nitrobenzene-d5
Concen: 98.83 ng
RT: 8.25 min Scan# 1132
Delta R.T. -0.01 min
Lab File: BF095956.D
Acq: 16 Jun 2017 15:28




Instrument :
BNA_F
ClientSampleId :
A-598-FRAC-TANK

Tot Ion	Ratio	Lower	Upper
82	100		
128	47.6	34.0	51.0
54	45.7	42.2	63.2



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 12.17 min Scan# 1799
Delta R.T. -0.01 min
Lab File: BF095956.D
Acq: 16 Jun 2017 15:28

Tgt Ion	Ratio	Lower	Upper
164	100		
162	106.6	82.6	123.8
160	44.8	36.2	54.2









#41
2,4,6-Tribromophenol
Concen: 138.47 ng
RT: 13.47 min Scan# 2021
Delta R.T. -0.01 min
Lab File: BF095956.D
Acq: 16 Jun 2017 15:28

Instrument :
BNA_F
ClientSampleId :
A-598-FRAC-TANK

Tot Ion:330 Resp: 147177
Ion Ratio Lower Upper
330 100
332 97.3 76.6 115.0
141 37.9 31.4 47.2




Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E






#44
2-Fluorobiphenyl
Concen: 96.76 ng
RT: 11.13 min Scan# 1623
Delta R.T. -0.01 min
Lab File: BF095956.D
Acq: 16 Jun 2017 15:28

Tgt Ion:172 Resp: 835296
Ion Ratio Lower Upper
172 100
171 36.5 29.6 44.4
170 23.9 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E









#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 14.56 min Scan# 2206
 Delta R.T. -0.01 min
 Lab File: BF095956.D
 Acq: 16 Jun 2017 15:28




Instrument :
 BNA_F
 ClientSampleId :
 A-598-FRAC-TANK


Tot Ion:188 Resp: 195978
 Ion Ratio Lower Upper
 188 100
 94 10.2 9.4 14.2
 80 11.1 10.2 15.2



#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 18.29 min Scan# 2840
 Delta R.T. -0.01 min
 Lab File: BF095956.D
 Acq: 16 Jun 2017 15:28

Tgt Ion:240 Resp: 140461
 Ion Ratio Lower Upper
 240 100
 120 13.1 5.8 8.8#
 236 23.5 20.5 30.7









#78
 Terphenyl-d14
 Concen: 91.74 ng
 RT: 16.94 min Scan# 2611
 Delta R.T. -0.01 min
 Lab File: BF095956.D
 Acq: 16 Jun 2017 15:28

Instrument :
 BNA_F
 ClientSampleId :
 A-598-FRAC-TANK

Tot Ion:244 Resp: 519251
 Ion Ratio Lower Upper
 244 100
 212 6.7 6.0 9.0
 122 14.0 10.3 15.5



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 19.96 min Scan# 3123
 Delta R.T. -0.01 min
 Lab File: BF095956.D
 Acq: 16 Jun 2017 15:28

Tgt Ion:264 Resp: 136843
 Ion Ratio Lower Upper
 264 100
 260 24.1 19.5 29.3
 265 19.9 17.2 25.8

