

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061724\
 Data File : BF138214.D
 Acq On : 17 Jun 2024 19:56
 Operator : CG\JU
 Sample : P2848-07
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 DUP

Quant Time: Jun 18 00:55:02 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061224.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 13 01:52:47 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.892	152	397226	20.000	ng	0.00
21) Naphthalene-d8	8.169	136	1530916	20.000	ng	0.00
39) Acenaphthene-d10	9.922	164	831124	20.000	ng	0.00
64) Phenanthrene-d10	11.410	188	1433868	20.000	ng	0.00
76) Chrysene-d12	14.045	240	795154	20.000	ng	0.00
86) Perylene-d12	15.515	264	846339	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.516	112	1994634	84.000	ng	0.00
7) Phenol-d6	6.516	99	2454290	81.509	ng	0.00
23) Nitrobenzene-d5	7.451	82	1482559	56.377	ng	0.00
42) 2,4,6-Tribromophenol	10.710	330	678420	81.994	ng	0.00
45) 2-Fluorobiphenyl	9.245	172	2795345	53.482	ng	0.00
79) Terphenyl-d14	12.992	244	2821916	56.208	ng	0.00
Target Compounds						
83) Chrysene	14.068	228	109628	2.255	ng	Qvalue 98
85) Di-n-octyl phthalate	14.639	149	80060	2.484	ng	# 93
88) Benzo(b)fluoranthene	15.080	252	100688	2.017	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061724\
Data File : BF138214.D
Acq On : 17 Jun 2024 19:56
Operator : CG\JU
Sample : P2848-07
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DUP

Quant Time: Jun 18 00:55:02 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061224.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 13 01:52:47 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.892 min Scan# 817
Delta R.T. -0.001 min
Lab File: BF138214.D
Acq: 17 Jun 2024 19:56




Instrument :
BNA_F
ClientSampleId :
DUP


Tgt Ion:152 Resp: 397226
Ion Ratio Lower Upper
152 100
150 154.5 125.0 187.4
115 57.8 48.4 72.6



#5
2-Fluorophenol
Concen: 84.000 ng
RT: 5.516 min Scan# 583
Delta R.T. 0.006 min
Lab File: BF138214.D
Acq: 17 Jun 2024 19:56

Tgt Ion:112 Resp: 1994634
Ion Ratio Lower Upper
112 100
64 56.8 45.2 67.8
63 28.5 22.9 34.3









#7
Phenol-d6
Concen: 81.509 ng
RT: 6.516 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF138214.D
Acq: 17 Jun 2024 19:56




Instrument :
BNA_F
ClientSampleId :
DUP


Tgt Ion: 99 Resp: 2454290
Ion Ratio Lower Upper
99 100
42 16.9 13.7 20.5
71 32.0 25.0 37.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.169 min Scan# 1034
Delta R.T. -0.006 min
Lab File: BF138214.D
Acq: 17 Jun 2024 19:56

Tgt Ion: 136 Resp: 1530916
Ion Ratio Lower Upper
136 100
137 11.5 9.1 13.7
54 8.6 6.6 10.0
68 7.2 5.4 8.2





#23

Nitrobenzene-d5

Concen: 56.377 ng

RT: 7.451 min Scan# 913

Delta R.T. -0.006 min

Lab File: BF138214.D

Acq: 17 Jun 2024 19:56

Instrument :





BNA_F

ClientSampleId :

DUP

Tgt Ion: 82 Resp: 1482559

Ion	Ratio	Lower	Upper
82	100		
128	46.3	37.2	55.8
54	48.3	39.8	59.6



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.922 min Scan# 1332




Delta R.T. -0.006 min


Lab File: BF138214.D

Acq: 17 Jun 2024 19:56

Tgt Ion: 164 Resp: 831124

Ion	Ratio	Lower	Upper
164	100		
162	100.8	80.6	121.0
160	45.5	36.3	54.5









#42
2,4,6-Tribromophenol
Concen: 81.994 ng
RT: 10.710 min Scan# 1466
Delta R.T. -0.006 min
Lab File: BF138214.D
Acq: 17 Jun 2024 19:56




Instrument :
BNA_F
ClientSampleId :
DUP


Tgt Ion:330 Resp: 678420
Ion Ratio Lower Upper
330 100
332 96.4 76.6 115.0
141 30.8 23.9 35.9



#45
2-Fluorobiphenyl
Concen: 53.482 ng
RT: 9.245 min Scan# 1217
Delta R.T. -0.006 min
Lab File: BF138214.D
Acq: 17 Jun 2024 19:56

Tgt Ion:172 Resp: 2795345
Ion Ratio Lower Upper
172 100
171 36.7 30.3 45.5
170 24.7 20.6 30.8





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.410 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF138214.D

Acq: 17 Jun 2024 19:56

Instrument :

BNA_F

ClientSampleId :

DUP





Tgt Ion:188 Resp: 1433868

Ion Ratio Lower Upper

188 100

94 10.2 7.6 11.4

80 11.1 8.1 12.1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.045 min Scan# 2033

Delta R.T. -0.006 min

Lab File: BF138214.D

Acq: 17 Jun 2024 19:56




Tgt Ion:240 Resp: 795154


Ion Ratio Lower Upper

240 100

120 11.3 9.2 13.8

236 26.8 21.0 31.6





#79

Terphenyl-d14

Concen: 56.208 ng

RT: 12.992 min Scan# 1854

Delta R.T. -0.006 min

Lab File: BF138214.D

Acq: 17 Jun 2024 19:56

Instrument :

BNA_F

ClientSampleId :

DUP





Tgt Ion:244 Resp: 2821916

Ion Ratio Lower Upper

244 100

212 7.3 5.9 8.9

122 13.5 10.6 15.8



#83

Chrysene

Concen: 2.255 ng

RT: 14.068 min Scan# 2037

Delta R.T. -0.006 min

Lab File: BF138214.D

Acq: 17 Jun 2024 19:56




Tgt Ion:228 Resp: 109628


Ion Ratio Lower Upper

228 100

226 29.1 24.5 36.7

229 20.4 16.3 24.5









#85
Di-n-octyl phthalate
Concen: 2.484 ng
RT: 14.639 min Scan# 2135
Delta R.T. -0.006 min
Lab File: BF138214.D
Acq: 17 Jun 2024 19:56




Instrument :
BNA_F
ClientSampleId :
DUP


Tgt Ion:149 Resp: 80060
Ion Ratio Lower Upper
149 100
167 1.7 1.3 1.9
43 12.7 7.8 11.6#



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.515 min Scan# 2283
Delta R.T. -0.006 min
Lab File: BF138214.D
Acq: 17 Jun 2024 19:56

Tgt Ion:264 Resp: 846339
Ion Ratio Lower Upper
264 100
260 24.6 18.7 28.1
265 21.7 17.0 25.6





#88
Benzo(b)fluoranthene
Concen: 2.017 ng
RT: 15.080 min Scan# 21
Delta R.T. -0.012 min
Lab File: BF138214.D
Acq: 17 Jun 2024 19:56

Instrument :
BNA_F
ClientSampleId :
DUP

Tgt Ion:252 Resp: 100688
Ion Ratio Lower Upper
252 100
253 21.3 17.7 26.5
125 10.6 7.8 11.8

