

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF061818\
 Data File : BF106538.D
 Acq On : 18 Jun 2018 15:06
 Operator : JU/SJ
 Sample : PB110319BL
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB110319BL

Quant Time: Jun 19 01:07:14 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF061118.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 15 11:11:47 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.97	152	112231	20.00	ng	0.00
21) Naphthalene-d8	8.25	136	431027	20.00	ng	0.00
38) Acenaphthene-d10	10.01	164	211752	20.00	ng	0.00
63) Phenanthrene-d10	11.50	188	431708	20.00	ng	0.00
75) Chrysene-d12	14.15	240	329881	20.00	ng	0.00
86) Perylene-d12	15.69	264	243491	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	790386	119.19	ng	0.00
7) Phenol-d6	6.61	99	964939	115.18	ng	0.00
23) Nitrobenzene-d5	7.53	82	670092	91.46	ng	0.00
41) 2,4,6-Tribromophenol	10.80	330	306092	150.24	ng	0.00
44) 2-Fluorobiphenyl	9.32	172	1174245	106.37	ng	0.00
78) Terphenyl-d14	13.09	244	1325769	99.82	ng	0.00
Target Compounds						
9) Benzaldehyde	6.74	77	18154	2.857	ng	83
19) n-Nitroso-di-n-propylamine	7.53	70	90761	14.440	ng	# 73
25) Isophorone	7.53	82	670087	46.823	ng	# 64
50) 2,6-Dinitrotoluene	10.01	165	26589	8.604	ng	# 26
56) 2,4-Dinitrotoluene	10.01	165	26589	6.852	ng	# 23
64) 4,6-Dinitro-2-methylphenol	10.80	198	735	6.569	ng	# 1
66) 4-Bromophenyl-phenylether	10.80	248	19356	3.942	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF061818\
Data File : BF106538.D
Acq On : 18 Jun 2018 15:06
Operator : JU/SJ
Sample : PB110319BL
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB110319BL

Quant Time: Jun 19 01:07:14 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF061118.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 15 11:11:47 2018
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.97 min Scan# 787
 Delta R.T. 0.00 min
 Lab File: BF106538.D
 Acq: 18 Jun 2018 15:06




Instrument :
 BNA_F
 ClientSampleId :
 PB110319BL

Tgt Ion:152 Resp: 112231
 Ion Ratio Lower Upper
 152 100
 150 157.3 124.6 186.8
 115 60.1 50.1 75.1



#5
 2-Fluorophenol
 Concen: 119.194 ng
 RT: 5.61 min Scan# 557
 Delta R.T. 0.00 min
 Lab File: BF106538.D
 Acq: 18 Jun 2018 15:06

Tgt Ion:112 Resp: 790386
 Ion Ratio Lower Upper
 112 100
 64 61.1 47.9 71.9
 63 31.2 23.7 35.5





#7

Phenol-d6

Concen: 115.179 ng

RT: 6.61 min Scan# 726

Delta R.T. -0.01 min

Lab File: BF106538.D

Acq: 18 Jun 2018 15:06

Instrument :

BNA_F

ClientSampleId :

PB110319BL


Tgt Ion: 99 Resp: 964939

Ion Ratio Lower Upper

99 100

42 17.7 14.5 21.7




71 35.3 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#9

Benzaldehyde

Concen: 2.857 ng

RT: 6.74 min Scan# 749

Delta R.T. 0.22 min

Lab File: BF106538.D

Acq: 18 Jun 2018 15:06


Tgt Ion: 77 Resp: 18154

Ion Ratio Lower Upper

77 100

105 82.4 81.1 121.1



106 79.2 74.5 114.5




Abundance Ion 77.00 (76.70 to 77.70): BF1

Ion 105.00 (104.70 to 105.70): BF1

Ion 106.00 (105.70 to 106.70): BF1









#19
n-Nitroso-di-n-propylamine
Concen: 14.440 ng
RT: 7.53 min Scan# 883
Delta R.T. 0.16 min
Lab File: BF106538.D
Acq: 18 Jun 2018 15:06




Instrument :
BNA_F
ClientSampleId :
PB110319BL


Tgt Ion: 70 Resp: 90761
Ion Ratio Lower Upper
70 100
42 42.8 47.5 71.3#
101 0.0 7.4 11.2#
130 1.9 16.6 25.0#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.25 min Scan# 1005
Delta R.T. 0.00 min
Lab File: BF106538.D
Acq: 18 Jun 2018 15:06

Tgt Ion: 136 Resp: 431027
Ion Ratio Lower Upper
136 100
137 11.1 8.9 13.3
54 8.2 6.6 9.8
68 6.3 5.0 7.4









#23
Nitrobenzene-d5
Concen: 91.457 ng
RT: 7.53 min Scan# 883
Delta R.T. 0.00 min
Lab File: BF106538.D
Acq: 18 Jun 2018 15:06

Instrument :
BNA_F
ClientSampleId :
PB110319BL

Tgt Ion: 82 Resp: 670092
Ion Ratio Lower Upper
82 100
128 45.8 36.1 54.1
54 49.9 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): BF1
Ion 54.00 (53.70 to 54.70): BF1






#25
Isophorone
Concen: 46.823 ng
RT: 7.53 min Scan# 883
Delta R.T. -0.25 min
Lab File: BF106538.D
Acq: 18 Jun 2018 15:06

Tgt Ion: 82 Resp: 670087
Ion Ratio Lower Upper
82 100
95 0.0 5.2 7.8#
138 0.0 14.9 22.3#



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 95.00 (94.70 to 95.70): BF1
Ion 138.00 (137.70 to 138.70): BF1





#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 10.01 min Scan# 1304

Delta R.T. 0.00 min

Lab File: BF106538.D

Acq: 18 Jun 2018 15:06

Instrument :

BNA_F

ClientSampleId :

PB110319BL


Tgt Ion:164 Resp: 211752

Ion Ratio Lower Upper

164 100

162 104.2 86.1 129.1




160 47.9 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 150.235 ng

RT: 10.80 min Scan# 1439

Delta R.T. 0.00 min

Lab File: BF106538.D

Acq: 18 Jun 2018 15:06


Tgt Ion:330 Resp: 306092

Ion Ratio Lower Upper

330 100

332 95.7 77.0 115.6



141 26.9 29.9 44.9#




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 106.366 ng
 RT: 9.32 min Scan# 1188
 Delta R.T. 0.00 min
 Lab File: BF106538.D
 Acq: 18 Jun 2018 15:06

Instrument :
 BNA_F
 ClientSampleId :
 PB110319BL

Tgt Ion:172 Resp: 1174245
 Ion Ratio Lower Upper
 172 100
 171 37.8 29.7 44.5
 170 25.2 19.6 29.4




Abundance Ion 172.00 (171.70 to 172.70): E
 1500000 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#50
 2,6-Dinitrotoluene
 Concen: 8.604 ng
 RT: 10.01 min Scan# 1304
 Delta R.T. 0.22 min
 Lab File: BF106538.D
 Acq: 18 Jun 2018 15:06

Tgt Ion:165 Resp: 26589
 Ion Ratio Lower Upper
 165 100
 63 1.5 44.7 67.1#
 89 1.3 44.0 66.0#



Abundance Ion 165.00 (164.70 to 165.70): E
 40000 Ion 63.00 (62.70 to 63.70): BF1
 Ion 89.00 (88.70 to 89.70): BF1









#56
 2,4-Dinitrotoluene
 Concen: 6.852 ng
 RT: 10.01 min Scan# 1304
 Delta R.T. -0.18 min
 Lab File: BF106538.D
 Acq: 18 Jun 2018 15:06




Instrument :
 BNA_F
 ClientSampleId :
 PB110319BL


Tgt Ion	Ratio	Lower	Upper
165	100		
63	1.5	36.4	54.6#
89	1.3	57.8	86.6#
182	0.0	1.6	2.4#



#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.50 min Scan# 1558
 Delta R.T. 0.00 min
 Lab File: BF106538.D
 Acq: 18 Jun 2018 15:06

Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.6	8.5	12.7
80	9.5	9.2	13.8









#64
 4,6-Dinitro-2-methylphenol
 Concen: 6.569 ng
 RT: 10.80 min Scan# 1438
 Delta R.T. 0.19 min
 Lab File: BF106538.D
 Acq: 18 Jun 2018 15:06

Instrument :
 BNA_F
 ClientSampleId :
 PB110319BL

Tgt Ion:198 Resp: 735
 Ion Ratio Lower Upper
 198 100
 51 165.9 37.7 77.7#
 105 155.4 36.3 76.3#




Abundance Ion 198.00 (197.70 to 198.70): E
 Ion 51.00 (50.70 to 51.70): BF1
 Ion 105.00 (104.70 to 105.70): E






#66
 4-Bromophenyl-phenylether
 Concen: 3.942 ng
 RT: 10.80 min Scan# 1439
 Delta R.T. -0.24 min
 Lab File: BF106538.D
 Acq: 18 Jun 2018 15:06

Tgt Ion:248 Resp: 19356
 Ion Ratio Lower Upper
 248 100
 250 196.5 76.9 115.3#
 141 400.6 74.4 111.6#



Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.15 min Scan# 2008

Delta R.T. -0.01 min

Lab File: BF106538.D

Acq: 18 Jun 2018 15:06

Instrument :

BNA_F

ClientSampleId :

PB110319BL


Tgt Ion:240 Resp: 329881

Ion Ratio Lower Upper

240 100

120 10.3 9.5 14.3




236 25.5 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 99.821 ng

RT: 13.09 min Scan# 1828

Delta R.T. 0.01 min

Lab File: BF106538.D

Acq: 18 Jun 2018 15:06


Tgt Ion:244 Resp: 1325769

Ion Ratio Lower Upper

244 100

212 7.2 5.4 8.0



122 9.5 11.0 16.4#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.69 min Scan# 2270
Delta R.T. 0.01 min
Lab File: BF106538.D
Acq: 18 Jun 2018 15:06

Instrument :
BNA_F
ClientSampleId :
PB110319BL

Tgt Ion:	264	Resp:	243491
Ion	Ratio	Lower	Upper
264	100		
260	24.2	19.2	28.8
265	21.7	17.5	26.3

