

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF061818\
 Data File : BF106546.D
 Acq On : 18 Jun 2018 18:42
 Operator : JU/SJ
 Sample : J3566-11
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-7

Quant Time: Jun 19 04:41:56 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061118.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 15 11:11:47 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.97	152	113476	20.00	ng	0.00
21) Naphthalene-d8	8.25	136	413729	20.00	ng	0.00
38) Acenaphthene-d10	10.01	164	175517	20.00	ng	0.00
63) Phenanthrene-d10	11.50	188	279205	20.00	ng	0.00
75) Chrysene-d12	14.15	240	273721	20.00	ng	0.00
86) Perylene-d12	15.69	264	275228	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	817024	121.86	ng	0.00
7) Phenol-d6	6.61	99	987466	116.57	ng	0.00
23) Nitrobenzene-d5	7.53	82	680677	96.79	ng	0.00
41) 2,4,6-Tribromophenol	10.80	330	225705	133.65	ng	0.00
44) 2-Fluorobiphenyl	9.32	172	1066812	124.08	ng	0.00
78) Terphenyl-d14	13.08	244	876034	79.49	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.71	163	163641	13.050	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF061818\
Data File : BF106546.D
Acq On : 18 Jun 2018 18:42
Operator : JU/SJ
Sample : J3566-11
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-7

Quant Time: Jun 19 04:41:56 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061118.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 15 11:11:47 2018
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.97 min Scan# 787
Delta R.T. 0.00 min
Lab File: BF106546.D
Acq: 18 Jun 2018 18:42

Instrument :
BNA_F
ClientSampleId :
TP-7




Tot Ion:152 Resp: 113476
Ion Ratio Lower Upper
152 100
150 157.3 124.6 186.8
115 62.6 50.1 75.1




#5

2-Fluorophenol
Concen: 121.859 ng
RT: 5.61 min Scan# 557
Delta R.T. 0.00 min
Lab File: BF106546.D
Acq: 18 Jun 2018 18:42

Tgt Ion:112 Resp: 817024
Ion Ratio Lower Upper
112 100
64 59.6 47.9 71.9
63 30.6 23.7 35.5





#7

Phenol-d6

Concen: 116.574 ng

RT: 6.61 min Scan# 727

Delta R.T. 0.00 min

Lab File: BF106546.D

Acq: 18 Jun 2018 18:42

Instrument :

BNA_F

ClientSampled :

TP-7


Tot Ion: 99 Resp: 987466

Ion Ratio Lower Upper

99 100

42 17.3 14.5 21.7




71 35.3 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.25 min Scan# 1005

Delta R.T. 0.00 min

Lab File: BF106546.D

Acq: 18 Jun 2018 18:42

Tgt Ion: 136 Resp: 413729


Ion Ratio Lower Upper

136 100

137 11.1 8.9 13.3

54 8.8 6.6 9.8

68 6.7 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 96.786 ng
 RT: 7.53 min Scan# 883
 Delta R.T. 0.00 min
 Lab File: BF106546.D
 Acq: 18 Jun 2018 18:42

Instrument :
 BNA_F
 ClientSampled :
 TP-7

Tot Ion: 82 Resp: 680677
 Ion Ratio Lower Upper
 82 100
 128 44.4 36.1 54.1
 54 51.4 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 10.01 min Scan# 1304
 Delta R.T. 0.00 min
 Lab File: BF106546.D
 Acq: 18 Jun 2018 18:42

Tgt Ion:164 Resp: 175517
 Ion Ratio Lower Upper
 164 100
 162 105.9 86.1 129.1
 160 47.6 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): BF1
 Ion 162.00 (161.70 to 162.70): BF1
 Ion 160.00 (159.70 to 160.70): BF1









#41
 2,4,6-Tribromophenol
 Concen: 133.650 ng
 RT: 10.80 min Scan# 1439
 Delta R.T. 0.00 min
 Lab File: BF106546.D
 Acq: 18 Jun 2018 18:42

Instrument :
 BNA_F
 ClientSampleId :
 TP-7

Tot Ion:330 Resp: 225705
 Ion Ratio Lower Upper
 330 100
 332 95.1 77.0 115.6
 141 27.8 29.9 44.9#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 124.083 ng
 RT: 9.32 min Scan# 1188
 Delta R.T. 0.00 min
 Lab File: BF106546.D
 Acq: 18 Jun 2018 18:42

Tgt Ion:172 Resp: 1066812
 Ion Ratio Lower Upper
 172 100
 171 37.7 29.7 44.5
 170 25.9 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 13.050 ng

RT: 9.71 min Scan# 1254

Delta R.T. -0.01 min

Lab File: BF106546.D

Acq: 18 Jun 2018 18:42

Instrument :

BNA_F

ClientSampled :

TP-7


Tot Ion:163 Resp: 163641

Ion Ratio Lower Upper

163 100

194 3.8 2.7 4.1




164 10.5 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.50 min Scan# 1557

Delta R.T. -0.01 min

Lab File: BF106546.D

Acq: 18 Jun 2018 18:42


Tgt Ion:188 Resp: 279205

Ion Ratio Lower Upper

188 100

94 10.6 8.5 12.7



80 11.3 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.15 min Scan# 2008

Delta R.T. -0.01 min

Lab File: BF106546.D

Acq: 18 Jun 2018 18:42

Instrument :

BNA_F

ClientSampleId :

TP-7


Tot Ion:240 Resp: 273721

Ion Ratio Lower Upper

240 100

120 10.6 9.5 14.3




236 25.7 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 79.493 ng

RT: 13.08 min Scan# 1827

Delta R.T. 0.00 min

Lab File: BF106546.D

Acq: 18 Jun 2018 18:42


Tgt Ion:244 Resp: 876034

Ion Ratio Lower Upper

244 100

212 7.5 5.4 8.0



122 10.4 11.0 16.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.69 min Scan# 2270
Delta R.T. 0.01 min
Lab File: BF106546.D
Acq: 18 Jun 2018 18:42

Instrument :
BNA_F
ClientSampleId :
TP-7

Tot Ion:	264	Resp:	275228
Ion	Ratio	Lower	Upper
264	100		
260	23.7	19.2	28.8
265	22.1	17.5	26.3



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

