

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061825\
 Data File : BF142785.D
 Acq On : 18 Jun 2025 19:03
 Operator : RC/JU
 Sample : Q2341-08
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 EP-3

Quant Time: Jun 19 02:13:42 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061125.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 11 05:56:09 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.881	152	81097	20.000	ng	-0.01
21) Naphthalene-d8	8.163	136	312150	20.000	ng	-0.02
39) Acenaphthene-d10	9.922	164	170225	20.000	ng	-0.02
64) Phenanthrene-d10	11.410	188	285992	20.000	ng	-0.01
76) Chrysene-d12	14.057	240	182238	20.000	ng	-0.01
86) Perylene-d12	15.545	264	184385	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.516	112	597936	125.574	ng	0.01
7) Phenol-d6	6.510	99	654762	116.844	ng	-0.01
23) Nitrobenzene-d5	7.445	82	493742	86.565	ng	-0.01
42) 2,4,6-Tribromophenol	10.716	330	253174	135.703	ng	-0.01
45) 2-Fluorobiphenyl	9.239	172	1051181	82.042	ng	-0.02
79) Terphenyl-d14	12.998	244	935175	70.480	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061825\
Data File : BF142785.D
Acq On : 18 Jun 2025 19:03
Operator : RC/JU
Sample : Q2341-08
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
EP-3

Quant Time: Jun 19 02:13:42 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061125.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 11 05:56:09 2025
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.881 min Scan# 799
 Delta R.T. -0.012 min
 Lab File: BF142785.D
 Acq: 18 Jun 2025 19:03




Instrument :
 BNA_F
 ClientSampleId :
 EP-3


Tgt Ion:152 Resp: 81097
 Ion Ratio Lower Upper
 152 100
 150 155.5 126.9 190.3
 115 59.4 47.0 70.6



#5
 2-Fluorophenol
 Concen: 125.574 ng
 RT: 5.516 min Scan# 565
 Delta R.T. 0.012 min
 Lab File: BF142785.D
 Acq: 18 Jun 2025 19:03

Tgt Ion:112 Resp: 597936
 Ion Ratio Lower Upper
 112 100
 64 57.2 47.4 71.2
 63 30.8 25.4 38.0









#7
Phenol-d6
Concen: 116.844 ng
RT: 6.510 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF142785.D
Acq: 18 Jun 2025 19:03




Instrument :
BNA_F
ClientSampleId :
EP-3


Tgt Ion: 99 Resp: 654762
Ion Ratio Lower Upper
99 100
42 20.0 15.9 23.9
71 35.3 28.0 42.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.163 min Scan# 1015
Delta R.T. -0.018 min
Lab File: BF142785.D
Acq: 18 Jun 2025 19:03

Tgt Ion: 136 Resp: 312150
Ion Ratio Lower Upper
136 100
137 10.7 8.7 13.1
54 7.8 5.9 8.9
68 4.6 3.7 5.5





#23

Nitrobenzene-d5

Concen: 86.565 ng

RT: 7.445 min Scan# 89

Delta R.T. -0.012 min

Lab File: BF142785.D

Acq: 18 Jun 2025 19:03

Instrument :





BNA_F

ClientSampleId :

EP-3

Tgt Ion: 82 Resp: 493742

Ion	Ratio	Lower	Upper
82	100		
128	48.5	37.8	56.8
54	56.0	44.9	67.3



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.922 min Scan# 1314




Delta R.T. -0.018 min


Lab File: BF142785.D

Acq: 18 Jun 2025 19:03

Tgt Ion:164 Resp: 170225

Ion	Ratio	Lower	Upper
164	100		
162	101.6	79.9	119.9
160	44.2	34.8	52.2









#42
2,4,6-Tribromophenol
Concen: 135.703 ng
RT: 10.716 min Scan# 1449
Delta R.T. -0.012 min
Lab File: BF142785.D
Acq: 18 Jun 2025 19:03




Instrument :
BNA_F
ClientSampleId :
EP-3


Tgt Ion:330 Resp: 253174
Ion Ratio Lower Upper
330 100
332 96.3 77.0 115.6
141 31.2 25.4 38.0



#45
2-Fluorobiphenyl
Concen: 82.042 ng
RT: 9.239 min Scan# 1198
Delta R.T. -0.018 min
Lab File: BF142785.D
Acq: 18 Jun 2025 19:03

Tgt Ion:172 Resp: 1051181
Ion Ratio Lower Upper
172 100
171 35.4 28.1 42.1
170 23.3 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.410 min Scan# 1
Delta R.T. -0.012 min
Lab File: BF142785.D
Acq: 18 Jun 2025 19:03




Instrument :
BNA_F
ClientSampleId :
EP-3


Tgt Ion:188 Resp: 285992
Ion Ratio Lower Upper
188 100
94 8.2 6.8 10.2
80 8.6 7.1 10.7



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.057 min Scan# 2017
Delta R.T. -0.012 min
Lab File: BF142785.D
Acq: 18 Jun 2025 19:03

Tgt Ion:240 Resp: 182238
Ion Ratio Lower Upper
240 100
120 9.7 8.5 12.7
236 24.3 20.1 30.1









#79
 Terphenyl-d14
 Concen: 70.480 ng
 RT: 12.998 min Scan# 11
 Delta R.T. -0.012 min
 Lab File: BF142785.D
 Acq: 18 Jun 2025 19:03

Instrument :
 BNA_F
 ClientSampleId :
 EP-3

Tgt Ion:244 Resp: 935175
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.4 8.0
 122 10.6 8.3 12.5



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.545 min Scan# 2270
 Delta R.T. -0.018 min
 Lab File: BF142785.D
 Acq: 18 Jun 2025 19:03

Tgt Ion:264 Resp: 184385
 Ion Ratio Lower Upper
 264 100
 260 23.1 17.8 26.6
 265 21.1 16.6 25.0

