

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF061915\
 Data File : BF080084.D
 Acq On : 20 Jun 2015 6:28
 Operator : TP/IZ
 Sample : G2683-01
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PE-1

Quant Time: Jun 20 07:07:34 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF061715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 17 16:41:53 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.33	152	40623	20.00	ng	-0.01
21) Naphthalene-d8	8.62	136	162769	20.00	ng	-0.01
38) Acenaphthene-d10	10.39	164	86562	20.00	ng	-0.01
63) Phenanthrene-d10	11.90	188	178398	20.00	ng	-0.01
75) Chrysene-d12	14.79	240	201611	20.00	ng	-0.07
86) Perylene-d12	16.63	264	197892	20.00	ng	-0.11
System Monitoring Compounds						
5) 2-Fluorophenol	5.94	112	286552	124.87	ng	0.00
7) Phenol-d6	6.93	99	355816	116.52	ng	-0.01
23) Nitrobenzene-d5	7.89	82	219472	78.50	ng	-0.01
41) 2,4,6-Tribromophenol	11.19	330	99163	117.15	ng	-0.01
44) 2-Fluorobiphenyl	9.69	172	427358	70.41	ng	-0.01
78) Terphenyl-d14	13.56	244	582497	67.48	ng	-0.03
Target Compounds						
49) Dimethylphthalate	10.08	163	39893	6.13	ng	Qvalue # 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF061915\
Data File : BF080084.D
Acq On : 20 Jun 2015 6:28
Operator : TP/IZ
Sample : G2683-01
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PE-1

Quant Time: Jun 20 07:07:34 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF061715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 17 16:41:53 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.33 min Scan# 371
 Delta R.T. -0.01 min
 Lab File: BF080084.D
 Acq: 20 Jun 2015 6:28

Instrument :
 BNA_F
 ClientSampleId :
 PE-1

Tgt Ion:152 Resp: 40623
 Ion Ratio Lower Upper
 152 100
 150 156.4 124.7 187.1
 115 63.7 39.0 58.4#




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5
 2-Fluorophenol
 Concen: 124.87 ng
 RT: 5.94 min Scan# 250
 Delta R.T. 0.00 min
 Lab File: BF080084.D
 Acq: 20 Jun 2015 6:28

Tgt Ion:112 Resp: 286552
 Ion Ratio Lower Upper
 112 100
 64 55.3 39.7 59.5
 63 27.4 17.4 26.0#



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 116.52 ng

RT: 6.93 min Scan# 336

Delta R.T. -0.01 min

Lab File: BF080084.D

Acq: 20 Jun 2015 6:28

Instrument :

BNA_F

ClientSampled :

PE-1


Tgt Ion: 99 Resp: 355816

Ion Ratio Lower Upper

99 100

42 21.4 13.7 20.5#




71 34.7 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.62 min Scan# 484

Delta R.T. -0.01 min

Lab File: BF080084.D

Acq: 20 Jun 2015 6:28

Tgt Ion: 136 Resp: 162769


Ion Ratio Lower Upper

136 100

137 11.0 9.0 13.6

54 10.1 8.2 12.2

68 7.4 5.8 8.6






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 78.50 ng
 RT: 7.89 min Scan# 420
 Delta R.T. -0.01 min
 Lab File: BF080084.D
 Acq: 20 Jun 2015 6:28




Instrument :
 BNA_F
 ClientSampleId :
 PE-1

Tgt Ion: 82 Resp: 219472
 Ion Ratio Lower Upper
 82 100
 128 45.2 51.0 76.6#
 54 48.9 47.5 71.3



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.39 min Scan# 639
 Delta R.T. -0.01 min
 Lab File: BF080084.D
 Acq: 20 Jun 2015 6:28

Tgt Ion: 164 Resp: 86562
 Ion Ratio Lower Upper
 164 100
 162 104.5 75.2 112.8
 160 44.6 31.5 47.3








#41
 2,4,6-Tribromophenol
 Concen: 117.15 ng
 RT: 11.19 min Scan# 709
 Delta R.T. -0.01 min
 Lab File: BF080084.D
 Acq: 20 Jun 2015 6:28

Instrument :
 BNA_F
 ClientSampleId :
 PE-1

Tgt Ion:330 Resp: 99163
 Ion Ratio Lower Upper
 330 100
 332 98.6 76.6 114.8
 141 36.1 29.7 44.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 70.41 ng
 RT: 9.69 min Scan# 578
 Delta R.T. -0.01 min
 Lab File: BF080084.D
 Acq: 20 Jun 2015 6:28

Tgt Ion:172 Resp: 427358
 Ion Ratio Lower Upper
 172 100
 171 35.9 26.1 39.1
 170 24.3 17.4 26.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 6.13 ng

RT: 10.08 min Scan# 612

Delta R.T. -0.01 min

Lab File: BF080084.D

Acq: 20 Jun 2015 6:28

Instrument :

BNA_F

ClientSampleId :

PE-1


Tgt Ion:163 Resp: 39893

Ion Ratio Lower Upper

163 100

194 3.4 4.4 6.6#




164 10.4 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.90 min Scan# 771

Delta R.T. -0.01 min

Lab File: BF080084.D

Acq: 20 Jun 2015 6:28


Tgt Ion:188 Resp: 178398

Ion Ratio Lower Upper

188 100

94 6.9 11.1 16.7#



80 7.6 11.0 16.4#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.79 min Scan# 1024

Delta R.T. -0.07 min

Lab File: BF080084.D

Acq: 20 Jun 2015 6:28

Instrument :

BNA_F

ClientSampleId :

PE-1


Tgt Ion:240 Resp: 201611

Ion Ratio Lower Upper

240 100

120 10.1 16.2 24.2#




236 25.0 18.4 27.6



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 67.48 ng

RT: 13.56 min Scan# 916

Delta R.T. -0.03 min

Lab File: BF080084.D

Acq: 20 Jun 2015 6:28


Tgt Ion:244 Resp: 582497

Ion Ratio Lower Upper

244 100

212 6.7 4.3 6.5#



122 8.6 17.4 26.2#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Perylene-d12
Concen: 20.00 ng
RT: 16.63 min Scan# 1185
Delta R.T. -0.11 min
Lab File: BF080084.D
Acq: 20 Jun 2015 6:28

Instrument :
BNA_F
ClientSampleId :
PE-1

Tgt Ion: 264 Resp: 197892
Ion Ratio Lower Upper
264 100
260 23.7 16.7 25.1
265 21.3 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

