

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062016\
 Data File : BF088194.D
 Acq On : 21 Jun 2016 2:42
 Operator : UM/SJ
 Sample : H3591-01
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 W-2

Quant Time: Jun 21 04:16:27 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 20 17:39:32 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.66	152	86043	20.00	ng	-0.01
21) Naphthalene-d8	7.95	136	354496	20.00	ng	0.00
38) Acenaphthene-d10	9.70	164	165701	20.00	ng	0.00
63) Phenanthrene-d10	11.18	188	309071	20.00	ng	0.00
75) Chrysene-d12	13.80	240	245522	20.00	ng	0.00
86) Perylene-d12	15.18	264	192682	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.26	112	480454	95.46	ng	0.00
7) Phenol-d6	6.32	99	577026	94.60	ng	-0.01
23) Nitrobenzene-d5	7.23	82	333085	54.87	ng	-0.01
41) 2,4,6-Tribromophenol	10.49	330	130505	74.59	ng	0.00
44) 2-Fluorobiphenyl	9.03	172	610860	56.02	ng	-0.01
78) Terphenyl-d14	12.75	244	536637	49.74	ng	-0.01
Target Compounds						
49) Dimethylphthalate	9.43	163	201435	16.78	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062016\
Data File : BF088194.D
Acq On : 21 Jun 2016 2:42
Operator : UM/SJ
Sample : H3591-01
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
W-2

Quant Time: Jun 21 04:16:27 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 20 17:39:32 2016
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.66 min Scan# 444
 Delta R.T. -0.01 min
 Lab File: BF088194.D
 Acq: 21 Jun 2016 2:42

Instrument :
 BNA_F
 ClientSampled :
 W-2

Tot Ion:152 Resp: 86043
 Ion Ratio Lower Upper
 152 100
 150 159.4 123.8 185.6
 115 69.5 39.6 59.4#




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E






#5
 2-Fluorophenol
 Concen: 95.46 ng
 RT: 5.26 min Scan# 321
 Delta R.T. -0.00 min
 Lab File: BF088194.D
 Acq: 21 Jun 2016 2:42

Tgt Ion:112 Resp: 480454
 Ion Ratio Lower Upper
 112 100
 64 58.5 42.2 63.2
 63 30.0 21.8 32.8



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 94.60 ng

RT: 6.32 min Scan# 414

Delta R.T. -0.01 min

Lab File: BF088194.D

Acq: 21 Jun 2016 2:42

Instrument :

BNA_F

ClientSampleId :

W-2


Tot Ion: 99 Resp: 577026

Ion Ratio Lower Upper




99 100

42 14.6 12.2 18.2

71 32.2 23.4 35.0



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.95 min Scan# 557

Delta R.T. -0.00 min

Lab File: BF088194.D

Acq: 21 Jun 2016 2:42

Tgt Ion: 136 Resp: 354496


Ion Ratio Lower Upper

136 100



137 11.0 9.1 13.7


54 5.8 6.6 10.0#

68 5.1 5.1 7.7#



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 54.87 ng
 RT: 7.23 min Scan# 494
 Delta R.T. -0.01 min
 Lab File: BF088194.D
 Acq: 21 Jun 2016 2:42

Instrument :
 BNA_F
 ClientSampleId :
 W-2

Tot Ion: 82 Resp: 333085
 Ion Ratio Lower Upper
 82 100
 128 46.0 35.9 53.9
 54 45.4 40.9 61.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.70 min Scan# 710
 Delta R.T. -0.00 min
 Lab File: BF088194.D
 Acq: 21 Jun 2016 2:42

Tgt Ion:164 Resp: 165701
 Ion Ratio Lower Upper
 164 100
 162 104.9 85.4 128.2
 160 47.4 39.5 59.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 74.59 ng
 RT: 10.49 min Scan# 779
 Delta R.T. -0.00 min
 Lab File: BF088194.D
 Acq: 21 Jun 2016 2:42

Instrument :
 BNA_F
 ClientSampleId :
 W-2

Tot Ion	Ratio	Lower	Upper
330	100		
332	98.3	0.0	0.0#
141	35.3	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 56.02 ng
 RT: 9.03 min Scan# 651
 Delta R.T. -0.01 min
 Lab File: BF088194.D
 Acq: 21 Jun 2016 2:42

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.7	28.6	43.0
170	24.0	19.2	28.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 16.78 ng

RT: 9.43 min Scan# 686

Delta R.T. -0.01 min

Lab File: BF088194.D

Acq: 21 Jun 2016 2:42

Instrument :

BNA_F

ClientSampleId :

W-2


Tot Ion:163 Resp: 201435

Ion Ratio Lower Upper

163 100

194 3.3 2.8 4.2




164 10.1 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.18 min Scan# 839

Delta R.T. -0.00 min

Lab File: BF088194.D

Acq: 21 Jun 2016 2:42


Tgt Ion:188 Resp: 309071

Ion Ratio Lower Upper

188 100

94 9.7 9.0 13.6



80 10.0 10.0 15.0#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.80 min Scan# 1069

Delta R.T. -0.00 min

Lab File: BF088194.D

Acq: 21 Jun 2016 2:42

Instrument :

BNA_F

ClientSampleId :

W-2


Tot Ion:240 Resp: 245522

Ion Ratio Lower Upper

240 100

120 10.8 6.8 10.2#




236 26.1 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 49.74 ng

RT: 12.75 min Scan# 977

Delta R.T. -0.01 min

Lab File: BF088194.D

Acq: 21 Jun 2016 2:42


Tgt Ion:244 Resp: 536637

Ion Ratio Lower Upper

244 100

212 7.4 6.0 9.0



122 16.2 11.2 16.8






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 15.18 min Scan# 1189
 Delta R.T. -0.00 min
 Lab File: BF088194.D
 Acq: 21 Jun 2016 2:42

Instrument :
 BNA_F
 ClientSampleId :
 W-2

Tot Ion:264	Resp:	192682
Ion Ratio	Lower	Upper
264	100	
260	23.5	19.2 28.8
265	21.6	16.9 25.3

