

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062016\
 Data File : BF088195.D
 Acq On : 21 Jun 2016 3:11
 Operator : UM/SJ
 Sample : H3591-02
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 W-3

Quant Time: Jun 21 04:17:54 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 20 17:39:32 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.66	152	88052	20.00	ng	-0.01
21) Naphthalene-d8	7.95	136	362220	20.00	ng	0.00
38) Acenaphthene-d10	9.70	164	163026	20.00	ng	0.00
63) Phenanthrene-d10	11.18	188	319130	20.00	ng	0.00
75) Chrysene-d12	13.81	240	258910	20.00	ng	0.00
86) Perylene-d12	15.18	264	208230	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.27	112	635538	123.39	ng	0.01
7) Phenol-d6	6.32	99	681307	109.15	ng	-0.01
23) Nitrobenzene-d5	7.23	82	414229	66.78	ng	-0.01
41) 2,4,6-Tribromophenol	10.49	330	168794	98.06	ng	0.00
44) 2-Fluorobiphenyl	9.03	172	769653	73.41	ng	-0.01
78) Terphenyl-d14	12.77	244	750641	65.97	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.43	163	237958	20.15	ng	Qvalue 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062016\
Data File : BF088195.D
Acq On : 21 Jun 2016 3:11
Operator : UM/SJ
Sample : H3591-02
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
W-3

Quant Time: Jun 21 04:17:54 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 20 17:39:32 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.66 min Scan# 444

Delta R.T. -0.01 min

Lab File: BF088195.D

Acq: 21 Jun 2016 3:11

Instrument :

BNA_F

ClientSampleId :

W-3


Tot Ion:152 Resp: 88052

Ion Ratio Lower Upper

152 100

150 158.8 123.8 185.6



115 67.1 39.6 59.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 123.39 ng

RT: 5.27 min Scan# 322

Delta R.T. 0.01 min

Lab File: BF088195.D

Acq: 21 Jun 2016 3:11


Tgt Ion:112 Resp: 635538

Ion Ratio Lower Upper

112 100

64 47.3 42.2 63.2



63 24.0 21.8 32.8



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 109.15 ng

RT: 6.32 min Scan# 414

Delta R.T. -0.01 min

Lab File: BF088195.D

Acq: 21 Jun 2016 3:11

Instrument :

BNA_F

ClientSampleId :

W-3


Tot Ion: 99 Resp: 681307

Ion Ratio Lower Upper

99 100

42 15.4 12.2 18.2



71 33.5 23.4 35.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.95 min Scan# 557

Delta R.T. 0.00 min

Lab File: BF088195.D

Acq: 21 Jun 2016 3:11

Tgt Ion: 136 Resp: 362220


Ion Ratio Lower Upper

136 100

137 10.8 9.1 13.7

54 5.5 6.6 10.0#

68 4.9 5.1 7.7#





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 66.78 ng
 RT: 7.23 min Scan# 494
 Delta R.T. -0.01 min
 Lab File: BF088195.D
 Acq: 21 Jun 2016 3:11

Instrument :
 BNA_F
 ClientSampled :
 W-3

Tot Ion: 82 Resp: 414229
 Ion Ratio Lower Upper
 82 100
 128 44.9 35.9 53.9
 54 46.7 40.9 61.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.70 min Scan# 710
 Delta R.T. 0.00 min
 Lab File: BF088195.D
 Acq: 21 Jun 2016 3:11

Tgt Ion:164 Resp: 163026
 Ion Ratio Lower Upper
 164 100
 162 107.8 85.4 128.2
 160 48.4 39.5 59.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 98.06 ng
 RT: 10.49 min Scan# 779
 Delta R.T. 0.00 min
 Lab File: BF088195.D
 Acq: 21 Jun 2016 3:11




Instrument :
 BNA_F
 ClientSampleId :
 W-3


Tot Ion	Ratio	Lower	Upper
330	100		
332	95.1	0.0	0.0#
141	36.8	0.0	0.0#



#44
 2-Fluorobiphenyl
 Concen: 73.41 ng
 RT: 9.03 min Scan# 651
 Delta R.T. -0.01 min
 Lab File: BF088195.D
 Acq: 21 Jun 2016 3:11

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.3	28.6	43.0
170	24.3	19.2	28.8





#49

Dimethylphthalate

Concen: 20.15 ng

RT: 9.43 min Scan# 686

Delta R.T. -0.01 min

Lab File: BF088195.D

Acq: 21 Jun 2016 3:11

Instrument :

BNA_F

ClientSampleId :

W-3


Tot Ion:163 Resp: 237958

Ion Ratio Lower Upper

163 100

194 3.3 2.8 4.2




164 10.0 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.18 min Scan# 839

Delta R.T. 0.00 min

Lab File: BF088195.D

Acq: 21 Jun 2016 3:11


Tgt Ion:188 Resp: 319130

Ion Ratio Lower Upper

188 100

94 9.8 9.0 13.6



80 9.8 10.0 15.0#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.81 min Scan# 1069

Delta R.T. 0.00 min

Lab File: BF088195.D

Acq: 21 Jun 2016 3:11

Instrument :

BNA_F

ClientSampleId :

W-3


Tot Ion:240 Resp: 258910

Ion Ratio Lower Upper

240 100

120 10.7 6.8 10.2#




236 25.6 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 65.97 ng

RT: 12.77 min Scan# 978

Delta R.T. 0.00 min

Lab File: BF088195.D

Acq: 21 Jun 2016 3:11


Tgt Ion:244 Resp: 750641

Ion Ratio Lower Upper

244 100

212 6.6 6.0 9.0



122 7.1 11.2 16.8#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 15.18 min Scan# 1189
Delta R.T. 0.00 min
Lab File: BF088195.D
Acq: 21 Jun 2016 3:11

Instrument :
BNA_F
ClientSampleId :
W-3

Tot Ion:264	Resp:	208230
Ion Ratio	Lower	Upper
264	100	
260	23.1	19.2 28.8
265	21.4	16.9 25.3

