

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062016\
 Data File : BF088197.D
 Acq On : 21 Jun 2016 4:09
 Operator : UM/SJ
 Sample : H3501-16
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB5-2-4

Quant Time: Jun 21 06:43:15 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 20 17:39:32 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.66	152	101513	20.00	ng	-0.01
21) Naphthalene-d8	7.95	136	424158	20.00	ng	0.00
38) Acenaphthene-d10	9.70	164	203273	20.00	ng	0.00
63) Phenanthrene-d10	11.18	188	374759	20.00	ng	0.00
75) Chrysene-d12	13.81	240	318726	20.00	ng	0.00
86) Perylene-d12	15.18	264	250905	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.27	112	731177	123.13	ng	0.01
7) Phenol-d6	6.33	99	972175	135.09	ng	0.00
23) Nitrobenzene-d5	7.23	82	545021	75.03	ng	-0.01
41) 2,4,6-Tribromophenol	10.49	330	208422	97.11	ng	0.00
44) 2-Fluorobiphenyl	9.03	172	993441	76.20	ng	-0.01
78) Terphenyl-d14	12.77	244	985018	70.33	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.43	163	433746	29.46	ng	Qvalue 100
83) Bis(2-ethylhexyl)phthalate	13.79	149	29754	2.34	ng	# 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062016\
Data File : BF088197.D
Acq On : 21 Jun 2016 4:09
Operator : UM/SJ
Sample : H3501-16
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB5-2-4

Quant Time: Jun 21 06:43:15 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 20 17:39:32 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.66 min Scan# 444

Delta R.T. -0.01 min

Lab File: BF088197.D

Acq: 21 Jun 2016 4:09

Instrument :

BNA_F

ClientSampleId :

SB5-2-4


Tot Ion:152 Resp: 101513

Ion Ratio Lower Upper

152 100

150 159.8 123.8 185.6



115 68.6 39.6 59.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 123.13 ng

RT: 5.27 min Scan# 322

Delta R.T. 0.01 min

Lab File: BF088197.D

Acq: 21 Jun 2016 4:09


Tgt Ion:112 Resp: 731177

Ion Ratio Lower Upper

112 100

64 52.5 42.2 63.2



63 27.7 21.8 32.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 135.09 ng

RT: 6.33 min Scan# 415

Delta R.T. 0.00 min

Lab File: BF088197.D

Acq: 21 Jun 2016 4:09

Instrument :

BNA_F

ClientSampleId :

SB5-2-4


Tot Ion: 99 Resp: 972175

Ion Ratio Lower Upper




99 100

42 11.8 12.2 18.2#

71 29.8 23.4 35.0



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.95 min Scan# 557

Delta R.T. 0.00 min

Lab File: BF088197.D

Acq: 21 Jun 2016 4:09

Tgt Ion: 136 Resp: 424158


Ion Ratio Lower Upper

136 100



137 11.0 9.1 13.7

54 5.8 6.6 10.0#

68 5.1 5.1 7.7#



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 75.03 ng
 RT: 7.23 min Scan# 494
 Delta R.T. -0.01 min
 Lab File: BF088197.D
 Acq: 21 Jun 2016 4:09




Instrument :
 BNA_F
 ClientSampleId :
 SB5-2-4

Tot Ion: 82 Resp: 545021
 Ion Ratio Lower Upper
 82 100
 128 45.8 35.9 53.9
 54 46.5 40.9 61.3



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.70 min Scan# 710
 Delta R.T. -0.00 min
 Lab File: BF088197.D
 Acq: 21 Jun 2016 4:09

Tgt Ion:164 Resp: 203273
 Ion Ratio Lower Upper
 164 100
 162 105.5 85.4 128.2
 160 47.9 39.5 59.3








#41
 2,4,6-Tribromophenol
 Concen: 97.11 ng
 RT: 10.49 min Scan# 779
 Delta R.T. -0.00 min
 Lab File: BF088197.D
 Acq: 21 Jun 2016 4:09

Instrument :
 BNA_F
 ClientSampleId :
 SB5-2-4

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.5	0.0	0.0#
141	40.3	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 76.20 ng
 RT: 9.03 min Scan# 651
 Delta R.T. -0.01 min
 Lab File: BF088197.D
 Acq: 21 Jun 2016 4:09

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.0	28.6	43.0
170	24.1	19.2	28.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 29.46 ng

RT: 9.43 min Scan# 686

Delta R.T. -0.01 min

Lab File: BF088197.D

Acq: 21 Jun 2016 4:09

Instrument :

BNA_F

ClientSampleId :

SB5-2-4


Tot Ion:163 Resp: 433746

Ion Ratio Lower Upper

163 100

194 3.2 2.8 4.2




164 10.5 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.18 min Scan# 839

Delta R.T. 0.00 min

Lab File: BF088197.D

Acq: 21 Jun 2016 4:09


Tgt Ion:188 Resp: 374759

Ion Ratio Lower Upper

188 100

94 9.7 9.0 13.6



80 10.0 10.0 15.0



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.81 min Scan# 1069

Delta R.T. 0.00 min

Lab File: BF088197.D

Acq: 21 Jun 2016 4:09

Instrument :

BNA_F

ClientSampleId :

SB5-2-4


Tot Ion:240 Resp: 318726

Ion Ratio Lower Upper

240 100

120 10.4 6.8 10.2#




236 25.8 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 70.33 ng

RT: 12.77 min Scan# 978

Delta R.T. 0.00 min

Lab File: BF088197.D

Acq: 21 Jun 2016 4:09


Tgt Ion:244 Resp: 985018

Ion Ratio Lower Upper

244 100

212 7.6 6.0 9.0



122 11.1 11.2 16.8#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#83
 Bis(2-ethylhexyl)phthalate
 Concen: 2.34 ng
 RT: 13.79 min Scan# 1068
 Delta R.T. 0.00 min
 Lab File: BF088197.D
 Acq: 21 Jun 2016 4:09

Instrument :
 BNA_F
 ClientSampleId :
 SB5-2-4

Tot Ion:149 Resp: 29754
 Ion Ratio Lower Upper
 149 100
 167 26.8 20.5 30.7
 279 3.6 2.0 3.0#




Abundance Ion 149.00 (148.70 to 149.70): E
 Ion 167.00 (166.70 to 167.70): E
 Ion 279.00 (278.70 to 279.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.18 min Scan# 1189
 Delta R.T. 0.00 min
 Lab File: BF088197.D
 Acq: 21 Jun 2016 4:09

Tgt Ion:264 Resp: 250905
 Ion Ratio Lower Upper
 264 100
 260 23.6 19.2 28.8
 265 21.6 16.9 25.3



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

