

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062016\
 Data File : BF088198.D
 Acq On : 21 Jun 2016 4:38
 Operator : UM/SJ
 Sample : H3501-18
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB10-1-3

Quant Time: Jun 21 06:45:19 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 20 17:39:32 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.66	152	103055	20.00	ng	-0.01
21) Naphthalene-d8	7.95	136	442045	20.00	ng	0.00
38) Acenaphthene-d10	9.70	164	207991	20.00	ng	0.00
63) Phenanthrene-d10	11.18	188	385368	20.00	ng	0.00
75) Chrysene-d12	13.81	240	306592	20.00	ng	0.00
86) Perylene-d12	15.18	264	235107	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.26	112	524389	86.99	ng	0.00
7) Phenol-d6	6.32	99	589880	80.74	ng	-0.01
23) Nitrobenzene-d5	7.23	82	370718	48.97	ng	-0.01
41) 2,4,6-Tribromophenol	10.49	330	152270	69.33	ng	0.00
44) 2-Fluorobiphenyl	9.03	172	703451	50.91	ng	-0.01
78) Terphenyl-d14	12.77	244	714660	53.04	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	9.43	163	355962	23.63	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062016\
Data File : BF088198.D
Acq On : 21 Jun 2016 4:38
Operator : UM/SJ
Sample : H3501-18
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB10-1-3

Quant Time: Jun 21 06:45:19 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 20 17:39:32 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.66 min Scan# 444

Delta R.T. -0.01 min

Lab File: BF088198.D

Acq: 21 Jun 2016 4:38

Instrument :

BNA_F

ClientSampleId :

SB10-1-3


Tot Ion:152 Resp: 103055

Ion Ratio Lower Upper




152 100

150 163.4 123.8 185.6

115 70.2 39.6 59.4#



Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 86.99 ng

RT: 5.26 min Scan# 321

Delta R.T. -0.00 min

Lab File: BF088198.D

Acq: 21 Jun 2016 4:38


Tgt Ion:112 Resp: 524389

Ion Ratio Lower Upper



112 100

64 58.3 42.2 63.2

63 29.6 21.8 32.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 80.74 ng

RT: 6.32 min Scan# 414

Delta R.T. -0.01 min

Lab File: BF088198.D

Acq: 21 Jun 2016 4:38

Instrument :

BNA_F

ClientSampleId :

SB10-1-3


Tot Ion: 99 Resp: 589880

Ion Ratio Lower Upper




99 100

42 15.3 12.2 18.2

71 33.3 23.4 35.0



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.95 min Scan# 557

Delta R.T. -0.00 min

Lab File: BF088198.D

Acq: 21 Jun 2016 4:38

Tgt Ion: 136 Resp: 442045


Ion Ratio Lower Upper

136 100



137 11.0 9.1 13.7

54 5.8 6.6 10.0#

68 5.2 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 48.97 ng
 RT: 7.23 min Scan# 494
 Delta R.T. -0.01 min
 Lab File: BF088198.D
 Acq: 21 Jun 2016 4:38

Instrument :
 BNA_F
 ClientSampled :
 SB10-1-3

Tot Ion: 82 Resp: 370718
 Ion Ratio Lower Upper
 82 100
 128 45.8 35.9 53.9
 54 46.5 40.9 61.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.70 min Scan# 710
 Delta R.T. -0.00 min
 Lab File: BF088198.D
 Acq: 21 Jun 2016 4:38

Tgt Ion:164 Resp: 207991
 Ion Ratio Lower Upper
 164 100
 162 104.6 85.4 128.2
 160 47.4 39.5 59.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 69.33 ng
 RT: 10.49 min Scan# 779
 Delta R.T. -0.00 min
 Lab File: BF088198.D
 Acq: 21 Jun 2016 4:38

Instrument :
 BNA_F
 ClientSampleId :
 SB10-1-3

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.6	0.0	0.0#
141	34.7	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 50.91 ng
 RT: 9.03 min Scan# 651
 Delta R.T. -0.01 min
 Lab File: BF088198.D
 Acq: 21 Jun 2016 4:38

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.1	28.6	43.0
170	24.1	19.2	28.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 23.63 ng

RT: 9.43 min Scan# 686

Delta R.T. -0.01 min

Lab File: BF088198.D

Acq: 21 Jun 2016 4:38

Instrument :

BNA_F

ClientSampleId :

SB10-1-3


Tot Ion:163 Resp: 355962

Ion Ratio Lower Upper

163 100

194 3.2 2.8 4.2




164 10.3 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.18 min Scan# 839

Delta R.T. -0.00 min

Lab File: BF088198.D

Acq: 21 Jun 2016 4:38


Tgt Ion:188 Resp: 385368

Ion Ratio Lower Upper

188 100

94 9.9 9.0 13.6



80 10.3 10.0 15.0



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.81 min Scan# 1069

Delta R.T. -0.00 min

Lab File: BF088198.D

Acq: 21 Jun 2016 4:38

Instrument :

BNA_F

ClientSampleId :

SB10-1-3


Tot Ion:240 Resp: 306592

Ion Ratio Lower Upper

240 100

120 10.5 6.8 10.2#




236 25.7 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 53.04 ng

RT: 12.77 min Scan# 978

Delta R.T. -0.00 min

Lab File: BF088198.D

Acq: 21 Jun 2016 4:38


Tgt Ion:244 Resp: 714660

Ion Ratio Lower Upper

244 100

212 6.5 6.0 9.0



122 7.3 11.2 16.8#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 15.18 min Scan# 1189
Delta R.T. -0.00 min
Lab File: BF088198.D
Acq: 21 Jun 2016 4:38

Instrument :
BNA_F
ClientSampleId :
SB10-1-3

Tot Ion:	264	Resp:	235107
Ion	Ratio	Lower	Upper
264	100		
260	23.7	19.2	28.8
265	21.5	16.9	25.3

