

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062017\
 Data File : BF096044.D
 Acq On : 20 Jun 2017 14:49
 Operator : SJ/MA
 Sample : I3694-01
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 NB-08-061417-A

Quant Time: Jun 20 16:17:24 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 20 16:05:47 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.29	152	76967	20.00	ng	0.00
21) Naphthalene-d8	9.32	136	320337	20.00	ng	0.00
38) Acenaphthene-d10	12.14	164	143003	20.00	ng	-0.01
63) Phenanthrene-d10	14.53	188	230025	20.00	ng	0.00
75) Chrysene-d12	18.27	240	148765	20.00	ng	0.00
86) Perylene-d12	19.94	264	139840	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.18	112	545523	112.94	ng	0.00
7) Phenol-d6	6.87	99	672958	116.38	ng	0.00
23) Nitrobenzene-d5	8.21	82	384480	74.54	ng	-0.01
41) 2,4,6-Tribromophenol	13.44	330	114836	90.76	ng	0.00
44) 2-Fluorobiphenyl	11.10	172	739510	71.96	ng	0.00
78) Terphenyl-d14	16.92	244	470827	78.54	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	11.80	163	151202	13.93	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062017\
Data File : BF096044.D
Acq On : 20 Jun 2017 14:49
Operator : SJ/MA
Sample : I3694-01
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
NB-08-061417-A

Quant Time: Jun 20 16:17:24 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 20 16:05:47 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.29 min Scan# 986
Delta R.T. -0.01 min
Lab File: BF096044.D
Acq: 20 Jun 2017 14:49

Instrument :
BNA_F
ClientSampleId :
NB-08-061417-A

Tot Ion:152 Resp: 76967
Ion Ratio Lower Upper
152 100
150 158.0 126.2 189.2
115 59.4 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 112.94 ng
RT: 5.18 min Scan# 628
Delta R.T. -0.00 min
Lab File: BF096044.D
Acq: 20 Jun 2017 14:49

Tgt Ion:112 Resp: 545523
Ion Ratio Lower Upper
112 100
64 54.1 46.0 69.0
63 26.6 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 116.38 ng

RT: 6.87 min Scan# 915

Delta R.T. -0.01 min

Lab File: BF096044.D

Acq: 20 Jun 2017 14:49

Instrument :

BNA_F

ClientSampleId :

NB-08-061417-A


Tot Ion: 99 Resp: 672958

Ion Ratio Lower Upper

99 100

42 16.2 13.5 20.3




71 31.4 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.32 min Scan# 1332

Delta R.T. -0.01 min

Lab File: BF096044.D

Acq: 20 Jun 2017 14:49

Tgt Ion: 136 Resp: 320337


Ion Ratio Lower Upper

136 100

137 10.7 8.5 12.7

54 6.9 4.9 7.3

68 5.6 4.1 6.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 74.54 ng
 RT: 8.21 min Scan# 1143
 Delta R.T. -0.01 min
 Lab File: BF096044.D
 Acq: 20 Jun 2017 14:49




Instrument :
 BNA_F
 ClientSampleId :
 NB-08-061417-A

Tot Ion: 82 Resp: 384480
 Ion Ratio Lower Upper
 82 100
 128 46.7 34.0 51.0
 54 46.1 42.2 63.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 12.14 min Scan# 1811
 Delta R.T. -0.01 min
 Lab File: BF096044.D
 Acq: 20 Jun 2017 14:49

Tgt Ion:164 Resp: 143003
 Ion Ratio Lower Upper
 164 100
 162 106.3 82.6 123.8
 160 46.1 36.2 54.2








#41
 2,4,6-Tribromophenol
 Concen: 90.76 ng
 RT: 13.44 min Scan# 2033
 Delta R.T. -0.01 min
 Lab File: BF096044.D
 Acq: 20 Jun 2017 14:49

Instrument :
 BNA_F
 ClientSampleId :
 NB-08-061417-A

Tot Ion:330 Resp: 114836
 Ion Ratio Lower Upper
 330 100
 332 96.4 76.6 115.0
 141 38.3 31.4 47.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 71.96 ng
 RT: 11.10 min Scan# 1635
 Delta R.T. -0.01 min
 Lab File: BF096044.D
 Acq: 20 Jun 2017 14:49

Tgt Ion:172 Resp: 739510
 Ion Ratio Lower Upper
 172 100
 171 36.9 29.6 44.4
 170 23.9 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 13.93 ng

RT: 11.80 min Scan# 1753

Delta R.T. -0.02 min

Lab File: BF096044.D

Acq: 20 Jun 2017 14:49

Instrument :

BNA_F

ClientSampleId :

NB-08-061417-A


Tot Ion:163 Resp: 151202

Ion Ratio Lower Upper

163 100

194 3.2 2.6 4.0




164 10.2 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 14.53 min Scan# 2218

Delta R.T. -0.01 min

Lab File: BF096044.D

Acq: 20 Jun 2017 14:49


Tgt Ion:188 Resp: 230025

Ion Ratio Lower Upper

188 100

94 10.5 9.4 14.2



80 11.7 10.2 15.2




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 18.27 min Scan# 2853
 Delta R.T. -0.01 min
 Lab File: BF096044.D
 Acq: 20 Jun 2017 14:49




Instrument :
 BNA_F
 ClientSampleId :
 NB-08-061417-A


Tot Ion:240 Resp: 148765
 Ion Ratio Lower Upper
 240 100
 120 15.3 5.8 8.8#
 236 24.5 20.5 30.7



#78
 Terphenyl-d14
 Concen: 78.54 ng
 RT: 16.92 min Scan# 2624
 Delta R.T. -0.01 min
 Lab File: BF096044.D
 Acq: 20 Jun 2017 14:49

Tgt Ion:244 Resp: 470827
 Ion Ratio Lower Upper
 244 100
 212 6.9 6.0 9.0
 122 14.7 10.3 15.5





#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 19.94 min Scan# 3137
 Delta R.T. 0.00 min
 Lab File: BF096044.D
 Acq: 20 Jun 2017 14:49

Instrument :
 BNA_F
 ClientSampleId :
 NB-08-061417-A

Tot Ion: 264 Resp: 139840
 Ion Ratio Lower Upper
 264 100
 260 22.4 19.5 29.3
 265 21.8 17.2 25.8

