

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062121\
 Data File : BF124403.D
 Acq On : 21 Jun 2021 20:36
 Operator : JU/CG
 Sample : M2775-03
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CONCRETE-PILE

Integration Parameters: rteint.p

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF060321.M

Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BF124403.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	4.345	382	384	392	rBV3	9898	13763	1.61%	0.212%
2	4.981	488	492	501	rBV	175514	197213	23.07%	3.038%
3	5.410	561	565	577	rBV	512488	534270	62.49%	8.230%
4	6.428	735	738	749	rBV	693190	572688	66.98%	8.821%
5	6.781	795	798	803	rBB	251471	202794	23.72%	3.124%
6	7.351	891	895	903	rBV	470201	421555	49.31%	6.493%
7	7.975	999	1001	1009	rBV	26326	35737	4.18%	0.550%
8	8.069	1013	1017	1020	rBV	307704	253408	29.64%	3.903%
9	9.145	1196	1200	1203	rBV	1085235	854994	100.00%	13.170%
10	9.480	1253	1257	1260	rBV	13199	12079	1.41%	0.186%
11	9.822	1311	1315	1319	rBV	416582	312267	36.52%	4.810%
12	10.610	1446	1449	1460	rBV	470436	451600	52.82%	6.956%
13	10.727	1466	1469	1473	rBV3	6869	10596	1.24%	0.163%
14	11.121	1534	1536	1539	rVB	13706	10381	1.21%	0.160%
15	11.310	1564	1568	1570	rBV	385819	309894	36.25%	4.773%
16	11.333	1570	1572	1575	rVB	158250	122063	14.28%	1.880%
17	11.604	1612	1618	1621	rBV3	7908	10315	1.21%	0.159%
18	11.645	1622	1625	1631	rVB2	14040	17962	2.10%	0.277%
19	11.704	1631	1635	1637	rBV2	9246	11202	1.31%	0.173%
20	11.810	1651	1653	1656	rBV	33475	31089	3.64%	0.479%
21	11.839	1656	1658	1665	rVB	47472	42613	4.98%	0.656%
22	11.921	1670	1672	1674	rVV	26932	23188	2.71%	0.357%
23	11.945	1674	1676	1680	rVB2	27479	26479	3.10%	0.408%
24	12.110	1700	1704	1708	rBV3	10732	15156	1.77%	0.233%
25	12.363	1744	1747	1750	rBV3	20693	20713	2.42%	0.319%
26	12.398	1750	1753	1756	rVV3	15799	17061	2.00%	0.263%
27	12.451	1759	1762	1766	rVV4	11859	11447	1.34%	0.176%
28	12.527	1772	1775	1779	rVB	30694	26955	3.15%	0.415%
29	12.757	1810	1814	1820	rBV3	33651	47600	5.57%	0.733%
30	12.898	1834	1838	1841	rBV	960829	765146	89.49%	11.786%
31	12.980	1847	1852	1855	rBV6	10661	19956	2.33%	0.307%
32	13.074	1864	1868	1870	rBV4	13142	16833	1.97%	0.259%
33	13.127	1874	1877	1880	rVB4	23486	23524	2.75%	0.362%
34	13.163	1880	1883	1886	rBV5	12049	18224	2.13%	0.281%
35	13.333	1910	1912	1918	rVB7	14081	17476	2.04%	0.269%
36	13.468	1932	1935	1940	rBV4	39660	47364	5.54%	0.730%

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062121\
 Data File : BF124403.D
 Acq On : 21 Jun 2021 20:36
 Operator : JU/CG
 Sample : M2775-03
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CONCRETE-PILE

Integration Parameters: rteint.p
 Integrator: RTE
 Smoothing : ON Filtering: 5
 Sampling : 1 Min Area: 3 % of largest Peak
 Start Thrs: 0.2 Max Peaks: 100
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF060321.M
 Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

37	13.668	1966	1969	1970	rBV3	12306	12976	1.52%	0.200%
38	13.768	1983	1986	1989	rBV5	15880	25078	2.93%	0.386%
39	13.798	1989	1991	1996	rVB	52011	48976	5.73%	0.754%
40	13.957	2015	2018	2021	rBV	258447	223288	26.12%	3.439%
41	14.115	2042	2045	2049	rVB2	52306	49027	5.73%	0.755%
42	14.421	2094	2097	2101	rVB	69251	66137	7.74%	1.019%
43	14.462	2102	2104	2106	rVV3	20874	14953	1.75%	0.230%
44	14.515	2111	2113	2117	rVB4	24520	25324	2.96%	0.390%
45	14.727	2146	2149	2152	rBV	68049	71237	8.33%	1.097%
46	15.057	2202	2205	2209	rVB3	56716	64870	7.59%	0.999%
47	15.421	2263	2267	2276	rVB2	224300	329674	38.56%	5.078%
48	16.409	2432	2435	2436	rBV3	18650	18399	2.15%	0.283%
49	18.409	2772	2775	2777	rBV4	14717	16526	1.93%	0.255%




Sum of corrected areas: 6492070

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062121\
Data File : BF124403.D
Acq On : 21 Jun 2021 20:36
Operator : JU/CG
Sample : M2775-03
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CONCRETE-PILE

Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF060321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062121\
Data File : BF124403.D
Acq On : 21 Jun 2021 20:36
Operator : JU/CG
Sample : M2775-03
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CONCRETE-PILE

Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF060321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062121\
Data File : BF124403.D
Acq On : 21 Jun 2021 20:36
Operator : JU/CG
Sample : M2775-03
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CONCRETE-PILE

Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF060321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------