

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062124\
 Data File : BF138284.D
 Acq On : 21 Jun 2024 14:26
 Operator : CG\JU
 Sample : P2977-03
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 OSTL-A3

Quant Time: Jun 21 14:54:06 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061224.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 13 01:52:47 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.881	152	278531	20.000	ng	-0.01
21) Naphthalene-d8	8.163	136	1064034	20.000	ng	-0.01
39) Acenaphthene-d10	9.916	164	554179	20.000	ng	-0.01
64) Phenanthrene-d10	11.404	188	757800	20.000	ng	-0.01
76) Chrysene-d12	14.039	240	518327	20.000	ng	-0.01
86) Perylene-d12	15.509	264	533092	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	1277490	76.725	ng	0.00
7) Phenol-d6	6.510	99	1582407	74.948	ng	-0.01
23) Nitrobenzene-d5	7.445	82	966186	52.863	ng	-0.01
42) 2,4,6-Tribromophenol	10.704	330	368555	66.804	ng	-0.01
45) 2-Fluorobiphenyl	9.239	172	1895854	54.399	ng	-0.01
79) Terphenyl-d14	12.986	244	1426696	43.595	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062124\
Data File : BF138284.D
Acq On : 21 Jun 2024 14:26
Operator : CG\JU
Sample : P2977-03
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
OSTL-A3

Quant Time: Jun 21 14:54:06 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061224.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 13 01:52:47 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.881 min Scan# 815
Delta R.T. -0.012 min
Lab File: BF138284.D
Acq: 21 Jun 2024 14:26




Instrument :
BNA_F
ClientSampleId :
OSTL-A3

Tgt Ion:152 Resp: 278531
Ion Ratio Lower Upper
152 100
150 159.8 125.0 187.4
115 63.1 48.4 72.6



#5
2-Fluorophenol
Concen: 76.725 ng
RT: 5.504 min Scan# 581
Delta R.T. -0.006 min
Lab File: BF138284.D
Acq: 21 Jun 2024 14:26

Tgt Ion:112 Resp: 1277490
Ion Ratio Lower Upper
112 100
64 56.1 45.2 67.8
63 28.3 22.9 34.3









#7
Phenol-d6
Concen: 74.948 ng
RT: 6.510 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF138284.D
Acq: 21 Jun 2024 14:26




Instrument :
BNA_F
ClientSampleId :
OSTL-A3

Tgt Ion: 99 Resp: 1582407
Ion Ratio Lower Upper
99 100
42 16.4 13.7 20.5
71 31.8 25.0 37.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.163 min Scan# 1033
Delta R.T. -0.012 min
Lab File: BF138284.D
Acq: 21 Jun 2024 14:26

Tgt Ion: 136 Resp: 1064034
Ion Ratio Lower Upper
136 100
137 11.7 9.1 13.7
54 7.9 6.6 10.0
68 6.5 5.4 8.2





#23

Nitrobenzene-d5

Concen: 52.863 ng

RT: 7.445 min Scan# 911

Delta R.T. -0.012 min

Lab File: BF138284.D

Acq: 21 Jun 2024 14:26

Instrument :

BNA_F

ClientSampleId :

OSTL-A3





Tgt Ion: 82 Resp: 966186

Ion Ratio Lower Upper

82 100

128 49.5 37.2 55.8

54 46.5 39.8 59.6



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.916 min Scan# 1331

Delta R.T. -0.012 min

Lab File: BF138284.D

Acq: 21 Jun 2024 14:26




Tgt Ion:164 Resp: 554179


Ion Ratio Lower Upper

164 100

162 101.2 80.6 121.0


160 45.7 36.3 54.5








#42
2,4,6-Tribromophenol
Concen: 66.804 ng
RT: 10.704 min Scan# 1465
Delta R.T. -0.012 min
Lab File: BF138284.D
Acq: 21 Jun 2024 14:26

Instrument :
BNA_F
ClientSampleId :
OSTL-A3







Tgt Ion:330 Resp: 368555
Ion Ratio Lower Upper
330 100
332 97.1 76.6 115.0
141 29.7 23.9 35.9



#45
2-Fluorobiphenyl
Concen: 54.399 ng
RT: 9.239 min Scan# 1216
Delta R.T. -0.012 min
Lab File: BF138284.D
Acq: 21 Jun 2024 14:26

Tgt Ion:172 Resp: 1895854
Ion Ratio Lower Upper
172 100
171 35.8 30.3 45.5
170 24.2 20.6 30.8





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.404 min Scan# 1

Delta R.T. -0.012 min

Lab File: BF138284.D

Acq: 21 Jun 2024 14:26

Instrument :

BNA_F

ClientSampleId :

OSTL-A3





Tgt Ion:188 Resp: 757800

Ion Ratio Lower Upper

188 100

94 8.8 7.6 11.4

80 9.5 8.1 12.1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.039 min Scan# 2032

Delta R.T. -0.012 min

Lab File: BF138284.D

Acq: 21 Jun 2024 14:26




Tgt Ion:240 Resp: 518327


Ion Ratio Lower Upper

240 100

120 11.7 9.2 13.8

236 26.4 21.0 31.6









#79
 Terphenyl-d14
 Concen: 43.595 ng
 RT: 12.986 min Scan# 11
 Delta R.T. -0.012 min
 Lab File: BF138284.D
 Acq: 21 Jun 2024 14:26

Instrument :
 BNA_F
 ClientSampleId :
 OSTL-A3

Tgt Ion:244 Resp: 1426696
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.9 8.9
 122 11.9 10.6 15.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.509 min Scan# 2282
 Delta R.T. -0.012 min
 Lab File: BF138284.D
 Acq: 21 Jun 2024 14:26

Tgt Ion:264 Resp: 533092
 Ion Ratio Lower Upper
 264 100
 260 23.6 18.7 28.1
 265 21.7 17.0 25.6

