

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF062215\
 Data File : BF080107.D
 Acq On : 22 Jun 2015 23:36
 Operator : TP/IZ
 Sample : G2704-01
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 WEST-COUNTERWEIGHT

Quant Time: Jun 23 01:41:09 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF061715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 23 00:53:56 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.32	152	50344	20.00	ng	-0.01
21) Naphthalene-d8	8.61	136	211051	20.00	ng	-0.01
38) Acenaphthene-d10	10.38	164	108390	20.00	ng	-0.01
63) Phenanthrene-d10	11.89	188	237980	20.00	ng	-0.02
75) Chrysene-d12	14.81	240	246611	20.00	ng	-0.18
86) Perylene-d12	16.68	264	240369	20.00	ng	-0.25
System Monitoring Compounds						
5) 2-Fluorophenol	5.93	112	83059	29.20	ng	0.00
7) Phenol-d6	6.92	99	73508	19.42	ng	-0.01
23) Nitrobenzene-d5	7.88	82	276305	76.22	ng	0.00
41) 2,4,6-Tribromophenol	11.18	330	69897	65.95	ng	0.00
44) 2-Fluorobiphenyl	9.69	172	573454	75.45	ng	0.00
78) Terphenyl-d14	13.56	244	653128	61.85	ng	-0.11
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.88	70	35581	13.54	ng	# 60
25) Isophorone	7.88	82	276293	37.87	ng	# 58
49) Dimethylphthalate	10.07	163	31336	3.85	ng	# 97
50) 2,6-Dinitrotoluene	10.38	165	13220	8.09	ng	# 37
56) 2,4-Dinitrotoluene	10.38	165	13223	6.38	ng	# 31


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF062215\
Data File : BF080107.D
Acq On : 22 Jun 2015 23:36
Operator : TP/IZ
Sample : G2704-01
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
WEST-COUNTERWEIGHT

Quant Time: Jun 23 01:41:09 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF061715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 23 00:53:56 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.32 min Scan# 370

Delta R.T. -0.01 min

Lab File: BF080107.D

Acq: 22 Jun 2015 23:36

Instrument :

BNA_F

ClientSampleId :

WEST-COUNTERWEIGHT


Tgt Ion:152 Resp: 50344

Ion Ratio Lower Upper

152 100

150 164.1 124.7 187.1




115 72.2 39.0 58.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 29.20 ng

RT: 5.93 min Scan# 249

Delta R.T. -0.00 min

Lab File: BF080107.D

Acq: 22 Jun 2015 23:36


Tgt Ion:112 Resp: 83059

Ion Ratio Lower Upper

112 100

64 47.9 39.7 59.5



63 24.9 17.4 26.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 19.42 ng

RT: 6.92 min Scan# 335

Delta R.T. -0.01 min

Lab File: BF080107.D

Acq: 22 Jun 2015 23:36

Instrument :

BNA_F

ClientSampleId :

WEST-COUNTERWEIGHT


Tgt Ion: 99 Resp: 73508

Ion Ratio Lower Upper




99 100

42 21.0 13.7 20.5#

71 32.6 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 13.54 ng

RT: 7.88 min Scan# 419

Delta R.T. 0.16 min

Lab File: BF080107.D

Acq: 22 Jun 2015 23:36

Tgt Ion: 70 Resp: 35581


Ion Ratio Lower Upper

70 100



42 48.9 63.8 95.6#

101 0.0 9.2 13.8#

130 1.7 27.3 40.9#



Abundance Ion 70.00 (69.70 to 70.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 101.00 (100.70 to 101.70): BF0
Ion 130.00 (129.70 to 130.70): BF0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.61 min Scan# 483
Delta R.T. -0.01 min
Lab File: BF080107.D
Acq: 22 Jun 2015 23:36




Instrument :
BNA_F
ClientSampleId :
WEST-COUNTERWEIGHT

Tgt Ion:	136	Resp:	211051
Ion	Ratio	Lower	Upper
136	100		
137	11.0	9.0	13.6
54	10.7	8.2	12.2
68	8.0	5.8	8.6



#23
Nitrobenzene-d5
Concen: 76.22 ng
RT: 7.88 min Scan# 419
Delta R.T. -0.00 min
Lab File: BF080107.D
Acq: 22 Jun 2015 23:36

Tgt Ion:	82	Resp:	276305
Ion	Ratio	Lower	Upper
82	100		
128	42.0	51.0	76.6#
54	51.1	47.5	71.3





#25

Isophorone

Concen: 37.87 ng

RT: 7.88 min Scan# 419

Delta R.T. -0.26 min

Lab File: BF080107.D

Acq: 22 Jun 2015 23:36

Instrument :

BNA_F

ClientSampleId :

WEST-COUNTERWEIGHT


Tgt Ion: 82 Resp: 276293

Ion Ratio Lower Upper




82 100

95 0.0 4.0 6.0#

138 0.0 18.3 27.5#



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 95.00 (94.70 to 95.70): BF0
Ion 138.00 (137.70 to 138.70): E



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 10.38 min Scan# 638

Delta R.T. -0.01 min

Lab File: BF080107.D

Acq: 22 Jun 2015 23:36


Tgt Ion: 164 Resp: 108390

Ion Ratio Lower Upper



164 100

162 102.9 75.2 112.8

160 43.9 31.5 47.3



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E








#41
 2,4,6-Tribromophenol
 Concen: 65.95 ng
 RT: 11.18 min Scan# 708
 Delta R.T. -0.00 min
 Lab File: BF080107.D
 Acq: 22 Jun 2015 23:36

Instrument :
 BNA_F
 ClientSampleId :
 WEST-COUNTERWEIGHT

Tgt Ion:330 Resp: 69897
 Ion Ratio Lower Upper
 330 100
 332 96.1 76.6 114.8
 141 33.0 29.7 44.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 75.45 ng
 RT: 9.69 min Scan# 578
 Delta R.T. -0.00 min
 Lab File: BF080107.D
 Acq: 22 Jun 2015 23:36

Tgt Ion:172 Resp: 573454
 Ion Ratio Lower Upper
 172 100
 171 35.5 26.1 39.1
 170 23.6 17.4 26.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 3.85 ng
RT: 10.07 min Scan# 611
Delta R.T. -0.01 min
Lab File: BF080107.D
Acq: 22 Jun 2015 23:36

Instrument :
BNA_F
ClientSampleId :
WEST-COUNTERWEIGHT

Tgt Ion:163 Resp: 31336
Ion Ratio Lower Upper
163 100
194 3.9 4.4 6.6#
164 11.3 8.3 12.5




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#50
2,6-Dinitrotoluene
Concen: 8.09 ng
RT: 10.38 min Scan# 638
Delta R.T. 0.23 min
Lab File: BF080107.D
Acq: 22 Jun 2015 23:36

Tgt Ion:165 Resp: 13220
Ion Ratio Lower Upper
165 100
63 0.0 32.3 48.5#
89 0.0 28.6 43.0#



Abundance Ion 165.00 (164.70 to 165.70): E
Ion 63.00 (62.70 to 63.70): BF0
Ion 89.00 (88.70 to 89.70): BF0






#56
 2,4-Dinitrotoluene
 Concen: 6.38 ng
 RT: 10.38 min Scan# 638
 Delta R.T. -0.17 min
 Lab File: BF080107.D
 Acq: 22 Jun 2015 23:36

Instrument :
 BNA_F
 ClientSampleId :
 WEST-COUNTERWEIGHT

Tgt Ion:	165	Resp:	13223
Ion	Ratio	Lower	Upper
165	100		
63	0.0	29.8	44.6#
89	0.0	44.5	66.7#
182	0.0	3.0	4.4#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0


Ion 89.00 (88.70 to 89.70): BF0

Ion 182.00 (181.70 to 182.70): E



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.89 min Scan# 770
 Delta R.T. -0.02 min
 Lab File: BF080107.D
 Acq: 22 Jun 2015 23:36



Tgt Ion:	188	Resp:	237980
Ion	Ratio	Lower	Upper
188	100		
94	8.2	11.1	16.7#
80	8.9	11.0	16.4#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.81 min Scan# 1026

Delta R.T. -0.18 min

Lab File: BF080107.D

Acq: 22 Jun 2015 23:36

Instrument :

BNA_F

ClientSampleId :

WEST-COUNTERWEIGHT


Tgt Ion:240 Resp: 246611

Ion Ratio Lower Upper

240 100

120 12.6 16.2 24.2#




236 25.2 18.4 27.6



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 61.85 ng

RT: 13.56 min Scan# 916

Delta R.T. -0.11 min

Lab File: BF080107.D

Acq: 22 Jun 2015 23:36


Tgt Ion:244 Resp: 653128

Ion Ratio Lower Upper

244 100

212 7.5 4.3 6.5#



122 14.0 17.4 26.2#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Perylene-d12
Concen: 20.00 ng
RT: 16.68 min Scan# 1189
Delta R.T. -0.25 min
Lab File: BF080107.D
Acq: 22 Jun 2015 23:36

Instrument :
BNA_F
ClientSampleId :
WEST-COUNTERWEIGHT

Tgt Ion: 264 Resp: 240369
Ion Ratio Lower Upper
264 100
260 23.7 16.7 25.1
265 21.6 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

