

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF062215\
 Data File : BF080118.D
 Acq On : 23 Jun 2015 4:52
 Operator : TP/IZ
 Sample : G2716-01
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 76-INFIELD(0-2)-11

Quant Time: Jun 23 06:01:12 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF061715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 23 00:53:56 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.33	152	58507	20.00	ng	0.00
21) Naphthalene-d8	8.61	136	232829	20.00	ng	-0.01
38) Acenaphthene-d10	10.39	164	120514	20.00	ng	0.00
63) Phenanthrene-d10	11.90	188	255882	20.00	ng	-0.01
75) Chrysene-d12	14.93	240	281052	20.00	ng	-0.07
86) Perylene-d12	16.85	264	277219	20.00	ng	-0.08
System Monitoring Compounds						
5) 2-Fluorophenol	5.93	112	369405	111.77	ng	0.00
7) Phenol-d6	6.93	99	495707	112.71	ng	0.00
23) Nitrobenzene-d5	7.88	82	281218	70.32	ng	0.00
41) 2,4,6-Tribromophenol	11.18	330	124507	105.65	ng	0.00
44) 2-Fluorobiphenyl	9.69	172	546046	64.62	ng	0.00
78) Terphenyl-d14	13.61	244	622525	51.73	ng	-0.06
Target Compounds						
49) Dimethylphthalate	10.08	163	30524	3.37	ng	Qvalue # 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF062215\
Data File : BF080118.D
Acq On : 23 Jun 2015 4:52
Operator : TP/IZ
Sample : G2716-01
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
76-INFIELD(0-2)-11

Quant Time: Jun 23 06:01:12 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF061715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 23 00:53:56 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.33 min Scan# 371
 Delta R.T. 0.00 min
 Lab File: BF080118.D
 Acq: 23 Jun 2015 4:52

Instrument :
 BNA_F
 ClientSampleId :
 76-INFIELD(0-2)-11

Tgt Ion:152 Resp: 58507
 Ion Ratio Lower Upper
 152 100
 150 155.5 124.7 187.1
 115 48.6 39.0 58.4




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5
 2-Fluorophenol
 Concen: 111.77 ng
 RT: 5.93 min Scan# 249
 Delta R.T. -0.00 min
 Lab File: BF080118.D
 Acq: 23 Jun 2015 4:52

Tgt Ion:112 Resp: 369405
 Ion Ratio Lower Upper
 112 100
 64 58.6 39.7 59.5
 63 29.3 17.4 26.0#



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 112.71 ng

RT: 6.93 min Scan# 336

Delta R.T. 0.00 min

Lab File: BF080118.D

Acq: 23 Jun 2015 4:52

Instrument :

BNA_F

ClientSampleId :

76-INFIELD(0-2)-11


Tgt Ion: 99 Resp: 495707

Ion Ratio Lower Upper

99 100

42 15.4 13.7 20.5


71 29.3 14.2 21.2#





Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



Time--> 6.80 6.90 7.00 7.10



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.61 min Scan# 483

Delta R.T. -0.01 min

Lab File: BF080118.D

Acq: 23 Jun 2015 4:52

Tgt Ion: 136 Resp: 232829


Ion Ratio Lower Upper

136 100

137 11.1 9.0 13.6

54 11.7 8.2 12.2

68 8.7 5.8 8.6#




Abundance Ion 136.00 (135.70 to 136.70): E


Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



Time--> 8.60 8.70









#23
 Nitrobenzene-d5
 Concen: 70.32 ng
 RT: 7.88 min Scan# 419
 Delta R.T. -0.00 min
 Lab File: BF080118.D
 Acq: 23 Jun 2015 4:52

Instrument :
 BNA_F
 ClientSampleId :
 76-INFIELD(0-2)-11

Tgt Ion: 82 Resp: 281218
 Ion Ratio Lower Upper
 82 100
 128 40.0 51.0 76.6#
 54 52.7 47.5 71.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.39 min Scan# 639
 Delta R.T. 0.00 min
 Lab File: BF080118.D
 Acq: 23 Jun 2015 4:52

Tgt Ion: 164 Resp: 120514
 Ion Ratio Lower Upper
 164 100
 162 106.9 75.2 112.8
 160 47.8 31.5 47.3#



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E








#41
 2,4,6-Tribromophenol
 Concen: 105.65 ng
 RT: 11.18 min Scan# 708
 Delta R.T. -0.00 min
 Lab File: BF080118.D
 Acq: 23 Jun 2015 4:52

Instrument :
 BNA_F
 ClientSampleId :
 76-INFIELD(0-2)-11

Tgt Ion	Ratio	Lower	Upper
330	100		
332	96.9	76.6	114.8
141	35.2	29.7	44.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 64.62 ng
 RT: 9.69 min Scan# 578
 Delta R.T. 0.00 min
 Lab File: BF080118.D
 Acq: 23 Jun 2015 4:52

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.6	26.1	39.1
170	24.0	17.4	26.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 3.37 ng

RT: 10.08 min Scan# 612

Delta R.T. -0.00 min

Lab File: BF080118.D

Acq: 23 Jun 2015 4:52

Instrument :

BNA_F

ClientSampleId :

76-INFIELD(0-2)-11


Tgt Ion:163 Resp: 30524

Ion Ratio Lower Upper

163 100

194 4.2 4.4 6.6#




164 9.3 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.90 min Scan# 771

Delta R.T. -0.01 min

Lab File: BF080118.D

Acq: 23 Jun 2015 4:52


Tgt Ion:188 Resp: 255882

Ion Ratio Lower Upper

188 100

94 6.5 11.1 16.7#



80 6.7 11.0 16.4#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.93 min Scan# 1036

Delta R.T. -0.07 min

Lab File: BF080118.D

Acq: 23 Jun 2015 4:52

Instrument :

BNA_F

ClientSampleId :

76-INFIELD(0-2)-11


Tgt Ion:240 Resp: 281052

Ion Ratio Lower Upper

240 100

120 11.1 16.2 24.2#




236 25.4 18.4 27.6



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 51.73 ng

RT: 13.61 min Scan# 921

Delta R.T. -0.06 min

Lab File: BF080118.D

Acq: 23 Jun 2015 4:52


Tgt Ion:244 Resp: 622525

Ion Ratio Lower Upper

244 100

212 7.4 4.3 6.5#



122 14.0 17.4 26.2#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86

Perylene-d12

Concen: 20.00 ng

RT: 16.85 min Scan# 1204

Delta R.T. -0.08 min

Lab File: BF080118.D

Acq: 23 Jun 2015 4:52

Instrument :

BNA_F

ClientSampleId :

76-INFIELD(0-2)-11

Tgt Ion:264 Resp: 277219

Ion Ratio Lower Upper

264 100

260 24.5 16.7 25.1

265 21.9 17.2 25.8

