

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062216\
 Data File : BF088250.D
 Acq On : 22 Jun 2016 15:27
 Operator : UM/SJ
 Sample : H3660-08
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-4(4-4.5)

Quant Time: Jun 22 16:29:13 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 22 14:55:14 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.60	152	74847	20.00	ng	0.00
21) Naphthalene-d8	7.88	136	315677	20.00	ng	-0.01
38) Acenaphthene-d10	9.63	164	151456	20.00	ng	-0.01
63) Phenanthrene-d10	11.12	188	276715	20.00	ng	0.00
75) Chrysene-d12	13.75	240	250092	20.00	ng	0.00
86) Perylene-d12	15.11	264	195843	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.19	112	603001	137.73	ng	0.01
7) Phenol-d6	6.26	99	733083	138.16	ng	0.00
23) Nitrobenzene-d5	7.18	82	480651	88.91	ng	0.00
41) 2,4,6-Tribromophenol	10.42	330	190412	119.07	ng	-0.01
44) 2-Fluorobiphenyl	8.97	172	837032	86.94	ng	0.00
78) Terphenyl-d14	12.70	244	675276	61.44	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	9.37	163	140371	12.79	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062216\
Data File : BF088250.D
Acq On : 22 Jun 2016 15:27
Operator : UM/SJ
Sample : H3660-08
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-4(4-4.5)

Quant Time: Jun 22 16:29:13 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 22 14:55:14 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.60 min Scan# 439
Delta R.T. 0.00 min
Lab File: BF088250.D
Acq: 22 Jun 2016 15:27

Instrument :
BNA_F
ClientSampleId :
SB-4(4-4.5)

Tot Ion:152 Resp: 74847
Ion Ratio Lower Upper
152 100
150 154.4 123.8 185.6
115 55.5 39.6 59.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 137.73 ng
RT: 5.19 min Scan# 315
Delta R.T. 0.01 min
Lab File: BF088250.D
Acq: 22 Jun 2016 15:27

Tgt Ion:112 Resp: 603001
Ion Ratio Lower Upper
112 100
64 56.9 42.2 63.2
63 29.9 21.8 32.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 138.16 ng

RT: 6.26 min Scan# 409

Delta R.T. 0.00 min

Lab File: BF088250.D

Acq: 22 Jun 2016 15:27

Instrument :

BNA_F

ClientSampleId :

SB-4(4-4.5)


Tot Ion: 99 Resp: 733083

Ion Ratio Lower Upper

99 100

42 15.1 12.2 18.2



71 34.1 23.4 35.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.88 min Scan# 551

Delta R.T. -0.01 min

Lab File: BF088250.D

Acq: 22 Jun 2016 15:27

Tgt Ion: 136 Resp: 315677


Ion Ratio Lower Upper

136 100

137 11.2 9.1 13.7

54 8.6 6.6 10.0

68 6.7 5.1 7.7





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 88.91 ng
 RT: 7.18 min Scan# 489
 Delta R.T. 0.00 min
 Lab File: BF088250.D
 Acq: 22 Jun 2016 15:27




Instrument :
 BNA_F
 ClientSampleId :
 SB-4(4-4.5)

Tot Ion: 82 Resp: 480651
 Ion Ratio Lower Upper
 82 100
 128 47.5 35.9 53.9
 54 44.9 40.9 61.3



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.63 min Scan# 704
 Delta R.T. -0.01 min
 Lab File: BF088250.D
 Acq: 22 Jun 2016 15:27

Tgt Ion:164 Resp: 151456
 Ion Ratio Lower Upper
 164 100
 162 102.9 85.4 128.2
 160 46.5 39.5 59.3









#41
 2,4,6-Tribromophenol
 Concen: 119.07 ng
 RT: 10.42 min Scan# 773
 Delta R.T. -0.01 min
 Lab File: BF088250.D
 Acq: 22 Jun 2016 15:27




Instrument :
 BNA_F
 ClientSampleId :
 SB-4(4-4.5)


Tot Ion	Ratio	Lower	Upper
330	100		
332	97.2	0.0	0.0#
141	34.3	0.0	0.0#



#44
 2-Fluorobiphenyl
 Concen: 86.94 ng
 RT: 8.97 min Scan# 646
 Delta R.T. 0.00 min
 Lab File: BF088250.D
 Acq: 22 Jun 2016 15:27

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.8	28.6	43.0
170	24.0	19.2	28.8









#49
Dimethylphthalate
Concen: 12.79 ng
RT: 9.37 min Scan# 681
Delta R.T. -0.01 min
Lab File: BF088250.D
Acq: 22 Jun 2016 15:27




Instrument :
BNA_F
ClientSampleId :
SB-4(4-4.5)

Tot Ion:163 Resp: 140371
Ion Ratio Lower Upper
163 100
194 3.2 2.8 4.2
164 9.9 8.3 12.5



#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.12 min Scan# 834
Delta R.T. 0.00 min
Lab File: BF088250.D
Acq: 22 Jun 2016 15:27

Tgt Ion:188 Resp: 276715
Ion Ratio Lower Upper
188 100
94 7.6 9.0 13.6#
80 7.4 10.0 15.0#





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.75 min Scan# 1064

Delta R.T. 0.00 min

Lab File: BF088250.D

Acq: 22 Jun 2016 15:27

Instrument :

BNA_F

ClientSampleId :

SB-4(4-4.5)


Tot Ion:240 Resp: 250092

Ion Ratio Lower Upper

240 100

120 9.6 6.8 10.2


236 25.6 20.2 30.2





Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



Time-->



#78

Terphenyl-d14

Concen: 61.44 ng

RT: 12.70 min Scan# 972

Delta R.T. 0.00 min

Lab File: BF088250.D

Acq: 22 Jun 2016 15:27


Tgt Ion:244 Resp: 675276

Ion Ratio Lower Upper

244 100

212 7.5 6.0 9.0


122 13.3 11.2 16.8




Abundance Ion 244.00 (243.70 to 244.70): E




Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



Time-->





#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 15.11 min Scan# 1183
 Delta R.T. 0.00 min
 Lab File: BF088250.D
 Acq: 22 Jun 2016 15:27

Instrument :
 BNA_F
 ClientSampleId :
 SB-4(4-4.5)

Tot Ion:	264	Resp:	195843
Ion	Ratio	Lower	Upper
264	100		
260	23.5	19.2	28.8
265	21.1	16.9	25.3

