

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062216\
 Data File : BF088258.D
 Acq On : 22 Jun 2016 19:20
 Operator : UM/SJ
 Sample : H3660-10
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 GW-2

Quant Time: Jun 23 03:38:50 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 22 14:55:14 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.60	152	75765	20.00	ng	0.00
21) Naphthalene-d8	7.88	136	340737	20.00	ng	-0.01
38) Acenaphthene-d10	9.63	164	161888	20.00	ng	-0.01
63) Phenanthrene-d10	11.12	188	290829	20.00	ng	0.00
75) Chrysene-d12	13.75	240	263340	20.00	ng	0.00
86) Perylene-d12	15.11	264	192988	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.19	112	78862	17.79	ng	0.01
7) Phenol-d6	6.26	99	60417	11.25	ng	0.00
23) Nitrobenzene-d5	7.18	82	137821	23.62	ng	0.00
41) 2,4,6-Tribromophenol	10.42	330	41969	24.55	ng	-0.01
44) 2-Fluorobiphenyl	8.97	172	326345	27.95	ng	0.00
78) Terphenyl-d14	12.70	244	317191	27.41	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.37	163	104870	8.94	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062216\
Data File : BF088258.D
Acq On : 22 Jun 2016 19:20
Operator : UM/SJ
Sample : H3660-10
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
GW-2

Quant Time: Jun 23 03:38:50 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 22 14:55:14 2016
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.60 min Scan# 439
 Delta R.T. 0.00 min
 Lab File: BF088258.D
 Acq: 22 Jun 2016 19:20

Instrument :
 BNA_F
 ClientSampleId :
 GW-2

Tot Ion:152 Resp: 75765
 Ion Ratio Lower Upper
 152 100
 150 156.8 123.8 185.6
 115 56.0 39.6 59.4




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E






#5
 2-Fluorophenol
 Concen: 17.79 ng
 RT: 5.19 min Scan# 315
 Delta R.T. 0.01 min
 Lab File: BF088258.D
 Acq: 22 Jun 2016 19:20

Tgt Ion:112 Resp: 78862
 Ion Ratio Lower Upper
 112 100
 64 50.1 42.2 63.2
 63 24.9 21.8 32.8



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 11.25 ng

RT: 6.26 min Scan# 409

Delta R.T. 0.00 min

Lab File: BF088258.D

Acq: 22 Jun 2016 19:20

Instrument :

BNA_F

ClientSampleId :

GW-2





Tot Ion: 99 Resp: 60417

Ion Ratio Lower Upper

99 100

42 12.2 12.2 18.2

71 28.3 23.4 35.0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.88 min Scan# 551

Delta R.T. -0.01 min

Lab File: BF088258.D

Acq: 22 Jun 2016 19:20

Tgt Ion: 136 Resp: 340737




Ion Ratio Lower Upper


136 100

137 11.3 9.1 13.7

54 8.3 6.6 10.0

68 7.1 5.1 7.7









#23
 Nitrobenzene-d5
 Concen: 23.62 ng
 RT: 7.18 min Scan# 489
 Delta R.T. 0.00 min
 Lab File: BF088258.D
 Acq: 22 Jun 2016 19:20




Instrument :
 BNA_F
 ClientSampled :
 GW-2


Tot Ion: 82 Resp: 137821
 Ion Ratio Lower Upper
 82 100
 128 53.3 35.9 53.9
 54 40.8 40.9 61.3#



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.63 min Scan# 704
 Delta R.T. -0.01 min
 Lab File: BF088258.D
 Acq: 22 Jun 2016 19:20

Tgt Ion:164 Resp: 161888
 Ion Ratio Lower Upper
 164 100
 162 105.1 85.4 128.2
 160 47.2 39.5 59.3









#41
 2,4,6-Tribromophenol
 Concen: 24.55 ng
 RT: 10.42 min Scan# 773
 Delta R.T. -0.01 min
 Lab File: BF088258.D
 Acq: 22 Jun 2016 19:20

Instrument :
 BNA_F
 ClientSampleId :
 GW-2

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.4	0.0	0.0#
141	36.0	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 27.95 ng
 RT: 8.97 min Scan# 646
 Delta R.T. 0.00 min
 Lab File: BF088258.D
 Acq: 22 Jun 2016 19:20

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.9	28.6	43.0
170	23.3	19.2	28.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 8.94 ng
RT: 9.37 min Scan# 681
Delta R.T. -0.01 min
Lab File: BF088258.D
Acq: 22 Jun 2016 19:20

Instrument :
BNA_F
ClientSampleId :
GW-2

Tot Ion:163 Resp: 104870
Ion Ratio Lower Upper
163 100
194 3.3 2.8 4.2
164 9.8 8.3 12.5




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.12 min Scan# 834
Delta R.T. 0.00 min
Lab File: BF088258.D
Acq: 22 Jun 2016 19:20

Tgt Ion:188 Resp: 290829
Ion Ratio Lower Upper
188 100
94 7.6 9.0 13.6#
80 7.5 10.0 15.0#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.75 min Scan# 1064

Delta R.T. 0.00 min

Lab File: BF088258.D

Acq: 22 Jun 2016 19:20

Instrument :

BNA_F

ClientSampleId :

GW-2


Tot Ion:240 Resp: 263340

Ion Ratio Lower Upper

240 100

120 9.2 6.8 10.2




236 25.0 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 27.41 ng

RT: 12.70 min Scan# 972

Delta R.T. 0.00 min

Lab File: BF088258.D

Acq: 22 Jun 2016 19:20


Tgt Ion:244 Resp: 317191

Ion Ratio Lower Upper

244 100

212 6.7 6.0 9.0



122 9.9 11.2 16.8#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 15.11 min Scan# 1183
Delta R.T. 0.00 min
Lab File: BF088258.D
Acq: 22 Jun 2016 19:20

Instrument :
BNA_F
ClientSampleId :
GW-2

Tot Ion:264	Resp:	192988
Ion	Ratio	Lower Upper
264	100	
260	24.0	19.2 28.8
265	21.5	16.9 25.3

