

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062216\
 Data File : BF088259.D
 Acq On : 22 Jun 2016 19:49
 Operator : UM/SJ
 Sample : H3678-01
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TDGA-PL-1617

Quant Time: Jun 23 03:45:17 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 22 14:55:14 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.60	152	72082	20.00	ng	0.00
21) Naphthalene-d8	7.88	136	324488	20.00	ng	-0.01
38) Acenaphthene-d10	9.63	164	158449	20.00	ng	-0.01
63) Phenanthrene-d10	11.12	188	280501	20.00	ng	0.00
75) Chrysene-d12	13.75	240	229417	20.00	ng	0.00
86) Perylene-d12	15.11	264	166011	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.19	112	462301	109.64	ng	0.01
7) Phenol-d6	6.26	99	657916	128.75	ng	0.00
23) Nitrobenzene-d5	7.18	82	388767	69.96	ng	0.00
41) 2,4,6-Tribromophenol	10.42	330	136767	81.75	ng	-0.01
44) 2-Fluorobiphenyl	8.97	172	744587	73.04	ng	0.00
78) Terphenyl-d14	12.70	244	614064	60.91	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	9.37	163	67496	5.88	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062216\
Data File : BF088259.D
Acq On : 22 Jun 2016 19:49
Operator : UM/SJ
Sample : H3678-01
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TDGA-PL-1617

Quant Time: Jun 23 03:45:17 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 22 14:55:14 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.60 min Scan# 439
Delta R.T. 0.00 min
Lab File: BF088259.D
Acq: 22 Jun 2016 19:49

Instrument :
BNA_F
ClientSampleId :
TDGA-PL-1617

Tot Ion:152 Resp: 72082
Ion Ratio Lower Upper
152 100
150 157.7 123.8 185.6
115 55.8 39.6 59.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 109.64 ng
RT: 5.19 min Scan# 315
Delta R.T. 0.01 min
Lab File: BF088259.D
Acq: 22 Jun 2016 19:49

Tgt Ion:112 Resp: 462301
Ion Ratio Lower Upper
112 100
64 51.5 42.2 63.2
63 26.3 21.8 32.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 128.75 ng

RT: 6.26 min Scan# 409

Delta R.T. 0.00 min

Lab File: BF088259.D

Acq: 22 Jun 2016 19:49

Instrument :

BNA_F

ClientSampleId :

TDGA-PL-1617


Tot Ion: 99 Resp: 657916

Ion Ratio Lower Upper




99 100

42 12.8 12.2 18.2

71 31.1 23.4 35.0



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.88 min Scan# 551

Delta R.T. -0.01 min

Lab File: BF088259.D

Acq: 22 Jun 2016 19:49

Tgt Ion: 136 Resp: 324488


Ion Ratio Lower Upper

136 100



137 11.0 9.1 13.7


54 8.8 6.6 10.0

68 7.1 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 69.96 ng
 RT: 7.18 min Scan# 489
 Delta R.T. 0.00 min
 Lab File: BF088259.D
 Acq: 22 Jun 2016 19:49




Instrument :
 BNA_F
 ClientSampleId :
 TDGA-PL-1617


Tot Ion	82	Resp	388767
Ion Ratio	Lower	Upper	
82	100		
128	49.7	35.9	53.9
54	43.0	40.9	61.3



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.63 min Scan# 704
 Delta R.T. -0.01 min
 Lab File: BF088259.D
 Acq: 22 Jun 2016 19:49

Tgt Ion	164	Resp	158449
Ion Ratio	Lower	Upper	
164	100		
162	104.2	85.4	128.2
160	45.9	39.5	59.3









#41
 2,4,6-Tribromophenol
 Concen: 81.75 ng
 RT: 10.42 min Scan# 773
 Delta R.T. -0.01 min
 Lab File: BF088259.D
 Acq: 22 Jun 2016 19:49

Instrument :
 BNA_F
 ClientSampleId :
 TDGA-PL-1617

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.1	0.0	0.0#
141	38.4	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 73.04 ng
 RT: 8.97 min Scan# 646
 Delta R.T. 0.00 min
 Lab File: BF088259.D
 Acq: 22 Jun 2016 19:49

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.9	28.6	43.0
170	24.3	19.2	28.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 5.88 ng

RT: 9.37 min Scan# 681

Delta R.T. -0.01 min

Lab File: BF088259.D

Acq: 22 Jun 2016 19:49

Instrument :

BNA_F

ClientSampleId :

TDGA-PL-1617


Tot Ion:163 Resp: 67496

Ion Ratio Lower Upper

163 100

194 3.1 2.8 4.2




164 9.8 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.12 min Scan# 834

Delta R.T. 0.00 min

Lab File: BF088259.D

Acq: 22 Jun 2016 19:49


Tgt Ion:188 Resp: 280501

Ion Ratio Lower Upper

188 100

94 7.7 9.0 13.6#



80 7.5 10.0 15.0#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.75 min Scan# 1064

Delta R.T. 0.00 min

Lab File: BF088259.D

Acq: 22 Jun 2016 19:49

Instrument :

BNA_F

ClientSampleId :

TDGA-PL-1617


Tot Ion:240 Resp: 229417

Ion Ratio Lower Upper

240 100

120 9.8 6.8 10.2




236 25.0 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 60.91 ng

RT: 12.70 min Scan# 972

Delta R.T. 0.00 min

Lab File: BF088259.D

Acq: 22 Jun 2016 19:49


Tgt Ion:244 Resp: 614064

Ion Ratio Lower Upper

244 100

212 7.5 6.0 9.0



122 13.6 11.2 16.8






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 15.11 min Scan# 1183
Delta R.T. 0.00 min
Lab File: BF088259.D
Acq: 22 Jun 2016 19:49

Instrument :
BNA_F
ClientSampleId :
TDGA-PL-1617

Tot Ion:	264	Resp:	166011
Ion	Ratio	Lower	Upper
264	100		
260	23.9	19.2	28.8
265	21.3	16.9	25.3

