

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062216\
 Data File : BF088267.D
 Acq On : 22 Jun 2016 23:41
 Operator : UM/SJ
 Sample : H3660-06
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-3(3-3.5)

Quant Time: Jun 23 04:20:44 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 22 14:55:14 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.60	152	77406	20.00	ng	0.00
21) Naphthalene-d8	7.88	136	319378	20.00	ng	-0.01
38) Acenaphthene-d10	9.63	164	138516	20.00	ng	-0.01
63) Phenanthrene-d10	11.12	188	222700	20.00	ng	0.00
75) Chrysene-d12	13.74	240	157239	20.00	ng	-0.01
86) Perylene-d12	15.11	264	154378	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.19	112	483648	106.82	ng	0.01
7) Phenol-d6	6.26	99	621107	113.19	ng	0.00
23) Nitrobenzene-d5	7.18	82	406381	74.30	ng	0.00
41) 2,4,6-Tribromophenol	10.42	330	124580	85.18	ng	-0.01
44) 2-Fluorobiphenyl	8.97	172	687690	77.50	ng	0.00
78) Terphenyl-d14	12.70	244	438811	63.50	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.37	163	97791	9.75	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062216\
Data File : BF088267.D
Acq On : 22 Jun 2016 23:41
Operator : UM/SJ
Sample : H3660-06
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-3(3-3.5)

Quant Time: Jun 23 04:20:44 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 22 14:55:14 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.60 min Scan# 439
Delta R.T. 0.00 min
Lab File: BF088267.D
Acq: 22 Jun 2016 23:41

Instrument :
BNA_F
ClientSampleId :
SB-3(3-3.5)

Tot Ion:152 Resp: 77406
Ion Ratio Lower Upper
152 100
150 155.5 123.8 185.6
115 54.1 39.6 59.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 106.82 ng
RT: 5.19 min Scan# 315
Delta R.T. 0.01 min
Lab File: BF088267.D
Acq: 22 Jun 2016 23:41

Tgt Ion:112 Resp: 483648
Ion Ratio Lower Upper
112 100
64 54.0 42.2 63.2
63 27.9 21.8 32.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 113.19 ng

RT: 6.26 min Scan# 409

Delta R.T. 0.00 min

Lab File: BF088267.D

Acq: 22 Jun 2016 23:41

Instrument :


BNA_F

ClientSampleId :

SB-3(3-3.5)

Tot Ion: 99 Resp: 621107

Ion	Ratio	Lower	Upper
99	100		
42	14.7	12.2	18.2
71	33.4	23.4	35.0




Abundance



Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



Time-->



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.88 min Scan# 551


Delta R.T. -0.01 min

Lab File: BF088267.D

Acq: 22 Jun 2016 23:41

Tgt Ion: 136 Resp: 319378

Ion	Ratio	Lower	Upper
136	100		
137	11.3	9.1	13.7
54	8.0	6.6	10.0
68	6.4	5.1	7.7




Abundance

Ion 136.00 (135.70 to 136.70): E


Ion 137.00 (136.70 to 137.70): E


Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



Time-->









#23
 Nitrobenzene-d5
 Concen: 74.30 ng
 RT: 7.18 min Scan# 489
 Delta R.T. 0.00 min
 Lab File: BF088267.D
 Acq: 22 Jun 2016 23:41

Instrument :
 BNA_F
 ClientSampled :
 SB-3(3-3.5)

Tot Ion: 82 Resp: 406381
 Ion Ratio Lower Upper
 82 100
 128 49.1 35.9 53.9
 54 43.9 40.9 61.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.63 min Scan# 704
 Delta R.T. -0.01 min
 Lab File: BF088267.D
 Acq: 22 Jun 2016 23:41

Tgt Ion:164 Resp: 138516
 Ion Ratio Lower Upper
 164 100
 162 102.7 85.4 128.2
 160 46.3 39.5 59.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 85.18 ng
 RT: 10.42 min Scan# 773
 Delta R.T. -0.01 min
 Lab File: BF088267.D
 Acq: 22 Jun 2016 23:41

Instrument :
 BNA_F
 ClientSampled :
 SB-3(3-3.5)

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.7	0.0	0.0#
141	38.5	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 77.50 ng
 RT: 8.97 min Scan# 646
 Delta R.T. 0.00 min
 Lab File: BF088267.D
 Acq: 22 Jun 2016 23:41

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.1	28.6	43.0
170	24.2	19.2	28.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 9.75 ng
RT: 9.37 min Scan# 681
Delta R.T. -0.01 min
Lab File: BF088267.D
Acq: 22 Jun 2016 23:41

Instrument :
BNA_F
ClientSampleId :
SB-3(3-3.5)

Tot Ion:163 Resp: 97791
Ion Ratio Lower Upper
163 100
194 3.4 2.8 4.2
164 9.5 8.3 12.5




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.12 min Scan# 834
Delta R.T. 0.00 min
Lab File: BF088267.D
Acq: 22 Jun 2016 23:41

Tgt Ion:188 Resp: 222700
Ion Ratio Lower Upper
188 100
94 6.8 9.0 13.6#
80 6.8 10.0 15.0#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.74 min Scan# 1063

Delta R.T. -0.01 min

Lab File: BF088267.D

Acq: 22 Jun 2016 23:41

Instrument :

BNA_F

ClientSampleId :

SB-3(3-3.5)


Tot Ion:240 Resp: 157239

Ion Ratio Lower Upper

240 100

120 19.2 6.8 10.2#




236 25.6 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 63.50 ng

RT: 12.70 min Scan# 972

Delta R.T. 0.00 min

Lab File: BF088267.D

Acq: 22 Jun 2016 23:41


Tgt Ion:244 Resp: 438811

Ion Ratio Lower Upper

244 100

212 7.1 6.0 9.0



122 12.1 11.2 16.8






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 15.11 min Scan# 1183
Delta R.T. 0.00 min
Lab File: BF088267.D
Acq: 22 Jun 2016 23:41

Instrument :
BNA_F
ClientSampleId :
SB-3(3-3.5)

Tot Ion	Ratio	Lower	Upper
264	100		
260	22.7	19.2	28.8
265	20.9	16.9	25.3

