

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF062220\
 Data File : BF120678.D
 Acq On : 22 Jun 2020 16:04
 Operator : JU/CG
 Sample : L3082-03
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-3

Quant Time: Jun 22 17:47:35 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 11 11:28:22 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.80	152	120093	20.00	ng	0.00
21) Naphthalene-d8	8.08	136	490833	20.00	ng	0.00
39) Acenaphthene-d10	9.83	164	258255	20.00	ng	0.00
64) Phenanthrene-d10	11.32	188	462898	20.00	ng	0.00
76) Chrysene-d12	13.96	240	447318	20.00	ng	0.00
86) Perylene-d12	15.41	264	497860	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.41	112	932586	133.14	ng	0.00
7) Phenol-d6	6.44	99	1215184	139.29	ng	0.00
23) Nitrobenzene-d5	7.36	82	767895	87.45	ng	0.00
42) 2,4,6-Tribromophenol	10.63	330	363672	121.12	ng	0.00
45) 2-Fluorobiphenyl	9.16	172	1602166	94.92	ng	0.00
79) Terphenyl-d14	12.92	244	1977844	97.67	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.36	70	102079	20.171	ng	# 76
25) Isophorone	7.36	82	759880	44.424	ng	# 62
50) Dimethylphthalate	9.55	163	77413	4.162	ng	# 98
51) 2,6-Dinitrotoluene	9.83	165	32967	7.821	ng	# 27
57) 2,4-Dinitrotoluene	9.83	165	32967	5.894	ng	# 29
67) 4-Bromophenyl-phenylether	10.63	248	21535	4.099	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF062220\
Data File : BF120678.D
Acq On : 22 Jun 2020 16:04
Operator : JU/CG
Sample : L3082-03
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-3

Quant Time: Jun 22 17:47:35 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 11 11:28:22 2020
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.80 min Scan# 801
Delta R.T. -0.01 min
Lab File: BF120678.D
Acq: 22 Jun 2020 16:04

Instrument :
BNA_F
ClientSampleId :
SB-3

Tot Ion	Ratio	Lower	Upper
152	100		
150	153.4	123.2	184.8
115	55.6	43.9	65.9






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 133.136 ng
RT: 5.41 min Scan# 565
Delta R.T. -0.01 min
Lab File: BF120678.D
Acq: 22 Jun 2020 16:04

Tgt Ion	Ratio	Lower	Upper
112	100		
64	58.0	46.1	69.1
63	29.1	23.7	35.5








Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 139.286 ng

RT: 6.44 min Scan# 740

Delta R.T. 0.00 min

Lab File: BF120678.D

Acq: 22 Jun 2020 16:04

Instrument :

BNA_F

ClientSampled :

SB-3





Tot Ion: 99 Resp: 1215184

Ion Ratio Lower Upper

99 100

42 17.7 14.0 21.0

71 33.1 24.9 37.3



#19

n-Nitroso-di-n-propylamine

Concen: 20.171 ng

RT: 7.36 min Scan# 897

Delta R.T. 0.15 min

Lab File: BF120678.D

Acq: 22 Jun 2020 16:04

Tgt Ion: 70 Resp: 102079


Ion Ratio Lower Upper

70 100

42 46.3 47.7 71.5#

101 0.0 7.6 11.4#

130 2.1 16.7 25.1#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.08 min Scan# 1019
Delta R.T. -0.01 min
Lab File: BF120678.D
Acq: 22 Jun 2020 16:04

Instrument :
BNA_F
ClientSampleId :
SB-3

Tot Ion:136	Resp:	490833
Ion	Ratio	Lower Upper
136	100	
137	10.6	8.6 13.0
54	6.5	5.8 8.6
68	5.2	4.4 6.6




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 87.449 ng
RT: 7.36 min Scan# 897
Delta R.T. -0.01 min
Lab File: BF120678.D
Acq: 22 Jun 2020 16:04

Tgt Ion: 82	Resp:	767895
Ion	Ratio	Lower Upper
82	100	
128	48.1	38.0 57.0
54	49.0	38.8 58.2



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#25

Isophorone

Concen: 44.424 ng

RT: 7.36 min Scan# 897

Delta R.T. -0.26 min

Lab File: BF120678.D

Acq: 22 Jun 2020 16:04

Instrument :

BNA_F

ClientSampleId :

SB-3


Tot Ion: 82 Resp: 759880

Ion Ratio Lower Upper

82 100

95 0.0 5.7 8.5#




138 0.0 16.2 24.4#



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 95.00 (94.70 to 95.70): BF1

Ion 138.00 (137.70 to 138.70): BF1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.83 min Scan# 1317

Delta R.T. -0.01 min

Lab File: BF120678.D

Acq: 22 Jun 2020 16:04


Tgt Ion: 164 Resp: 258255

Ion Ratio Lower Upper

164 100

162 100.5 80.6 120.8



160 45.0 36.2 54.2




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 121.120 ng
 RT: 10.63 min Scan# 1452
 Delta R.T. 0.00 min
 Lab File: BF120678.D
 Acq: 22 Jun 2020 16:04




Instrument :
 BNA_F
 ClientSampled :
 SB-3


Tot Ion	Ratio	Lower	Upper
330	100		
332	97.1	76.8	115.2
141	28.8	23.2	34.8



#45
 2-Fluorobiphenyl
 Concen: 94.918 ng
 RT: 9.16 min Scan# 1202
 Delta R.T. -0.01 min
 Lab File: BF120678.D
 Acq: 22 Jun 2020 16:04

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.6	29.0	43.4
170	24.5	19.4	29.2





#50

Dimethylphthalate

Concen: 4.162 ng

RT: 9.55 min Scan# 1268

Delta R.T. -0.02 min

Lab File: BF120678.D

Acq: 22 Jun 2020 16:04

Instrument :

BNA_F

ClientSampleID :

SB-3


Tot Ion:163 Resp: 77413

Ion Ratio Lower Upper

163 100

194 4.2 3.1 4.7




164 9.8 8.5 12.7



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#51

2,6-Dinitrotoluene

Concen: 7.821 ng

RT: 9.83 min Scan# 1317

Delta R.T. 0.21 min

Lab File: BF120678.D

Acq: 22 Jun 2020 16:04


Tgt Ion:165 Resp: 32967

Ion Ratio Lower Upper

165 100

63 1.2 41.7 62.5#



89 1.3 42.6 64.0#




Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1









#57
 2,4-Dinitrotoluene
 Concen: 5.894 ng
 RT: 9.83 min Scan# 1317
 Delta R.T. -0.19 min
 Lab File: BF120678.D
 Acq: 22 Jun 2020 16:04




Instrument :
 BNA_F
 ClientSampleId :
 SB-3


Tot Ion	Ratio	Lower	Upper
165	100		
63	1.2	29.8	44.8#
89	1.3	50.4	75.6#
182	0.0	2.1	3.1#



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.32 min Scan# 1570
 Delta R.T. 0.00 min
 Lab File: BF120678.D
 Acq: 22 Jun 2020 16:04

Tgt Ion	Ratio	Lower	Upper
188	100		
94	7.9	7.2	10.8
80	8.5	7.4	11.2









#67
4-Bromophenyl-phenylether
Concen: 4.099 ng
RT: 10.63 min Scan# 1452
Delta R.T. -0.24 min
Lab File: BF120678.D
Acq: 22 Jun 2020 16:04

Instrument :
BNA_F
ClientSampled :
SB-3

Tot Ion:248 Resp: 21535
Ion Ratio Lower Upper
248 100
250 187.5 76.7 115.1#
141 446.7 49.4 74.0#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.96 min Scan# 2019
Delta R.T. 0.00 min
Lab File: BF120678.D
Acq: 22 Jun 2020 16:04

Tgt Ion:240 Resp: 447318
Ion Ratio Lower Upper
240 100
120 10.1 8.3 12.5
236 25.8 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 97.667 ng

RT: 12.92 min Scan# 1841

Delta R.T. 0.01 min

Lab File: BF120678.D

Acq: 22 Jun 2020 16:04

Instrument :

BNA_F

ClientSampleId :

SB-3


Tot Ion:244 Resp: 1977844

Ion Ratio Lower Upper

244 100

212 6.8 5.7 8.5




122 10.0 8.3 12.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.41 min Scan# 2265

Delta R.T. 0.01 min

Lab File: BF120678.D

Acq: 22 Jun 2020 16:04


Tgt Ion:264 Resp: 497860

Ion Ratio Lower Upper

264 100

260 23.9 19.3 28.9

265 21.4 17.8 26.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

