

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF062220\
 Data File : BF120681.D
 Acq On : 22 Jun 2020 17:35
 Operator : JU/CG
 Sample : L3082-05
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-5

Quant Time: Jun 22 18:26:37 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 11 11:28:22 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.80	152	127644	20.00	ng	0.00
21) Naphthalene-d8	8.08	136	506909	20.00	ng	0.00
39) Acenaphthene-d10	9.83	164	261233	20.00	ng	0.00
64) Phenanthrene-d10	11.32	188	540239	20.00	ng	0.00
76) Chrysene-d12	13.96	240	499843	20.00	ng	0.00
86) Perylene-d12	15.40	264	508064	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.40	112	586840	78.82	ng	-0.01
7) Phenol-d6	6.43	99	689846	74.39	ng	-0.01
23) Nitrobenzene-d5	7.36	82	476575	52.55	ng	-0.01
42) 2,4,6-Tribromophenol	10.62	330	270073	88.92	ng	0.00
45) 2-Fluorobiphenyl	9.16	172	879072	51.49	ng	0.00
79) Terphenyl-d14	12.91	244	1366772	60.40	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.36	70	61391	11.413	ng	# 77
25) Isophorone	7.36	82	472580	26.752	ng	# 62
50) Dimethylphthalate	9.55	163	59973	3.188	ng	100
51) 2,6-Dinitrotoluene	9.83	165	33468	7.849	ng	# 27
57) 2,4-Dinitrotoluene	9.83	165	33468	5.915	ng	# 29
67) 4-Bromophenyl-phenylether	10.62	248	15852	2.585	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF062220\
Data File : BF120681.D
Acq On : 22 Jun 2020 17:35
Operator : JU/CG
Sample : L3082-05
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-5

Quant Time: Jun 22 18:26:37 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 11 11:28:22 2020
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.80 min Scan# 801
Delta R.T. -0.01 min
Lab File: BF120681.D
Acq: 22 Jun 2020 17:35

Instrument :
BNA_F
ClientSampleId :
SB-5

Tot Ion	Ratio	Lower	Upper
152	100		
150	158.7	123.2	184.8
115	56.4	43.9	65.9






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 78.822 ng
RT: 5.40 min Scan# 564
Delta R.T. -0.01 min
Lab File: BF120681.D
Acq: 22 Jun 2020 17:35

Tgt Ion	Ratio	Lower	Upper
112	100		
64	56.4	46.1	69.1
63	28.7	23.7	35.5






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 74.393 ng

RT: 6.43 min Scan# 738

Delta R.T. -0.01 min

Lab File: BF120681.D

Acq: 22 Jun 2020 17:35

Instrument :

BNA_F

ClientSampleId :

SB-5


Tot Ion: 99 Resp: 689846

Ion Ratio Lower Upper




99 100

42 18.4 14.0 21.0

71 33.3 24.9 37.3



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 11.413 ng

RT: 7.36 min Scan# 896

Delta R.T. 0.14 min

Lab File: BF120681.D

Acq: 22 Jun 2020 17:35

Tgt Ion: 70 Resp: 61391


Ion Ratio Lower Upper

70 100



42 46.9 47.7 71.5#

101 0.0 7.6 11.4#

130 2.5 16.7 25.1#



Abundance Ion 70.00 (69.70 to 70.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 101.00 (100.70 to 101.70): BF1
Ion 130.00 (129.70 to 130.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.08 min Scan# 1019
Delta R.T. -0.01 min
Lab File: BF120681.D
Acq: 22 Jun 2020 17:35

Instrument :
BNA_F
ClientSampled :
SB-5

Tot Ion:136	Resp:	506909
Ion Ratio	Lower	Upper
136	100	
137	10.8	8.6 13.0
54	6.7	5.8 8.6
68	5.3	4.4 6.6




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 52.552 ng
RT: 7.36 min Scan# 896
Delta R.T. -0.01 min
Lab File: BF120681.D
Acq: 22 Jun 2020 17:35

Tgt Ion: 82	Resp:	476575
Ion Ratio	Lower	Upper
82	100	
128	46.1	38.0 57.0
54	49.3	38.8 58.2



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1









#25
Isophorone
Concen: 26.752 ng
RT: 7.36 min Scan# 896
Delta R.T. -0.27 min
Lab File: BF120681.D
Acq: 22 Jun 2020 17:35




Instrument :
BNA_F
ClientSampleId :
SB-5


Tot Ion: 82 Resp: 472580
Ion Ratio Lower Upper
82 100
95 0.0 5.7 8.5#
138 0.0 16.2 24.4#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.83 min Scan# 1317
Delta R.T. -0.01 min
Lab File: BF120681.D
Acq: 22 Jun 2020 17:35

Tgt Ion: 164 Resp: 261233
Ion Ratio Lower Upper
164 100
162 101.2 80.6 120.8
160 46.1 36.2 54.2






#42
 2,4,6-Tribromophenol
 Concen: 88.922 ng
 RT: 10.62 min Scan# 1451
 Delta R.T. -0.01 min
 Lab File: BF120681.D
 Acq: 22 Jun 2020 17:35

Instrument :
 BNA_F
 ClientSampleId :
 SB-5

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.5	76.8	115.2
141	28.3	23.2	34.8






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 51.485 ng
 RT: 9.16 min Scan# 1202
 Delta R.T. -0.01 min
 Lab File: BF120681.D
 Acq: 22 Jun 2020 17:35

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.4	29.0	43.4
170	23.7	19.4	29.2






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 3.188 ng

RT: 9.55 min Scan# 1268

Delta R.T. -0.02 min

Lab File: BF120681.D

Acq: 22 Jun 2020 17:35

Instrument :

BNA_F

ClientSampleId :

SB-5


Tot Ion:163 Resp: 59973

Ion Ratio Lower Upper

163 100

194 3.7 3.1 4.7




164 10.8 8.5 12.7



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#51

2,6-Dinitrotoluene

Concen: 7.849 ng

RT: 9.83 min Scan# 1317

Delta R.T. 0.21 min

Lab File: BF120681.D

Acq: 22 Jun 2020 17:35


Tgt Ion:165 Resp: 33468

Ion Ratio Lower Upper

165 100

63 1.0 41.7 62.5#



89 1.2 42.6 64.0#




Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1









#57
 2,4-Dinitrotoluene
 Concen: 5.915 ng
 RT: 9.83 min Scan# 1317
 Delta R.T. -0.19 min
 Lab File: BF120681.D
 Acq: 22 Jun 2020 17:35




Instrument :
 BNA_F
 ClientSampleId :
 SB-5


Tot Ion	Ratio	Lower	Upper
165	100		
63	1.0	29.8	44.8#
89	1.2	50.4	75.6#
182	0.0	2.1	3.1#



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.32 min Scan# 1570
 Delta R.T. 0.00 min
 Lab File: BF120681.D
 Acq: 22 Jun 2020 17:35

Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.1	7.2	10.8
80	8.4	7.4	11.2









#67
4-Bromophenyl-phenylether
Concen: 2.585 ng
RT: 10.62 min Scan# 1451
Delta R.T. -0.25 min
Lab File: BF120681.D
Acq: 22 Jun 2020 17:35

Instrument :
BNA_F
ClientSampleId :
SB-5

Tot Ion:248 Resp: 15852
Ion Ratio Lower Upper
248 100
250 191.9 76.7 115.1#
141 473.9 49.4 74.0#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.96 min Scan# 2019
Delta R.T. 0.00 min
Lab File: BF120681.D
Acq: 22 Jun 2020 17:35

Tgt Ion:240 Resp: 499843
Ion Ratio Lower Upper
240 100
120 9.8 8.3 12.5
236 25.6 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 60.400 ng

RT: 12.91 min Scan# 1840

Delta R.T. 0.00 min

Lab File: BF120681.D

Acq: 22 Jun 2020 17:35

Instrument :

BNA_F

ClientSampleId :

SB-5


Tot Ion:244 Resp: 1366772

Ion Ratio Lower Upper




244 100

212 6.5 5.7 8.5

122 10.2 8.3 12.5



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.40 min Scan# 2264

Delta R.T. 0.01 min

Lab File: BF120681.D

Acq: 22 Jun 2020 17:35


Tgt Ion:264 Resp: 508064

Ion Ratio Lower Upper

264 100

260 23.8 19.3 28.9

265 21.9 17.8 26.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

