

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062221\
 Data File : BF124416.D
 Acq On : 22 Jun 2021 17:21
 Operator : JU/CG
 Sample : M2789-05
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 T-2-BESIDE

Quant Time: Jun 22 17:57:02 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF060321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 15 20:09:26 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.781	152	49354	20.000	ng	0.00
21) Naphthalene-d8	8.063	136	192757	20.000	ng	-0.01
39) Acenaphthene-d10	9.822	164	117246	20.000	ng	0.00
64) Phenanthrene-d10	11.310	188	197305	20.000	ng	0.00
76) Chrysene-d12	13.962	240	89005	20.000	ng	0.00
86) Perylene-d12	15.427	264	82828	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.410	112	179505	54.751	ng	0.00
7) Phenol-d6	6.428	99	271061	61.508	ng	-0.02
23) Nitrobenzene-d5	7.351	82	236229	48.606	ng	0.00
42) 2,4,6-Tribromophenol	10.616	330	75733	45.592	ng	0.00
45) 2-Fluorobiphenyl	9.145	172	507188	54.435	ng	0.00
79) Terphenyl-d14	12.904	244	445939	68.789	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062221\
Data File : BF124416.D
Acq On : 22 Jun 2021 17:21
Operator : JU/CG
Sample : M2789-05
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
T-2-BESIDE

Quant Time: Jun 22 17:57:02 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF060321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 15 20:09:26 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.781 min Scan# 798
Delta R.T. -0.005 min
Lab File: BF124416.D
Acq: 22 Jun 2021 17:21




Instrument :
BNA_F
ClientSampleId :
T-2-BESIDE


Tgt Ion:152 Resp: 49354
Ion Ratio Lower Upper
152 100
150 143.5 127.0 190.6
115 56.6 54.3 81.5



#5
2-Fluorophenol
Concen: 54.751 ng
RT: 5.410 min Scan# 565
Delta R.T. -0.006 min
Lab File: BF124416.D
Acq: 22 Jun 2021 17:21

Tgt Ion:112 Resp: 179505
Ion Ratio Lower Upper
112 100
64 75.7 61.4 92.0
63 42.5 33.0 49.4









#7
Phenol-d6
Concen: 61.508 ng
RT: 6.428 min Scan# 738
Delta R.T. -0.018 min
Lab File: BF124416.D
Acq: 22 Jun 2021 17:21




Instrument :
BNA_F
ClientSampleId :
T-2-BESIDE


Tgt Ion: 99 Resp: 271061
Ion Ratio Lower Upper
99 100
42 20.7 19.8 29.8
71 45.2 31.1 46.7



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.063 min Scan# 1016
Delta R.T. -0.012 min
Lab File: BF124416.D
Acq: 22 Jun 2021 17:21

Tgt Ion: 136 Resp: 192757
Ion Ratio Lower Upper
136 100
137 11.9 8.7 13.1
54 10.7 9.8 14.6
68 4.9 4.1 6.1









#23
Nitrobenzene-d5
Concen: 48.606 ng
RT: 7.351 min Scan# 895
Delta R.T. -0.006 min
Lab File: BF124416.D
Acq: 22 Jun 2021 17:21




Instrument :
BNA_F
ClientSampleId :
T-2-BESIDE


Tgt Ion: 82 Resp: 236229
Ion Ratio Lower Upper
82 100
128 38.4 29.4 44.2
54 53.5 54.1 81.1#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.822 min Scan# 1315
Delta R.T. -0.006 min
Lab File: BF124416.D
Acq: 22 Jun 2021 17:21

Tgt Ion:164 Resp: 117246
Ion Ratio Lower Upper
164 100
162 103.3 80.7 121.1
160 44.2 37.3 55.9









#42
2,4,6-Tribromophenol
Concen: 45.592 ng
RT: 10.616 min Scan# 1450
Delta R.T. -0.006 min
Lab File: BF124416.D
Acq: 22 Jun 2021 17:21




Instrument :
BNA_F
ClientSampleId :
T-2-BESIDE


Tgt Ion: 330 Resp: 75733
Ion Ratio Lower Upper
330 100
332 95.5 77.1 115.7
141 39.9 27.9 41.9



#45
2-Fluorobiphenyl
Concen: 54.435 ng
RT: 9.145 min Scan# 1200
Delta R.T. -0.006 min
Lab File: BF124416.D
Acq: 22 Jun 2021 17:21

Tgt Ion: 172 Resp: 507188
Ion Ratio Lower Upper
172 100
171 37.4 28.1 42.1
170 24.0 19.2 28.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.310 min Scan# 1568
Delta R.T. -0.006 min
Lab File: BF124416.D
Acq: 22 Jun 2021 17:21




Instrument :
BNA_F
ClientSampleId :
T-2-BESIDE


Tgt Ion:188 Resp: 197305
Ion Ratio Lower Upper
188 100
94 7.9 6.9 10.3
80 9.8 8.2 12.2



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.962 min Scan# 2019
Delta R.T. 0.000 min
Lab File: BF124416.D
Acq: 22 Jun 2021 17:21

Tgt Ion:240 Resp: 89005
Ion Ratio Lower Upper
240 100
120 8.5 7.2 10.8
236 24.7 19.0 28.4









#79
Terphenyl-d14
Concen: 68.789 ng
RT: 12.904 min Scan# 1839
Delta R.T. 0.000 min
Lab File: BF124416.D
Acq: 22 Jun 2021 17:21

Instrument :
BNA_F
ClientSampleId :
T-2-BESIDE

Tgt Ion:244 Resp: 445939
Ion Ratio Lower Upper
244 100
212 7.3 5.7 8.5
122 9.5 9.7 14.5#



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.427 min Scan# 2268
Delta R.T. 0.012 min
Lab File: BF124416.D
Acq: 22 Jun 2021 17:21

Tgt Ion:264 Resp: 82828
Ion Ratio Lower Upper
264 100
260 24.0 18.7 28.1
265 20.0 17.8 26.8

