

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062222\
 Data File : BF128934.D
 Acq On : 22 Jun 2022 16:26
 Operator : CG\JU
 Sample : N3387-03
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SP-303-20220616

Quant Time: Jun 23 01:30:00 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060222.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 22 01:02:29 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.745	152	122756	20.000	ng	-0.01
21) Naphthalene-d8	8.028	136	468909	20.000	ng	-0.01
39) Acenaphthene-d10	9.780	164	255945	20.000	ng	-0.01
64) Phenanthrene-d10	11.269	188	498844	20.000	ng	-0.01
76) Chrysene-d12	13.915	240	415826	20.000	ng	#-0.01
86) Perylene-d12	15.362	264	349667	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.381	112	368981	47.877	ng	0.00
7) Phenol-d6	6.398	99	278206	29.573	ng	-0.02
23) Nitrobenzene-d5	7.322	82	899361	89.299	ng	0.00
42) 2,4,6-Tribromophenol	10.580	330	412795	136.501	ng	0.00
45) 2-Fluorobiphenyl	9.110	172	1615452	88.415	ng	0.00
79) Terphenyl-d14	12.868	244	1943192	81.201	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062222\
Data File : BF128934.D
Acq On : 22 Jun 2022 16:26
Operator : CG\JU
Sample : N3387-03
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SP-303-20220616

Quant Time: Jun 23 01:30:00 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060222.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 22 01:02:29 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.745 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF128934.D
Acq: 22 Jun 2022 16:26




Instrument :
BNA_F
ClientSampleId :
SP-303-20220616

Tgt Ion:152 Resp: 122756
Ion Ratio Lower Upper
152 100
150 154.9 123.7 185.5
115 65.5 49.9 74.9



#5
2-Fluorophenol
Concen: 47.877 ng
RT: 5.381 min Scan# 526
Delta R.T. -0.006 min
Lab File: BF128934.D
Acq: 22 Jun 2022 16:26

Tgt Ion:112 Resp: 368981
Ion Ratio Lower Upper
112 100
64 70.4 53.3 79.9
63 39.9 28.0 42.0









#7
Phenol-d6
Concen: 29.573 ng
RT: 6.398 min Scan# 61
Delta R.T. -0.018 min
Lab File: BF128934.D
Acq: 22 Jun 2022 16:26




Instrument :
BNA_F
ClientSampleId :
SP-303-20220616

Tgt Ion: 99 Resp: 278206
Ion Ratio Lower Upper
99 100
42 25.5 17.3 25.9
71 44.6 28.9 43.3#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.028 min Scan# 976
Delta R.T. -0.012 min
Lab File: BF128934.D
Acq: 22 Jun 2022 16:26

Tgt Ion: 136 Resp: 468909
Ion Ratio Lower Upper
136 100
137 11.0 8.8 13.2
54 9.9 7.5 11.3
68 5.1 4.7 7.1





#23

Nitrobenzene-d5

Concen: 89.299 ng

RT: 7.322 min Scan# 81

Delta R.T. -0.006 min

Lab File: BF128934.D

Acq: 22 Jun 2022 16:26

Instrument :

BNA_F

ClientSampleId :

SP-303-20220616





Tgt Ion: 82 Resp: 899361

Ion Ratio Lower Upper

82 100

128 41.6 34.0 51.0

54 58.0 46.9 70.3



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.780 min Scan# 1274

Delta R.T. -0.012 min

Lab File: BF128934.D

Acq: 22 Jun 2022 16:26




Tgt Ion: 164 Resp: 255945

Ion Ratio Lower Upper

164 100

162 103.2 79.5 119.3


160 44.5 34.2 51.4








#42
2,4,6-Tribromophenol
Concen: 136.501 ng
RT: 10.580 min Scan# 1424
Delta R.T. -0.006 min
Lab File: BF128934.D
Acq: 22 Jun 2022 16:26

Instrument :
BNA_F
ClientSampleId :
SP-303-20220616







Tgt Ion:330 Resp: 412795
Ion Ratio Lower Upper
330 100
332 97.7 76.8 115.2
141 33.2 28.0 42.0



#45
2-Fluorobiphenyl
Concen: 88.415 ng
RT: 9.110 min Scan# 1160
Delta R.T. -0.006 min
Lab File: BF128934.D
Acq: 22 Jun 2022 16:26

Tgt Ion:172 Resp: 1615452
Ion Ratio Lower Upper
172 100
171 35.9 28.8 43.2
170 23.7 19.8 29.8





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.269 min Scan# 1

Delta R.T. -0.012 min

Lab File: BF128934.D

Acq: 22 Jun 2022 16:26

Instrument :

BNA_F

ClientSampleId :

SP-303-20220616





Tgt Ion:188 Resp: 498844

Ion Ratio Lower Upper

188 100

94 7.7 7.0 10.6

80 8.6 7.6 11.4



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.915 min Scan# 1977

Delta R.T. -0.012 min

Lab File: BF128934.D

Acq: 22 Jun 2022 16:26




Tgt Ion:240 Resp: 415826


Ion Ratio Lower Upper

240 100

120 8.8 8.9 13.3#

236 25.4 20.8 31.2





#79

Terphenyl-d14

Concen: 81.201 ng

RT: 12.868 min Scan# 1

Delta R.T. -0.000 min

Lab File: BF128934.D


Acq: 22 Jun 2022 16:26

Instrument :

BNA_F

ClientSampleId :

SP-303-20220616






Tgt Ion:244 Resp: 1943192

Ion Ratio Lower Upper

244 100

212 7.3 6.1 9.1

122 9.3 8.8 13.2



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.362 min Scan# 2223

Delta R.T. -0.000 min

Lab File: BF128934.D

Acq: 22 Jun 2022 16:26

Tgt Ion:264 Resp: 349667

Ion Ratio Lower Upper

264 100

260 24.7 18.4 27.6

265 22.3 17.2 25.8

