

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF062416\
 Data File : BF088343.D
 Acq On : 24 Jun 2016 20:49
 Operator : UM/SJ
 Sample : H3602-15 10X
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 Q8-B3(0-8)C

Quant Time: Jun 25 04:37:14 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF060716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Jun 25 04:10:42 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.58	152	81203	20.00	ng	0.00
21) Naphthalene-d8	7.87	136	328769	20.00	ng	0.00
38) Acenaphthene-d10	9.61	164	145116	20.00	ng	-0.01
63) Phenanthrene-d10	11.09	188	234784	20.00	ng	-0.01
75) Chrysene-d12	13.71	240	181571	20.00	ng	-0.01
86) Perylene-d12	15.07	264	168292	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.18	112	54658	11.51	ng	0.01
7) Phenol-d6	6.25	99	81357	14.13	ng	-0.01
23) Nitrobenzene-d5	7.16	82	43897	7.80	ng	0.00
41) 2,4,6-Tribromophenol	10.41	330	13671	8.92	ng	0.00
44) 2-Fluorobiphenyl	8.95	172	91597	4.68	ng	-0.01
78) Terphenyl-d14	12.67	244	49825	6.24	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.35	163	21546	2.05	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF062416\
Data File : BF088343.D
Acq On : 24 Jun 2016 20:49
Operator : UM/SJ
Sample : H3602-15 10X
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
Q8-B3(0-8)C

Quant Time: Jun 25 04:37:14 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF060716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Jun 25 04:10:42 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.58 min Scan# 437
Delta R.T. 0.00 min
Lab File: BF088343.D
Acq: 24 Jun 2016 20:49

Instrument :
BNA_F
ClientSampleId :
Q8-B3(0-8)C

Tgt Ion:152 Resp: 81203
Ion Ratio Lower Upper
152 100
150 157.3 123.8 185.6
115 59.0 39.6 59.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 11.51 ng
RT: 5.18 min Scan# 314
Delta R.T. 0.01 min
Lab File: BF088343.D
Acq: 24 Jun 2016 20:49

Tgt Ion:112 Resp: 54658
Ion Ratio Lower Upper
112 100
64 55.7 42.2 63.2
63 27.5 21.8 32.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 14.13 ng

RT: 6.25 min Scan# 408

Delta R.T. -0.01 min

Lab File: BF088343.D

Acq: 24 Jun 2016 20:49

Instrument :

BNA_F

ClientSampleId :

Q8-B3(0-8)C


Tgt Ion: 99 Resp: 81357

Ion Ratio Lower Upper

99 100

42 15.1 12.2 18.2




71 31.6 23.4 35.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.87 min Scan# 550

Delta R.T. 0.00 min

Lab File: BF088343.D

Acq: 24 Jun 2016 20:49

Tgt Ion: 136 Resp: 328769


Ion Ratio Lower Upper

136 100

137 10.8 9.1 13.7

54 5.0 6.6 10.0#

68 4.5 5.1 7.7#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 7.80 ng
 RT: 7.16 min Scan# 488
 Delta R.T. 0.00 min
 Lab File: BF088343.D
 Acq: 24 Jun 2016 20:49




Instrument :
 BNA_F
 ClientSampleId :
 Q8-B3(0-8)C


Tgt Ion: 82 Resp: 43897
 Ion Ratio Lower Upper
 82 100
 128 51.9 35.9 53.9
 54 42.7 40.9 61.3



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.61 min Scan# 702
 Delta R.T. -0.01 min
 Lab File: BF088343.D
 Acq: 24 Jun 2016 20:49

Tgt Ion: 164 Resp: 145116
 Ion Ratio Lower Upper
 164 100
 162 106.6 85.4 128.2
 160 47.5 39.5 59.3









#41
 2,4,6-Tribromophenol
 Concen: 8.92 ng
 RT: 10.41 min Scan# 772
 Delta R.T. 0.00 min
 Lab File: BF088343.D
 Acq: 24 Jun 2016 20:49

Instrument :
 BNA_F
 ClientSampleId :
 Q8-B3(0-8)C

Tgt Ion:330 Resp: 13671
 Ion Ratio Lower Upper
 330 100
 332 96.0 0.0 0.0#
 141 38.1 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 4.68 ng
 RT: 8.95 min Scan# 644
 Delta R.T. -0.01 min
 Lab File: BF088343.D
 Acq: 24 Jun 2016 20:49

Tgt Ion:172 Resp: 91597
 Ion Ratio Lower Upper
 172 100
 171 34.9 28.6 43.0
 170 22.7 19.2 28.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 2.05 ng

RT: 9.35 min Scan# 679

Delta R.T. -0.02 min

Lab File: BF088343.D

Acq: 24 Jun 2016 20:49

Instrument :

BNA_F

ClientSampleId :

Q8-B3(0-8)C


Tgt Ion:163 Resp: 21546

Ion Ratio Lower Upper

163 100

194 2.9 2.8 4.2




164 10.5 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.09 min Scan# 831

Delta R.T. -0.01 min

Lab File: BF088343.D

Acq: 24 Jun 2016 20:49


Tgt Ion:188 Resp: 234784

Ion Ratio Lower Upper

188 100

94 13.5 9.0 13.6



80 14.2 10.0 15.0




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.71 min Scan# 1061

Delta R.T. -0.01 min

Lab File: BF088343.D

Acq: 24 Jun 2016 20:49

Instrument :

BNA_F

ClientSampleId :

Q8-B3(0-8)C


Tgt Ion:240 Resp: 181571

Ion Ratio Lower Upper

240 100

120 15.2 6.8 10.2#




236 25.5 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 6.24 ng

RT: 12.67 min Scan# 970

Delta R.T. 0.00 min

Lab File: BF088343.D

Acq: 24 Jun 2016 20:49


Tgt Ion:244 Resp: 49825

Ion Ratio Lower Upper

244 100

212 6.4 6.0 9.0



122 9.6 11.2 16.8#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Perylene-d12
Concen: 20.00 ng
RT: 15.07 min Scan# 1180
Delta R.T. -0.01 min
Lab File: BF088343.D
Acq: 24 Jun 2016 20:49

Instrument :
BNA_F
ClientSampleId :
Q8-B3(0-8)C

Tgt Ion:	264	Resp:	168292
Ion	Ratio	Lower	Upper
264	100		
260	23.0	19.2	28.8
265	21.4	16.9	25.3



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

