

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062424\
 Data File : BF138306.D
 Acq On : 24 Jun 2024 13:07
 Operator : CG\JU
 Sample : PB161565TB
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB161565TB

Quant Time: Jun 24 13:35:32 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061224.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 13 01:52:47 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.881	152	292992	20.000	ng	-0.01
21) Naphthalene-d8	8.163	136	1155029	20.000	ng	-0.01
39) Acenaphthene-d10	9.916	164	655765	20.000	ng	-0.01
64) Phenanthrene-d10	11.404	188	1163917	20.000	ng	-0.01
76) Chrysene-d12	14.039	240	644681	20.000	ng	-0.01
86) Perylene-d12	15.515	264	600197	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.516	112	2108765	120.399	ng	0.00
7) Phenol-d6	6.516	99	2574593	115.923	ng	0.00
23) Nitrobenzene-d5	7.445	82	1627425	82.026	ng	-0.01
42) 2,4,6-Tribromophenol	10.710	330	812350	124.435	ng	0.00
45) 2-Fluorobiphenyl	9.245	172	3096720	75.092	ng	0.00
79) Terphenyl-d14	12.998	244	3403958	83.627	ng	0.00
Target Compounds						
						Qvalue
19) n-Nitroso-di-n-propyla...	7.445	70	212936	16.175	ng	# 76
25) Isophorone	7.445	82	1621762	45.191	ng	# 62
51) 2,6-Dinitrotoluene	9.916	165	86138	9.882	ng	# 25
57) 2,4-Dinitrotoluene	9.916	165	86412	8.038	ng	# 31
65) 4,6-Dinitro-2-methylph...	10.710	198	1749	7.187	ng	# 1
67) 4-Bromophenyl-phenylether	10.710	248	51880	3.956	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062424\
Data File : BF138306.D
Acq On : 24 Jun 2024 13:07
Operator : CG\JU
Sample : PB161565TB
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB161565TB

Quant Time: Jun 24 13:35:32 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061224.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 13 01:52:47 2024
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.881 min Scan# 815
 Delta R.T. -0.012 min
 Lab File: BF138306.D
 Acq: 24 Jun 2024 13:07




Instrument :
 BNA_F
 ClientSampleId :
 PB161565TB


Tgt Ion:152 Resp: 292992
 Ion Ratio Lower Upper
 152 100
 150 157.7 125.0 187.4
 115 61.3 48.4 72.6



#5
 2-Fluorophenol
 Concen: 120.399 ng
 RT: 5.516 min Scan# 583
 Delta R.T. 0.006 min
 Lab File: BF138306.D
 Acq: 24 Jun 2024 13:07

Tgt Ion:112 Resp: 2108765
 Ion Ratio Lower Upper
 112 100
 64 56.0 45.2 67.8
 63 28.5 22.9 34.3









#7
Phenol-d6
Concen: 115.923 ng
RT: 6.516 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF138306.D
Acq: 24 Jun 2024 13:07




Instrument :
BNA_F
ClientSampleId :
PB161565TB


Tgt Ion: 99 Resp: 2574593
Ion Ratio Lower Upper
99 100
42 16.3 13.7 20.5
71 32.6 25.0 37.6



#19
n-Nitroso-di-n-propylamine
Concen: 16.175 ng
RT: 7.445 min Scan# 911
Delta R.T. 0.135 min
Lab File: BF138306.D
Acq: 24 Jun 2024 13:07

Tgt Ion: 70 Resp: 212936
Ion Ratio Lower Upper
70 100
42 43.4 42.8 64.2
101 0.0 8.4 12.6#
130 2.4 19.3 28.9#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.163 min Scan# 1033
Delta R.T. -0.012 min
Lab File: BF138306.D
Acq: 24 Jun 2024 13:07

Instrument :
BNA_F
ClientSampleId :
PB161565TB

Tgt Ion:136 Resp: 1155029




Ion	Ratio	Lower	Upper
136	100		
137	11.3	9.1	13.7
54	7.4	6.6	10.0
68	6.3	5.4	8.2




#23
Nitrobenzene-d5
Concen: 82.026 ng
RT: 7.445 min Scan# 911
Delta R.T. -0.012 min
Lab File: BF138306.D
Acq: 24 Jun 2024 13:07

Tgt Ion: 82 Resp: 1627425


Ion	Ratio	Lower	Upper
82	100		
128	48.2	37.2	55.8
54	47.0	39.8	59.6








#25
Isophorone
Concen: 45.191 ng
RT: 7.445 min Scan# 911
Delta R.T. -0.271 min
Lab File: BF138306.D
Acq: 24 Jun 2024 13:07

Instrument :
BNA_F
ClientSampleId :
PB161565TB







Tgt Ion: 82 Resp: 1621762
Ion Ratio Lower Upper
82 100
95 0.0 5.6 8.4#
138 0.0 16.4 24.6#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.916 min Scan# 1331
Delta R.T. -0.012 min
Lab File: BF138306.D
Acq: 24 Jun 2024 13:07

Tgt Ion: 164 Resp: 655765
Ion Ratio Lower Upper
164 100
162 100.8 80.6 121.0
160 45.5 36.3 54.5





#42

2,4,6-Tribromophenol

Concen: 124.435 ng

RT: 10.710 min Scan# 1467

Delta R.T. -0.006 min

Lab File: BF138306.D

Acq: 24 Jun 2024 13:07

Instrument :

BNA_F

ClientSampleId :

PB161565TB





Tgt Ion:330 Resp: 812350

Ion Ratio Lower Upper

330 100

332 95.8 76.6 115.0

141 27.9 23.9 35.9



#45

2-Fluorobiphenyl

Concen: 75.092 ng

RT: 9.245 min Scan# 1217

Delta R.T. -0.006 min

Lab File: BF138306.D

Acq: 24 Jun 2024 13:07




Tgt Ion:172 Resp: 3096720


Ion Ratio Lower Upper

172 100

171 36.6 30.3 45.5

170 24.9 20.6 30.8









#51
2,6-Dinitrotoluene
Concen: 9.882 ng
RT: 9.916 min Scan# 11
Delta R.T. 0.206 min
Lab File: BF138306.D
Acq: 24 Jun 2024 13:07




Instrument :
BNA_F
ClientSampleId :
PB161565TB


Tgt Ion:165 Resp: 86138
Ion Ratio Lower Upper
165 100
63 0.7 43.7 65.5#
89 1.1 44.9 67.3#



#57
2,4-Dinitrotoluene
Concen: 8.038 ng
RT: 9.916 min Scan# 1331
Delta R.T. -0.200 min
Lab File: BF138306.D
Acq: 24 Jun 2024 13:07

Tgt Ion:165 Resp: 86412
Ion Ratio Lower Upper
165 100
63 0.7 26.6 39.8#
89 1.1 48.7 73.1#
182 0.0 2.4 3.6#





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.404 min Scan# 1

Delta R.T. -0.012 min

Lab File: BF138306.D

Acq: 24 Jun 2024 13:07

Instrument :

BNA_F

ClientSampleId :

PB161565TB





Tgt Ion:188 Resp: 1163917

Ion Ratio Lower Upper

188 100

94 9.9 7.6 11.4

80 10.6 8.1 12.1



#65

4,6-Dinitro-2-methylphenol

Concen: 7.187 ng

RT: 10.710 min Scan# 1466

Delta R.T. 0.194 min

Lab File: BF138306.D

Acq: 24 Jun 2024 13:07




Tgt Ion:198 Resp: 1749


Ion Ratio Lower Upper

198 100

51 147.8 26.9 66.9#

105 155.1 26.0 66.0#









#67
4-Bromophenyl-phenylether
Concen: 3.956 ng
RT: 10.710 min Scan# 14
Delta R.T. -0.253 min
Lab File: BF138306.D
Acq: 24 Jun 2024 13:07




Instrument :
BNA_F
ClientSampleId :
PB161565TB


Tgt Ion:248 Resp: 51880
Ion Ratio Lower Upper
248 100
250 198.6 77.2 115.8#
141 391.8 44.1 66.1#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.039 min Scan# 2032
Delta R.T. -0.012 min
Lab File: BF138306.D
Acq: 24 Jun 2024 13:07

Tgt Ion:240 Resp: 644681
Ion Ratio Lower Upper
240 100
120 11.9 9.2 13.8
236 26.3 21.0 31.6









#79
 Terphenyl-d14
 Concen: 83.627 ng
 RT: 12.998 min Scan# 11
 Delta R.T. -0.000 min
 Lab File: BF138306.D
 Acq: 24 Jun 2024 13:07

Instrument :
 BNA_F
 ClientSampleId :
 PB161565TB

Tgt Ion:244 Resp: 3403958
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.9 8.9
 122 9.8 10.6 15.8#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.515 min Scan# 2283
 Delta R.T. -0.006 min
 Lab File: BF138306.D
 Acq: 24 Jun 2024 13:07

Tgt Ion:264 Resp: 600197
 Ion Ratio Lower Upper
 264 100
 260 23.6 18.7 28.1
 265 21.8 17.0 25.6

