

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062425\
 Data File : BF142817.D
 Acq On : 24 Jun 2025 13:24
 Operator : RC/JU
 Sample : Q2381-01
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 291431

Quant Time: Jun 24 13:47:50 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 24 05:28:21 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.881	152	64571	20.000	ng	0.00
21) Naphthalene-d8	8.163	136	218177	20.000	ng	0.00
39) Acenaphthene-d10	9.922	164	93310	20.000	ng	0.00
64) Phenanthrene-d10	11.410	188	158454	20.000	ng	# 0.00
76) Chrysene-d12	14.057	240	192763	20.000	ng	0.00
86) Perylene-d12	15.545	264	144808	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.493	112	240869	62.107	ng	0.00
7) Phenol-d6	6.504	99	278508	60.867	ng	0.00
23) Nitrobenzene-d5	7.440	82	163847	41.192	ng	0.00
42) 2,4,6-Tribromophenol	10.710	330	62017	64.586	ng	0.00
45) 2-Fluorobiphenyl	9.239	172	308839	43.480	ng	0.00
79) Terphenyl-d14	12.998	244	366386	26.262	ng	0.00
Target Compounds						
						Qvalue
71) Phenanthrene	11.439	178	107460	12.519	ng	# 91
75) Fluoranthene	12.633	202	307089	37.698	ng	99
78) Pyrene	12.863	202	283799	15.707	ng	98
81) Benzo(a)anthracene	14.045	228	160539	12.345	ng	97
83) Chrysene	14.080	228	151449	13.052	ng	98
87) Indeno(1,2,3-cd)pyrene	17.045	276	60010	5.441	ng	95
88) Benzo(b)fluoranthene	15.110	252	172942m	20.639	ng	
89) Benzo(k)fluoranthene	15.121	252	69135m	8.819	ng	
90) Benzo(a)pyrene	15.480	252	107695	13.304	ng	98
92) Benzo(g,h,i)perylene	17.498	276	59400	6.647	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062425\
Data File : BF142817.D
Acq On : 24 Jun 2025 13:24
Operator : RC/JU
Sample : Q2381-01
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
291431

Quant Time: Jun 24 13:47:50 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061925.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 24 05:28:21 2025
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.881 min Scan# 797
Delta R.T. -0.000 min
Lab File: BF142817.D
Acq: 24 Jun 2025 13:24




Instrument :
BNA_F
ClientSampleId :
291431


Tgt Ion:152 Resp: 64571
Ion Ratio Lower Upper
152 100
150 154.3 127.2 190.8
115 57.7 46.6 69.8



#5
2-Fluorophenol
Concen: 62.107 ng
RT: 5.493 min Scan# 561
Delta R.T. 0.001 min
Lab File: BF142817.D
Acq: 24 Jun 2025 13:24

Tgt Ion:112 Resp: 240869
Ion Ratio Lower Upper
112 100
64 57.9 48.2 72.2
63 30.7 25.7 38.5








#7
Phenol-d6
Concen: 60.867 ng
RT: 6.504 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF142817.D
Acq: 24 Jun 2025 13:24




Instrument :
BNA_F
ClientSampleId :
291431

Tgt Ion: 99 Resp: 278508
Ion Ratio Lower Upper
99 100
42 19.3 15.9 23.9
71 33.6 27.8 41.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.163 min Scan# 1015
Delta R.T. -0.006 min
Lab File: BF142817.D
Acq: 24 Jun 2025 13:24

Tgt Ion: 136 Resp: 218177
Ion Ratio Lower Upper
136 100
137 10.9 8.4 12.6
54 8.0 6.3 9.5
68 4.7 3.7 5.5









#23
Nitrobenzene-d5
Concen: 41.192 ng
RT: 7.440 min Scan# 893
Delta R.T. -0.005 min
Lab File: BF142817.D
Acq: 24 Jun 2025 13:24




Instrument :
BNA_F
ClientSampleId :
291431

Tgt Ion: 82 Resp: 163847
Ion Ratio Lower Upper
82 100
128 48.3 37.7 56.5
54 55.6 45.7 68.5



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.922 min Scan# 1314
Delta R.T. 0.000 min
Lab File: BF142817.D
Acq: 24 Jun 2025 13:24

Tgt Ion:164 Resp: 93310
Ion Ratio Lower Upper
164 100
162 101.0 81.8 122.8
160 45.5 36.0 54.0









#42
2,4,6-Tribromophenol
Concen: 64.586 ng
RT: 10.710 min Scan# 1449
Delta R.T. -0.006 min
Lab File: BF142817.D
Acq: 24 Jun 2025 13:24




Instrument :
BNA_F
ClientSampleId :
291431


Tgt Ion:330 Resp: 62017
Ion Ratio Lower Upper
330 100
332 97.1 75.0 112.6
141 31.1 25.3 37.9



#45
2-Fluorobiphenyl
Concen: 43.480 ng
RT: 9.239 min Scan# 1198
Delta R.T. -0.005 min
Lab File: BF142817.D
Acq: 24 Jun 2025 13:24

Tgt Ion:172 Resp: 308839
Ion Ratio Lower Upper
172 100
171 34.3 28.2 42.4
170 22.4 18.5 27.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.410 min Scan# 1567
Delta R.T. 0.000 min
Lab File: BF142817.D
Acq: 24 Jun 2025 13:24




Instrument :
BNA_F
ClientSampleId :
291431


Tgt Ion:188 Resp: 158454
Ion Ratio Lower Upper
188 100
94 13.9 6.7 10.1#
80 13.7 6.9 10.3#



#71
Phenanthrene
Concen: 12.519 ng
RT: 11.439 min Scan# 1572
Delta R.T. 0.000 min
Lab File: BF142817.D
Acq: 24 Jun 2025 13:24

Tgt Ion:178 Resp: 107460
Ion Ratio Lower Upper
178 100
176 21.1 15.1 22.7
179 21.3 12.0 18.0#









#75
Fluoranthene
Concen: 37.698 ng
RT: 12.633 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF142817.D
Acq: 24 Jun 2025 13:24




Instrument :
BNA_F
ClientSampleId :
291431


Tgt Ion:202 Resp: 307089
Ion Ratio Lower Upper
202 100
101 9.3 0.0 29.7
203 18.2 0.0 37.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.057 min Scan# 2017
Delta R.T. 0.000 min
Lab File: BF142817.D
Acq: 24 Jun 2025 13:24

Tgt Ion:240 Resp: 192763
Ion Ratio Lower Upper
240 100
120 10.4 8.2 12.2
236 24.8 19.8 29.8





#78

Pyrene

Concen: 15.707 ng

RT: 12.863 min Scan# 1814

Delta R.T. 0.006 min

Lab File: BF142817.D

Acq: 24 Jun 2025 13:24

Instrument :

BNA_F

ClientSampleId :

291431





Tgt Ion:202 Resp: 283799

Ion Ratio Lower Upper

202 100

200 20.0 15.7 23.5

203 18.4 13.8 20.6



#79

Terphenyl-d14

Concen: 26.262 ng

RT: 12.998 min Scan# 1837

Delta R.T. 0.000 min

Lab File: BF142817.D

Acq: 24 Jun 2025 13:24




Tgt Ion:244 Resp: 366386


Ion Ratio Lower Upper

244 100

212 6.9 5.4 8.0

122 10.9 8.2 12.2









#81
Benzo(a)anthracene
Concen: 12.345 ng
RT: 14.045 min Scan# 2015
Delta R.T. 0.000 min
Lab File: BF142817.D
Acq: 24 Jun 2025 13:24




Instrument :
BNA_F
ClientSampleId :
291431


Tgt Ion:228 Resp: 160539
Ion Ratio Lower Upper
228 100
226 28.5 21.2 31.8
229 20.6 15.6 23.4



#83
Chrysene
Concen: 13.052 ng
RT: 14.080 min Scan# 2021
Delta R.T. 0.000 min
Lab File: BF142817.D
Acq: 24 Jun 2025 13:24

Tgt Ion:228 Resp: 151449
Ion Ratio Lower Upper
228 100
226 29.4 23.7 35.5
229 21.4 15.7 23.5





#86

Perylene-d12

Concen: 20.000 ng

RT: 15.545 min Scan# 21

Delta R.T. 0.000 min

Lab File: BF142817.D

Acq: 24 Jun 2025 13:24

Instrument :

BNA_F

ClientSampleId :

291431





Tgt Ion:264 Resp: 144808

Ion Ratio Lower Upper

264 100

260 22.3 18.1 27.1

265 21.9 16.6 25.0



#87

Indeno(1,2,3-cd)pyrene

Concen: 5.441 ng

RT: 17.045 min Scan# 2525

Delta R.T. -0.017 min

Lab File: BF142817.D

Acq: 24 Jun 2025 13:24




Tgt Ion:276 Resp: 60010


Ion Ratio Lower Upper

276 100

138 20.8 20.2 30.4

277 24.6 19.8 29.6





#88

Benzo(b)fluoranthene

Concen: 20.639 ng m

RT: 15.110 min Scan# 2196

Delta R.T. 0.000 min

Lab File: BF142817.D

Acq: 24 Jun 2025 13:24

Instrument :

BNA_F

ClientSampleId :

291431





Tgt Ion:252 Resp: 172942

Ion Ratio Lower Upper

252 100

253 22.4 17.5 26.3

125 10.5 7.4 11.0



#89

Benzo(k)fluoranthene

Concen: 8.819 ng m

RT: 15.121 min Scan# 2198

Delta R.T. -0.017 min

Lab File: BF142817.D

Acq: 24 Jun 2025 13:24




Tgt Ion:252 Resp: 69135


Ion Ratio Lower Upper

252 100

253 23.3 17.2 25.8

125 11.2 7.4 11.2#









#90
Benzo(a)pyrene
Concen: 13.304 ng
RT: 15.480 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF142817.D
Acq: 24 Jun 2025 13:24

Instrument :
BNA_F
ClientSampleId :
291431

Tgt Ion:252 Resp: 107695
Ion Ratio Lower Upper
252 100
253 23.1 17.5 26.3
125 11.1 8.6 12.8



#92
Benzo(g,h,i)perylene
Concen: 6.647 ng
RT: 17.498 min Scan# 2602
Delta R.T. -0.017 min
Lab File: BF142817.D
Acq: 24 Jun 2025 13:24

Tgt Ion:276 Resp: 59400
Ion Ratio Lower Upper
276 100
277 23.8 18.8 28.2
138 23.6 17.6 26.4

