

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF062515\
 Data File : BF080167.D
 Acq On : 25 Jun 2015 15:47
 Operator : TP/IZ
 Sample : G2734-08
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 FB

Quant Time: Jun 26 01:48:50 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF061715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 26 01:01:50 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.29	152	33794	20.00	ng	0.00
21) Naphthalene-d8	8.58	136	133328	20.00	ng	0.00
38) Acenaphthene-d10	10.36	164	70323	20.00	ng	0.00
63) Phenanthrene-d10	11.86	188	137107	20.00	ng	0.00
75) Chrysene-d12	14.79	240	144163	20.00	ng	-0.03
86) Perylene-d12	16.64	264	140317	20.00	ng	-0.07
System Monitoring Compounds						
5) 2-Fluorophenol	5.90	112	112730	59.05	ng	0.00
7) Phenol-d6	6.89	99	90559	35.65	ng	-0.01
23) Nitrobenzene-d5	7.85	82	216885	94.70	ng	0.00
41) 2,4,6-Tribromophenol	11.16	330	93287	135.66	ng	0.00
44) 2-Fluorobiphenyl	9.66	172	410983	83.34	ng	-0.01
78) Terphenyl-d14	13.53	244	582048	94.29	ng	-0.01


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF062515\
Data File : BF080167.D
Acq On : 25 Jun 2015 15:47
Operator : TP/IZ
Sample : G2734-08
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
FB

Quant Time: Jun 26 01:48:50 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF061715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 26 01:01:50 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.29 min Scan# 368
Delta R.T. 0.00 min
Lab File: BF080167.D
Acq: 25 Jun 2015 15:47

Instrument :
BNA_F
ClientSampleId :
FB

Tgt Ion:152 Resp: 33794
Ion Ratio Lower Upper
152 100
150 160.5 124.7 187.1
115 63.3 39.0 58.4#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 59.05 ng
RT: 5.90 min Scan# 246
Delta R.T. 0.00 min
Lab File: BF080167.D
Acq: 25 Jun 2015 15:47

Tgt Ion:112 Resp: 112730
Ion Ratio Lower Upper
112 100
64 66.9 39.7 59.5#
63 32.9 17.4 26.0#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 35.65 ng

RT: 6.89 min Scan# 333

Delta R.T. -0.01 min

Lab File: BF080167.D

Acq: 25 Jun 2015 15:47

Instrument :

BNA_F

ClientSampled :

FB





Tgt Ion: 99 Resp: 90559

Ion Ratio Lower Upper

99 100

42 19.5 13.7 20.5

71 33.1 14.2 21.2#



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.58 min Scan# 481

Delta R.T. 0.00 min

Lab File: BF080167.D

Acq: 25 Jun 2015 15:47

Tgt Ion: 136 Resp: 133328




Ion Ratio Lower Upper


136 100

137 11.2 9.0 13.6

54 10.2 8.2 12.2

68 7.1 5.8 8.6





#23

Nitrobenzene-d5

Concen: 94.70 ng

RT: 7.85 min Scan# 417

Delta R.T. 0.00 min

Lab File: BF080167.D

Acq: 25 Jun 2015 15:47

Instrument :

BNA_F

ClientSampleId :

FB


Tgt Ion: 82 Resp: 216885

Ion Ratio Lower Upper




82 100

128 44.8 51.0 76.6#

54 48.7 47.5 71.3



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): B
Ion 54.00 (53.70 to 54.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 10.36 min Scan# 636

Delta R.T. 0.00 min

Lab File: BF080167.D

Acq: 25 Jun 2015 15:47


Tgt Ion: 164 Resp: 70323

Ion Ratio Lower Upper



164 100


162 104.4 75.2 112.8

160 45.2 31.5 47.3



Abundance Ion 164.00 (163.70 to 164.70): B
Ion 162.00 (161.70 to 162.70): B
Ion 160.00 (159.70 to 160.70): B









#41
 2,4,6-Tribromophenol
 Concen: 135.66 ng
 RT: 11.16 min Scan# 706
 Delta R.T. 0.00 min
 Lab File: BF080167.D
 Acq: 25 Jun 2015 15:47

Instrument :
 BNA_F
 ClientSampled :
 FB

Tgt Ion	Ratio	Lower	Upper
330	100		
332	99.0	76.6	114.8
141	35.1	29.7	44.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 83.34 ng
 RT: 9.66 min Scan# 575
 Delta R.T. -0.01 min
 Lab File: BF080167.D
 Acq: 25 Jun 2015 15:47

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.4	26.1	39.1
170	23.7	17.4	26.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.86 min Scan# 768
Delta R.T. 0.00 min
Lab File: BF080167.D
Acq: 25 Jun 2015 15:47

Instrument :
BNA_F
ClientSampleId :
FB

Tgt Ion:188 Resp: 137107
Ion Ratio Lower Upper
188 100
94 7.3 11.1 16.7#
80 7.3 11.0 16.4#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.79 min Scan# 1024
Delta R.T. -0.03 min
Lab File: BF080167.D
Acq: 25 Jun 2015 15:47

Tgt Ion:240 Resp: 144163
Ion Ratio Lower Upper
240 100
120 11.0 16.2 24.2#
236 25.8 18.4 27.6



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 94.29 ng
 RT: 13.53 min Scan# 914
 Delta R.T. -0.01 min
 Lab File: BF080167.D
 Acq: 25 Jun 2015 15:47

Instrument :
 BNA_F
 ClientSampleId :
 FB

Tgt Ion:244 Resp: 582048
 Ion Ratio Lower Upper
 244 100
 212 7.4 4.3 6.5#
 122 14.6 17.4 26.2#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 16.64 min Scan# 1186
 Delta R.T. -0.07 min
 Lab File: BF080167.D
 Acq: 25 Jun 2015 15:47

Tgt Ion:264 Resp: 140317
 Ion Ratio Lower Upper
 264 100
 260 24.3 16.7 25.1
 265 21.9 17.2 25.8

