

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF062516\
 Data File : BF088398.D
 Acq On : 26 Jun 2016 3:38
 Operator : UM/SJ
 Sample : H3766-07
 Misc :
 ALS Vial : 46 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 FIELDBLANK

Quant Time: Jun 26 04:14:42 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF060716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 22 14:55:14 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.72	152	224847	20.00	ng	0.11
21) Naphthalene-d8	7.85	136	264160	20.00	ng	-0.05
38) Acenaphthene-d10	9.59	164	113133	20.00	ng	-0.06
63) Phenanthrene-d10	11.06	188	179348	20.00	ng	-0.06
75) Chrysene-d12	13.69	240	142987	20.00	ng	-0.06
86) Perylene-d12	15.04	264	111616	20.00	ng	-0.07
System Monitoring Compounds						
5) 2-Fluorophenol	5.14	112	425173	32.33	ng	-0.03
7) Phenol-d6	6.23	99	485938	30.49	ng	-0.03
23) Nitrobenzene-d5	7.14	82	353351	78.11	ng	-0.03
41) 2,4,6-Tribromophenol	10.38	330	110076	92.15	ng	-0.06
44) 2-Fluorobiphenyl	8.92	172	646873	90.16	ng	-0.05
78) Terphenyl-d14	12.65	244	521866	83.05	ng	-0.05
Target Compounds						
10) Phenol	6.33	94	571	Below Cal	#	1
19) n-Nitroso-di-n-propylamine	7.13	70	43759	4.29 ng	#	73
25) Isophorone	7.14	82	361575	43.15 ng	#	65
45) 1,1'-Biphenyl	8.92	154	946	Below Cal	#	1
50) 2,6-Dinitrotoluene	9.59	165	13581	7.24 ng	#	37
56) 2,4-Dinitrotoluene	9.59	165	13581	5.63 ng	#	36
57) Fluorene	10.38	166	4642	Below Cal	#	81
66) 4-Bromophenyl-phenylether	10.38	248	6520	3.39 ng	#	1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF062516\
Data File : BF088398.D
Acq On : 26 Jun 2016 3:38
Operator : UM/SJ
Sample : H3766-07
Misc :
ALS Vial : 46 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
FIELDBLANK

Quant Time: Jun 26 04:14:42 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF060716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 22 14:55:14 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.72 min Scan# 449

Delta R.T. 0.11 min

Lab File: BF088398.D

Acq: 26 Jun 2016 3:38

Instrument :

BNA_F

ClientSampleId :

FIELDBLANK


Tgt Ion:152 Resp: 224847

Ion Ratio Lower Upper

152 100

150 153.3 123.8 185.6




115 57.0 39.6 59.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 32.33 ng

RT: 5.14 min Scan# 311

Delta R.T. -0.03 min

Lab File: BF088398.D

Acq: 26 Jun 2016 3:38


Tgt Ion:112 Resp: 425173

Ion Ratio Lower Upper

112 100

64 59.9 42.2 63.2



63 30.7 21.8 32.8



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 30.49 ng

RT: 6.23 min Scan# 406

Delta R.T. -0.03 min

Lab File: BF088398.D

Acq: 26 Jun 2016 3:38

Instrument :

BNA_F

ClientSampleId :

FIELDBLANK





Tgt Ion: 99 Resp: 485938

Ion Ratio Lower Upper

99 100

42 13.5 12.2 18.2

71 32.1 23.4 35.0



#10

Phenol

Concen: Below Cal

RT: 6.33 min Scan# 415

Delta R.T. 0.06 min

Lab File: BF088398.D

Acq: 26 Jun 2016 3:38




Tgt Ion: 94 Resp: 571

Ion Ratio Lower Upper

94 100

65 1033.9 5.9 45.9#

66 13023.8 14.0 54.0#








#19
n-Nitroso-di-n-propylamine
Concen: 4.29 ng
RT: 7.13 min Scan# 485
Delta R.T. 0.09 min
Lab File: BF088398.D
Acq: 26 Jun 2016 3:38




Instrument :
BNA_F
ClientSampleId :
FIELDBLANK

Tgt Ion: 70 Resp: 43759
Ion Ratio Lower Upper
70 100
42 43.0 49.6 74.4#
101 0.0 7.1 10.7#
130 2.1 15.4 23.2#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 7.85 min Scan# 548
Delta R.T. -0.05 min
Lab File: BF088398.D
Acq: 26 Jun 2016 3:38

Tgt Ion: 136 Resp: 264160
Ion Ratio Lower Upper
136 100
137 10.6 9.1 13.7
54 4.9 6.6 10.0#
68 4.3 5.1 7.7#









#23
Nitrobenzene-d5
Concen: 78.11 ng
RT: 7.14 min Scan# 486
Delta R.T. -0.03 min
Lab File: BF088398.D
Acq: 26 Jun 2016 3:38




Instrument :
BNA_F
ClientSampleId :
FIELDBLANK


Tgt Ion: 82 Resp: 353351
Ion Ratio Lower Upper
82 100
128 58.1 35.9 53.9#
54 39.1 40.9 61.3#



#25
Isophorone
Concen: 43.15 ng
RT: 7.14 min Scan# 486
Delta R.T. -0.30 min
Lab File: BF088398.D
Acq: 26 Jun 2016 3:38

Tgt Ion: 82 Resp: 361575
Ion Ratio Lower Upper
82 100
95 0.0 5.4 8.2#
138 0.0 14.6 21.8#









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.59 min Scan# 700
 Delta R.T. -0.06 min
 Lab File: BF088398.D
 Acq: 26 Jun 2016 3:38

Instrument :
 BNA_F
 ClientSampleId :
 FIELDBLANK

Tgt Ion:164 Resp: 113133
 Ion Ratio Lower Upper
 164 100
 162 103.5 85.4 128.2
 160 46.3 39.5 59.3




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E





#41
 2,4,6-Tribromophenol
 Concen: 92.15 ng
 RT: 10.38 min Scan# 769
 Delta R.T. -0.06 min
 Lab File: BF088398.D
 Acq: 26 Jun 2016 3:38

Tgt Ion:330 Resp: 110076
 Ion Ratio Lower Upper
 330 100
 332 97.1 0.0 0.0#
 141 37.7 0.0 0.0#



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E








#44
 2-Fluorobiphenyl
 Concen: 90.16 ng
 RT: 8.92 min Scan# 642
 Delta R.T. -0.05 min
 Lab File: BF088398.D
 Acq: 26 Jun 2016 3:38




Instrument :
 BNA_F
 ClientSampleId :
 FIELDBLANK


Tgt Ion:172 Resp: 646873
 Ion Ratio Lower Upper
 172 100
 171 35.7 28.6 43.0
 170 23.9 19.2 28.8



#45
 1,1'-Biphenyl
 Concen: Below Cal
 RT: 8.92 min Scan# 642
 Delta R.T. -0.15 min
 Lab File: BF088398.D
 Acq: 26 Jun 2016 3:38

Tgt Ion:154 Resp: 946
 Ion Ratio Lower Upper
 154 100
 153 905.2 20.6 60.6#
 76 1594.2 0.0 35.1#






#50
 2,6-Dinitrotoluene
 Concen: 7.24 ng
 RT: 9.59 min Scan# 700
 Delta R.T. 0.14 min
 Lab File: BF088398.D
 Acq: 26 Jun 2016 3:38

Instrument :
 BNA_F
 ClientSampleId :
 FIELDBLANK




Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	28.1	42.1#
89	0.0	32.2	48.2#



Abundance Ion 165.00 (164.70 to 165.70): E


Ion 63.00 (62.70 to 63.70): BF0

Ion 89.00 (88.70 to 89.70): BF0



#56
 2,4-Dinitrotoluene
 Concen: 5.63 ng
 RT: 9.59 min Scan# 700
 Delta R.T. -0.26 min
 Lab File: BF088398.D
 Acq: 26 Jun 2016 3:38

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	22.0	33.0#
89	0.0	41.1	61.7#
182	0.0	2.0	3.0#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0

Ion 89.00 (88.70 to 89.70): BF0

Ion 182.00 (181.70 to 182.70): E





#57

Fluorene

Concen: Below Cal

RT: 10.38 min Scan# 769

Delta R.T. 0.18 min

Lab File: BF088398.D

Acq: 26 Jun 2016 3:38

Instrument :

BNA_F

ClientSampleId :

FIELDBLANK


Tgt Ion:166 Resp: 4642

Ion Ratio Lower Upper

166 100

165 111.9 77.8 116.8




167 33.5 11.2 16.8#



Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.06 min Scan# 829

Delta R.T. -0.06 min

Lab File: BF088398.D

Acq: 26 Jun 2016 3:38


Tgt Ion:188 Resp: 179348

Ion Ratio Lower Upper

188 100

94 12.7 9.0 13.6



80 13.4 10.0 15.0




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#66

4-Bromophenyl-phenylether

Concen: 3.39 ng

RT: 10.38 min Scan# 769

Delta R.T. -0.30 min

Lab File: BF088398.D

Acq: 26 Jun 2016 3:38

Instrument :

BNA_F

ClientSampleId :

FIELDBLANK


Tgt Ion:248 Resp: 6520

Ion Ratio Lower Upper

248 100

250 204.0 77.1 115.7#




141 691.0 50.6 76.0#



Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E



#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.69 min Scan# 1059

Delta R.T. -0.06 min

Lab File: BF088398.D

Acq: 26 Jun 2016 3:38


Tgt Ion:240 Resp: 142987

Ion Ratio Lower Upper

240 100

120 12.6 6.8 10.2#



236 24.9 20.2 30.2




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 83.05 ng
 RT: 12.65 min Scan# 968
 Delta R.T. -0.05 min
 Lab File: BF088398.D
 Acq: 26 Jun 2016 3:38

Instrument :
 BNA_F
 ClientSampleId :
 FIELDBLANK

Tgt Ion:244 Resp: 521866
 Ion Ratio Lower Upper
 244 100
 212 6.9 6.0 9.0
 122 9.7 11.2 16.8#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.04 min Scan# 1177
 Delta R.T. -0.07 min
 Lab File: BF088398.D
 Acq: 26 Jun 2016 3:38

Tgt Ion:264 Resp: 111616
 Ion Ratio Lower Upper
 264 100
 260 23.3 19.2 28.8
 265 22.1 16.9 25.3

