

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062516\
 Data File : BF088394.D
 Acq On : 26 Jun 2016 1:42
 Operator : UM/SJ
 Sample : H3745-02
 Misc :
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-05-COMP

Quant Time: Jun 26 03:57:49 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 22 14:55:14 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.56	152	64445m	20.00	ng	-0.05
21) Naphthalene-d8	7.85	136	257484	20.00	ng	-0.05
38) Acenaphthene-d10	9.59	164	112231	20.00	ng	-0.06
63) Phenanthrene-d10	11.06	188	187126	20.00	ng	-0.06
75) Chrysene-d12	13.69	240	146610	20.00	ng	-0.06
86) Perylene-d12	15.04	264	112195	20.00	ng	-0.07
System Monitoring Compounds						
5) 2-Fluorophenol	5.14	112	453159	120.21	ng	-0.03
7) Phenol-d6	6.23	99	555620	121.62	ng	-0.03
23) Nitrobenzene-d5	7.13	82	329570	74.74	ng	-0.05
41) 2,4,6-Tribromophenol	10.38	330	104641	88.30	ng	-0.06
44) 2-Fluorobiphenyl	8.92	172	623989	87.50	ng	-0.05
78) Terphenyl-d14	12.65	244	472114	73.28	ng	-0.05
Target Compounds						
49) Dimethylphthalate	9.32	163	43123	5.30	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062516\
Data File : BF088394.D
Acq On : 26 Jun 2016 1:42
Operator : UM/SJ
Sample : H3745-02
Misc :
ALS Vial : 42 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-05-COMP

Quant Time: Jun 26 03:57:49 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 22 14:55:14 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng/mL

RT: 6.56 min Scan# 435

Delta R.T. -0.05 min

Lab File: BF088394.D

Acq: 26 Jun 2016 1:42

Instrument :

BNA_F

ClientSampleId :

SB-05-COMP


Tot Ion:152 Resp: 64445

Ion Ratio Lower Upper

152 100

150 154.8 123.8 185.6




115 60.1 39.6 59.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 120.21 ng

RT: 5.14 min Scan# 311

Delta R.T. -0.03 min

Lab File: BF088394.D

Acq: 26 Jun 2016 1:42


Tgt Ion:112 Resp: 453159

Ion Ratio Lower Upper

112 100

64 55.8 42.2 63.2



63 28.7 21.8 32.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 121.62 ng

RT: 6.23 min Scan# 406

Delta R.T. -0.03 min

Lab File: BF088394.D

Acq: 26 Jun 2016 1:42

Instrument :

BNA_F

ClientSampleId :

SB-05-COMP





Tot Ion: 99 Resp: 555620

Ion Ratio Lower Upper

99 100

42 14.7 12.2 18.2

71 33.6 23.4 35.0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.85 min Scan# 548

Delta R.T. -0.05 min

Lab File: BF088394.D

Acq: 26 Jun 2016 1:42

Tgt Ion: 136 Resp: 257484




Ion Ratio Lower Upper


136 100

137 10.6 9.1 13.7

54 5.2 6.6 10.0#

68 4.3 5.1 7.7#





#23

Nitrobenzene-d5

Concen: 74.74 ng

RT: 7.13 min Scan# 485

Delta R.T. -0.05 min

Lab File: BF088394.D

Acq: 26 Jun 2016 1:42

Instrument :

BNA_F

ClientSampleId :

SB-05-COMP


Tot Ion: 82 Resp: 329570

Ion Ratio Lower Upper




82 100

128 42.6 35.9 53.9

54 46.6 40.9 61.3



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): BF0
Ion 54.00 (53.70 to 54.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.59 min Scan# 700

Delta R.T. -0.06 min

Lab File: BF088394.D

Acq: 26 Jun 2016 1:42


Tgt Ion:164 Resp: 112231

Ion Ratio Lower Upper



164 100


162 105.1 85.4 128.2

160 46.2 39.5 59.3



Abundance Ion 164.00 (163.70 to 164.70): BF0
Ion 162.00 (161.70 to 162.70): BF0
Ion 160.00 (159.70 to 160.70): BF0









#41
 2,4,6-Tribromophenol
 Concen: 88.30 ng
 RT: 10.38 min Scan# 769
 Delta R.T. -0.06 min
 Lab File: BF088394.D
 Acq: 26 Jun 2016 1:42




Instrument :
 BNA_F
 ClientSampleId :
 SB-05-COMP


Tot Ion	Ratio	Lower	Upper
330	100		
332	96.0	0.0	0.0#
141	38.3	0.0	0.0#



#44
 2-Fluorobiphenyl
 Concen: 87.50 ng
 RT: 8.92 min Scan# 642
 Delta R.T. -0.05 min
 Lab File: BF088394.D
 Acq: 26 Jun 2016 1:42

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.5	28.6	43.0
170	23.7	19.2	28.8





#49

Dimethylphthalate

Concen: 5.30 ng

RT: 9.32 min Scan# 677

Delta R.T. -0.06 min

Lab File: BF088394.D

Acq: 26 Jun 2016 1:42

Instrument :

BNA_F

ClientSampleId :

SB-05-COMP


Tot Ion:163 Resp: 43123

Ion Ratio Lower Upper

163 100

194 3.2 2.8 4.2




164 10.2 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.06 min Scan# 829

Delta R.T. -0.06 min

Lab File: BF088394.D

Acq: 26 Jun 2016 1:42


Tgt Ion:188 Resp: 187126

Ion Ratio Lower Upper

188 100

94 11.7 9.0 13.6



80 12.3 10.0 15.0




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.69 min Scan# 1059

Delta R.T. -0.06 min

Lab File: BF088394.D

Acq: 26 Jun 2016 1:42

Instrument :

BNA_F

ClientSampleId :

SB-05-COMP


Tot Ion:240 Resp: 146610

Ion Ratio Lower Upper

240 100

120 13.0 6.8 10.2#




236 24.9 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 73.28 ng

RT: 12.65 min Scan# 968

Delta R.T. -0.05 min

Lab File: BF088394.D

Acq: 26 Jun 2016 1:42


Tgt Ion:244 Resp: 472114

Ion Ratio Lower Upper

244 100

212 6.7 6.0 9.0



122 9.3 11.2 16.8#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 15.04 min Scan# 1177
 Delta R.T. -0.07 min
 Lab File: BF088394.D
 Acq: 26 Jun 2016 1:42

Instrument :
 BNA_F
 ClientSampleId :
 SB-05-COMP

Tot Ion:	264	Resp:	112195
Ion Ratio	Lower	Upper	
264	100		
260	23.8	19.2	28.8
265	21.7	16.9	25.3

