

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF062518\
 Data File : BF106775.D
 Acq On : 25 Jun 2018 17:03
 Operator : JU/SJ
 Sample : J3573-05
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-50-COMP

Quant Time: Jun 25 18:55:16 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 25 18:50:17 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.96	152	63275	20.00	ng	0.00
21) Naphthalene-d8	8.24	136	242573	20.00	ng	0.00
38) Acenaphthene-d10	10.00	164	128835	20.00	ng	0.00
63) Phenanthrene-d10	11.50	188	277056	20.00	ng	0.00
75) Chrysene-d12	14.15	240	225815	20.00	ng	-0.01
86) Perylene-d12	15.71	264	176313	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	454397	121.60	ng	0.00
7) Phenol-d6	6.61	99	587397	125.88	ng	0.00
23) Nitrobenzene-d5	7.52	82	392915	90.02	ng	-0.01
41) 2,4,6-Tribromophenol	10.80	330	221584	148.39	ng	0.00
44) 2-Fluorobiphenyl	9.32	172	705544	94.31	ng	0.00
78) Terphenyl-d14	13.08	244	939843	100.82	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.71	163	77110	7.980	ng	Qvalue # 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF062518\
Data File : BF106775.D
Acq On : 25 Jun 2018 17:03
Operator : JU/SJ
Sample : J3573-05
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-50-COMP

Quant Time: Jun 25 18:55:16 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 25 18:50:17 2018
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.96 min Scan# 786
Delta R.T. 0.00 min
Lab File: BF106775.D
Acq: 25 Jun 2018 17:03

Instrument :
BNA_F
ClientSampleId :
SB-50-COMP




Tot Ion:152 Resp: 63275
Ion Ratio Lower Upper
152 100
150 156.7 124.6 186.8
115 57.7 50.1 75.1



#5

2-Fluorophenol
Concen: 121.602 ng
RT: 5.61 min Scan# 556
Delta R.T. 0.01 min
Lab File: BF106775.D
Acq: 25 Jun 2018 17:03

Tgt Ion:112 Resp: 454397
Ion Ratio Lower Upper
112 100
64 58.6 47.9 71.9
63 29.0 23.7 35.5





#7

Phenol-d6

Concen: 125.876 ng

RT: 6.61 min Scan# 726

Delta R.T. -0.01 min

Lab File: BF106775.D

Acq: 25 Jun 2018 17:03

Instrument :

BNA_F

ClientSampleId :

SB-50-COMP


Tot Ion: 99 Resp: 587397

Ion Ratio Lower Upper

99 100

42 16.3 14.5 21.7



71 34.7 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.24 min Scan# 1004

Delta R.T. -0.01 min

Lab File: BF106775.D

Acq: 25 Jun 2018 17:03

Tgt Ion: 136 Resp: 242573


Ion Ratio Lower Upper

136 100

137 10.8 8.9 13.3

54 7.3 6.6 9.8

68 5.8 5.0 7.4





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1








#23
 Nitrobenzene-d5
 Concen: 90.017 ng
 RT: 7.52 min Scan# 882
 Delta R.T. -0.01 min
 Lab File: BF106775.D
 Acq: 25 Jun 2018 17:03

Instrument :
 BNA_F
 ClientSampleId :
 SB-50-COMP

Tot Ion	82	Resp	392915
Ion Ratio	Lower	Upper	
82	100		
128	45.0	36.1	54.1
54	48.6	41.4	62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1





#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 10.00 min Scan# 1303
 Delta R.T. -0.01 min
 Lab File: BF106775.D
 Acq: 25 Jun 2018 17:03

Tgt Ion	164	Resp	128835
Ion Ratio	Lower	Upper	
164	100		
162	100.2	86.1	129.1
160	45.4	38.3	57.5



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 148.392 ng
 RT: 10.80 min Scan# 1439
 Delta R.T. 0.00 min
 Lab File: BF106775.D
 Acq: 25 Jun 2018 17:03

Instrument :
 BNA_F
 ClientSampleId :
 SB-50-COMP

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.2	77.0	115.6
141	22.2	29.9	44.9#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 94.309 ng
 RT: 9.32 min Scan# 1187
 Delta R.T. -0.01 min
 Lab File: BF106775.D
 Acq: 25 Jun 2018 17:03

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.9	29.7	44.5
170	24.8	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 7.980 ng

RT: 9.71 min Scan# 1253

Delta R.T. -0.02 min

Lab File: BF106775.D

Acq: 25 Jun 2018 17:03

Instrument :

BNA_F

ClientSampleId :

SB-50-COMP


Tot Ion:163 Resp: 77110

Ion Ratio Lower Upper

163 100

194 4.2 2.7 4.1#



164 10.8 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.50 min Scan# 1557

Delta R.T. -0.01 min

Lab File: BF106775.D

Acq: 25 Jun 2018 17:03


Tgt Ion:188 Resp: 277056

Ion Ratio Lower Upper

188 100

94 7.6 8.5 12.7#



80 8.5 9.2 13.8#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.15 min Scan# 2009

Delta R.T. -0.01 min

Lab File: BF106775.D

Acq: 25 Jun 2018 17:03

Instrument :

BNA_F

ClientSampleId :

SB-50-COMP


Tot Ion:240 Resp: 225815

Ion Ratio Lower Upper

240 100

120 9.5 9.5 14.3#



236 26.3 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 100.816 ng

RT: 13.08 min Scan# 1827

Delta R.T. 0.00 min

Lab File: BF106775.D

Acq: 25 Jun 2018 17:03


Tgt Ion:244 Resp: 939843

Ion Ratio Lower Upper

244 100

212 6.9 5.4 8.0



122 8.6 11.0 16.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.71 min Scan# 2274
Delta R.T. -0.01 min
Lab File: BF106775.D
Acq: 25 Jun 2018 17:03

Instrument :
BNA_F
ClientSampleId :
SB-50-COMP

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.0	19.2	28.8
265	21.2	17.5	26.3

