

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF062615\
 Data File : BF080199.D
 Acq On : 26 Jun 2015 19:56
 Operator : TP/IZ
 Sample : G2785-04
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-1

Quant Time: Jun 27 00:21:35 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF061715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 26 23:02:05 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.29	152	33137	20.00	ng	0.00
21) Naphthalene-d8	8.58	136	130319	20.00	ng	0.00
38) Acenaphthene-d10	10.36	164	66979	20.00	ng	0.00
63) Phenanthrene-d10	11.86	188	129029	20.00	ng	-0.02
75) Chrysene-d12	14.76	240	146614	20.00	ng	-0.27
86) Perylene-d12	16.60	264	142637	20.00	ng	-0.42
System Monitoring Compounds						
5) 2-Fluorophenol	5.90	112	113090	60.41	ng	0.00
7) Phenol-d6	6.89	99	92745	37.23	ng	0.00
23) Nitrobenzene-d5	7.85	82	208455	93.12	ng	0.00
41) 2,4,6-Tribromophenol	11.16	330	84588	129.15	ng	0.00
44) 2-Fluorobiphenyl	9.66	172	402309	85.66	ng	0.00
78) Terphenyl-d14	13.52	244	513234	81.76	ng	-0.14


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF062615\
Data File : BF080199.D
Acq On : 26 Jun 2015 19:56
Operator : TP/IZ
Sample : G2785-04
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-1

Quant Time: Jun 27 00:21:35 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF061715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 26 23:02:05 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.29 min Scan# 368
Delta R.T. -0.00 min
Lab File: BF080199.D
Acq: 26 Jun 2015 19:56

Instrument :
BNA_F
ClientSampleId :
MW-1

Tgt Ion:152 Resp: 33137
Ion Ratio Lower Upper
152 100
150 159.0 124.7 187.1
115 65.0 39.0 58.4#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 60.41 ng
RT: 5.90 min Scan# 246
Delta R.T. -0.00 min
Lab File: BF080199.D
Acq: 26 Jun 2015 19:56

Tgt Ion:112 Resp: 113090
Ion Ratio Lower Upper
112 100
64 72.1 39.7 59.5#
63 36.9 17.4 26.0#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 37.23 ng

RT: 6.89 min Scan# 333

Delta R.T. -0.00 min

Lab File: BF080199.D

Acq: 26 Jun 2015 19:56

Instrument :

BNA_F

ClientSampleId :

MW-1


Tgt Ion: 99 Resp: 92745

Ion Ratio Lower Upper




99 100

42 21.6 13.7 20.5#

71 35.1 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.58 min Scan# 481

Delta R.T. -0.00 min

Lab File: BF080199.D

Acq: 26 Jun 2015 19:56

Tgt Ion: 136 Resp: 130319


Ion Ratio Lower Upper

136 100



137 11.0 9.0 13.6


54 9.8 8.2 12.2

68 7.3 5.8 8.6



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 93.12 ng
 RT: 7.85 min Scan# 417
 Delta R.T. -0.00 min
 Lab File: BF080199.D
 Acq: 26 Jun 2015 19:56




Instrument :
 BNA_F
 ClientSampleId :
 MW-1


Tgt Ion: 82 Resp: 208455
 Ion Ratio Lower Upper
 82 100
 128 44.8 51.0 76.6#
 54 49.7 47.5 71.3



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.36 min Scan# 636
 Delta R.T. -0.00 min
 Lab File: BF080199.D
 Acq: 26 Jun 2015 19:56

Tgt Ion: 164 Resp: 66979
 Ion Ratio Lower Upper
 164 100
 162 102.2 75.2 112.8
 160 44.0 31.5 47.3









#41
 2,4,6-Tribromophenol
 Concen: 129.15 ng
 RT: 11.16 min Scan# 706
 Delta R.T. -0.00 min
 Lab File: BF080199.D
 Acq: 26 Jun 2015 19:56

Instrument :
 BNA_F
 ClientSampleId :
 MW-1

Tgt Ion:330 Resp: 84588
 Ion Ratio Lower Upper
 330 100
 332 96.0 76.6 114.8
 141 35.5 29.7 44.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 85.66 ng
 RT: 9.66 min Scan# 575
 Delta R.T. -0.00 min
 Lab File: BF080199.D
 Acq: 26 Jun 2015 19:56

Tgt Ion:172 Resp: 402309
 Ion Ratio Lower Upper
 172 100
 171 35.6 26.1 39.1
 170 23.8 17.4 26.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.86 min Scan# 768
Delta R.T. -0.02 min
Lab File: BF080199.D
Acq: 26 Jun 2015 19:56

Instrument :
BNA_F
ClientSampleId :
MW-1

Tgt Ion:188 Resp: 129029
Ion Ratio Lower Upper
188 100
94 6.4 11.1 16.7#
80 6.7 11.0 16.4#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.76 min Scan# 1021
Delta R.T. -0.27 min
Lab File: BF080199.D
Acq: 26 Jun 2015 19:56

Tgt Ion:240 Resp: 146614
Ion Ratio Lower Upper
240 100
120 12.0 16.2 24.2#
236 25.9 18.4 27.6



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 81.76 ng
 RT: 13.52 min Scan# 913
 Delta R.T. -0.14 min
 Lab File: BF080199.D
 Acq: 26 Jun 2015 19:56

Instrument :
 BNA_F
 ClientSampleId :
 MW-1

Tgt Ion:244 Resp: 513234
 Ion Ratio Lower Upper
 244 100
 212 6.6 4.3 6.5#
 122 8.3 17.4 26.2#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 16.60 min Scan# 1182
 Delta R.T. -0.42 min
 Lab File: BF080199.D
 Acq: 26 Jun 2015 19:56

Tgt Ion:264 Resp: 142637
 Ion Ratio Lower Upper
 264 100
 260 23.6 16.7 25.1
 265 21.4 17.2 25.8

