

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062616\
 Data File : BF088452.D
 Acq On : 27 Jun 2016 13:20
 Operator : UM/SJ
 Sample : PB91593TB
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Jun 27 19:07:49 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 27 04:27:12 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.68	152	249743	20.00	ng	-0.16
21) Naphthalene-d8	7.83	136	271091	20.00	ng	-0.30
38) Acenaphthene-d10	9.56	164	128774	20.00	ng	-0.32
63) Phenanthrene-d10	11.05	188	251179	20.00	ng	-0.31
75) Chrysene-d12	13.67	240	229672	20.00	ng	-0.32
86) Perylene-d12	15.03	264	184100	20.00	ng	-0.37
System Monitoring Compounds						
5) 2-Fluorophenol	5.13	112	510686	34.96	ng	-0.30
7) Phenol-d6	6.20	99	593419	33.52	ng	-0.27
23) Nitrobenzene-d5	7.11	82	359954	77.54	ng	-0.31
41) 2,4,6-Tribromophenol	10.36	330	86300	63.47	ng	-0.31
44) 2-Fluorobiphenyl	8.90	172	717444	87.70	ng	-0.31
78) Terphenyl-d14	12.63	244	687097	68.08	ng	-0.32
Target Compounds						
10) Phenol	6.31	94	715	Below Cal	#	1
19) n-Nitroso-di-n-propylamine	7.11	70	44887	3.96	ng	# 72
45) 1,1'-Biphenyl	8.90	154	1101	Below Cal	#	1
50) 2,6-Dinitrotoluene	9.56	165	16232	7.60	ng	# 37
56) 2,4-Dinitrotoluene	9.56	165	16234	5.91	ng	# 36


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062616\
Data File : BF088452.D
Acq On : 27 Jun 2016 13:20
Operator : UM/SJ
Sample : PB91593TB
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Jun 27 19:07:49 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 27 04:27:12 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.68 min Scan# 446
 Delta R.T. -0.16 min
 Lab File: BF088452.D
 Acq: 27 Jun 2016 13:20

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:152 Resp: 249743
 Ion Ratio Lower Upper
 152 100
 150 157.9 123.8 185.6
 115 70.7 39.6 59.4#




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
 Concen: 34.96 ng
 RT: 5.13 min Scan# 310
 Delta R.T. -0.30 min
 Lab File: BF088452.D
 Acq: 27 Jun 2016 13:20

Tgt Ion:112 Resp: 510686
 Ion Ratio Lower Upper
 112 100
 64 49.4 42.2 63.2
 63 25.9 21.8 32.8



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 33.52 ng

RT: 6.20 min Scan# 404

Delta R.T. -0.27 min

Lab File: BF088452.D

Acq: 27 Jun 2016 13:20

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 593419

Ion Ratio Lower Upper

99 100

42 15.2 12.2 18.2




71 34.0 23.4 35.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#10

Phenol

Concen: Below Cal

RT: 6.31 min Scan# 413

Delta R.T. -0.18 min

Lab File: BF088452.D

Acq: 27 Jun 2016 13:20


Tgt Ion: 94 Resp: 715

Ion Ratio Lower Upper

94 100

65 926.0 5.9 45.9#



66 11505.6 14.0 54.0#





Abundance Ion 94.00 (93.70 to 94.70): BF0

Ion 65.00 (64.70 to 65.70): BF0

Ion 66.00 (65.70 to 66.70): BF0









#19
n-Nitroso-di-n-propylamine
Concen: 3.96 ng
RT: 7.11 min Scan# 483
Delta R.T. -0.16 min
Lab File: BF088452.D
Acq: 27 Jun 2016 13:20


Instrument :
BNA_F
ClientSampled :

Tot Ion	Ratio	Lower	Upper
70	100		
42	42.2	49.6	74.4#
101	0.0	7.1	10.7#
130	2.6	15.4	23.2#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 7.83 min Scan# 546
Delta R.T. -0.30 min
Lab File: BF088452.D
Acq: 27 Jun 2016 13:20

Tgt Ion	Ratio	Lower	Upper
136	100		
137	10.2	9.1	13.7
54	4.9	6.6	10.0#
68	4.4	5.1	7.7#









#23
 Nitrobenzene-d5
 Concen: 77.54 ng
 RT: 7.11 min Scan# 483
 Delta R.T. -0.31 min
 Lab File: BF088452.D
 Acq: 27 Jun 2016 13:20

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion: 82 Resp: 359954
 Ion Ratio Lower Upper
 82 100
 128 45.1 35.9 53.9
 54 46.2 40.9 61.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.56 min Scan# 698
 Delta R.T. -0.32 min
 Lab File: BF088452.D
 Acq: 27 Jun 2016 13:20

Tgt Ion:164 Resp: 128774
 Ion Ratio Lower Upper
 164 100
 162 104.6 85.4 128.2
 160 47.0 39.5 59.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E








#41
 2,4,6-Tribromophenol
 Concen: 63.47 ng
 RT: 10.36 min Scan# 768
 Delta R.T. -0.31 min
 Lab File: BF088452.D
 Acq: 27 Jun 2016 13:20

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:330 Resp: 86300
 Ion Ratio Lower Upper
 330 100
 332 97.2 0.0 0.0#
 141 36.6 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 87.70 ng
 RT: 8.90 min Scan# 640
 Delta R.T. -0.31 min
 Lab File: BF088452.D
 Acq: 27 Jun 2016 13:20

Tgt Ion:172 Resp: 717444
 Ion Ratio Lower Upper
 172 100
 171 35.9 28.6 43.0
 170 23.9 19.2 28.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#45

1,1'-Biphenyl

Concen: Below Cal

RT: 8.90 min Scan# 640

Delta R.T. -0.40 min

Lab File: BF088452.D

Acq: 27 Jun 2016 13:20

Instrument :

BNA_F

ClientSampleId :


Tot Ion:154 Resp: 1101

Ion Ratio Lower Upper

154 100

153 987.4 20.6 60.6#




76 1793.8 0.0 35.1#



Abundance Ion 154.00 (153.70 to 154.70): E

Ion 153.00 (152.70 to 153.70): E

Ion 76.00 (75.70 to 76.70): BF0



#50

2,6-Dinitrotoluene

Concen: 7.60 ng

RT: 9.56 min Scan# 698

Delta R.T. -0.10 min

Lab File: BF088452.D

Acq: 27 Jun 2016 13:20


Tgt Ion:165 Resp: 16232

Ion Ratio Lower Upper

165 100

63 0.0 28.1 42.1#



89 0.0 32.2 48.2#



Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0

Ion 89.00 (88.70 to 89.70): BF0









#56
2,4-Dinitrotoluene
Concen: 5.91 ng
RT: 9.56 min Scan# 698
Delta R.T. -0.50 min
Lab File: BF088452.D
Acq: 27 Jun 2016 13:20




Instrument :
BNA_F
ClientSampleId :


Tot Ion:165 Resp: 16234
Ion Ratio Lower Upper
165 100
63 0.0 22.0 33.0#
89 0.0 41.1 61.7#
182 0.0 2.0 3.0#



#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.05 min Scan# 828
Delta R.T. -0.31 min
Lab File: BF088452.D
Acq: 27 Jun 2016 13:20

Tgt Ion:188 Resp: 251179
Ion Ratio Lower Upper
188 100
94 7.6 9.0 13.6#
80 7.3 10.0 15.0#





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.67 min Scan# 1057

Delta R.T. -0.32 min

Lab File: BF088452.D

Acq: 27 Jun 2016 13:20

Instrument :

BNA_F

ClientSampleId :


Tot Ion:240 Resp: 229672

Ion Ratio Lower Upper

240 100

120 16.8 6.8 10.2#


236 25.4 20.2 30.2





Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



Time-->



#78

Terphenyl-d14

Concen: 68.08 ng

RT: 12.63 min Scan# 966

Delta R.T. -0.32 min

Lab File: BF088452.D

Acq: 27 Jun 2016 13:20


Tgt Ion:244 Resp: 687097

Ion Ratio Lower Upper

244 100

212 7.7 6.0 9.0


122 15.1 11.2 16.8




Abundance Ion 244.00 (243.70 to 244.70): E




Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



Time-->





#86
Pervlene-d12
Concen: 20.00 ng
RT: 15.03 min Scan# 1176
Delta R.T. -0.37 min
Lab File: BF088452.D
Acq: 27 Jun 2016 13:20

Instrument :
BNA_F
ClientSampleId :

Tot Ion:	264	Resp:	184100
Ion	Ratio	Lower	Upper
264	100		
260	22.9	19.2	28.8
265	21.3	16.9	25.3

