

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062625\
 Data File : BF142869.D
 Acq On : 26 Jun 2025 15:37
 Operator : RC/JU
 Sample : Q2405-04
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MH-M/N

Quant Time: Jun 26 16:08:03 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 24 05:28:21 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.875	152	80278	20.000	ng	0.00
21) Naphthalene-d8	8.157	136	306907	20.000	ng	-0.01
39) Acenaphthene-d10	9.916	164	164499	20.000	ng	0.00
64) Phenanthrene-d10	11.404	188	273347	20.000	ng	0.00
76) Chrysene-d12	14.051	240	135687	20.000	ng	0.00
86) Perylene-d12	15.539	264	158801	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	540151	112.025	ng	0.01
7) Phenol-d6	6.504	99	587029	103.192	ng	0.00
23) Nitrobenzene-d5	7.440	82	445980	79.706	ng	0.00
42) 2,4,6-Tribromophenol	10.710	330	211424	124.896	ng	0.00
45) 2-Fluorobiphenyl	9.234	172	939327	75.014	ng	-0.01
79) Terphenyl-d14	12.992	244	809756	82.458	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062625\
Data File : BF142869.D
Acq On : 26 Jun 2025 15:37
Operator : RC/JU
Sample : Q2405-04
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MH-M/N

Quant Time: Jun 26 16:08:03 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061925.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 24 05:28:21 2025
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.875 min Scan# 797
Delta R.T. -0.006 min
Lab File: BF142869.D
Acq: 26 Jun 2025 15:37




Instrument :
BNA_F
ClientSampleId :
MH-M/N


Tgt Ion:152 Resp: 80278
Ion Ratio Lower Upper
152 100
150 157.0 127.2 190.8
115 58.9 46.6 69.8



#5
2-Fluorophenol
Concen: 112.025 ng
RT: 5.504 min Scan# 563
Delta R.T. 0.012 min
Lab File: BF142869.D
Acq: 26 Jun 2025 15:37

Tgt Ion:112 Resp: 540151
Ion Ratio Lower Upper
112 100
64 58.7 48.2 72.2
63 31.0 25.7 38.5








#7
Phenol-d6
Concen: 103.192 ng
RT: 6.504 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF142869.D
Acq: 26 Jun 2025 15:37




Instrument :
BNA_F
ClientSampleId :
MH-M/N


Tgt Ion: 99 Resp: 587029
Ion Ratio Lower Upper
99 100
42 19.5 15.9 23.9
71 35.4 27.8 41.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.157 min Scan# 1014
Delta R.T. -0.012 min
Lab File: BF142869.D
Acq: 26 Jun 2025 15:37

Tgt Ion: 136 Resp: 306907
Ion Ratio Lower Upper
136 100
137 11.0 8.4 12.6
54 7.5 6.3 9.5
68 4.5 3.7 5.5





#23

Nitrobenzene-d5

Concen: 79.706 ng

RT: 7.440 min Scan# 893

Delta R.T. -0.005 min

Lab File: BF142869.D

Acq: 26 Jun 2025 15:37

Instrument :





BNA_F

ClientSampleId :

MH-M/N

Tgt Ion: 82 Resp: 445980

Ion	Ratio	Lower	Upper
82	100		
128	47.7	37.7	56.5
54	55.3	45.7	68.5



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.916 min Scan# 1313




Delta R.T. -0.006 min


Lab File: BF142869.D

Acq: 26 Jun 2025 15:37

Tgt Ion:164 Resp: 164499

Ion	Ratio	Lower	Upper
164	100		
162	101.0	81.8	122.8
160	44.9	36.0	54.0








#42
2,4,6-Tribromophenol
Concen: 124.896 ng
RT: 10.710 min Scan# 1449
Delta R.T. -0.006 min
Lab File: BF142869.D
Acq: 26 Jun 2025 15:37




Instrument :
BNA_F
ClientSampleId :
MH-M/N

Tgt Ion:330 Resp: 211424
Ion Ratio Lower Upper
330 100
332 96.3 75.0 112.6
141 32.1 25.3 37.9



#45
2-Fluorobiphenyl
Concen: 75.014 ng
RT: 9.234 min Scan# 1197
Delta R.T. -0.011 min
Lab File: BF142869.D
Acq: 26 Jun 2025 15:37

Tgt Ion:172 Resp: 939327
Ion Ratio Lower Upper
172 100
171 35.4 28.2 42.4
170 23.3 18.5 27.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.404 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF142869.D
Acq: 26 Jun 2025 15:37




Instrument :
BNA_F
ClientSampleId :
MH-M/N

Tgt Ion:188 Resp: 273347
Ion Ratio Lower Upper
188 100
94 8.0 6.7 10.1
80 8.3 6.9 10.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.051 min Scan# 2016
Delta R.T. -0.006 min
Lab File: BF142869.D
Acq: 26 Jun 2025 15:37


Tgt Ion:240 Resp: 135687
Ion Ratio Lower Upper
240 100
120 9.9 8.2 12.2
236 25.0 19.8 29.8








#79
 Terphenyl-d14
 Concen: 82.458 ng
 RT: 12.992 min Scan# 1836
 Delta R.T. -0.006 min
 Lab File: BF142869.D
 Acq: 26 Jun 2025 15:37


Instrument :
 BNA_F
 ClientSampleId :
 MH-M/N



Tgt Ion:244 Resp: 809756
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.4 8.0
 122 10.5 8.2 12.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.539 min Scan# 2269
 Delta R.T. -0.006 min
 Lab File: BF142869.D
 Acq: 26 Jun 2025 15:37



Tgt Ion:264 Resp: 158801
 Ion Ratio Lower Upper
 264 100
 260 22.4 18.1 27.1
 265 21.6 16.6 25.0

