

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062817\
 Data File : BF096273.D
 Acq On : 29 Jun 2017 3:13
 Operator : SJ/MA
 Sample : I3852-17 10X
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 G-50-0-1.5

Quant Time: Jun 29 05:59:49 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF062717.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 28 15:41:49 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.78	152	152029	20.00	ng	0.00
21) Naphthalene-d8	8.06	136	588859	20.00	ng	0.00
38) Acenaphthene-d10	9.82	164	233441	20.00	ng	0.00
63) Phenanthrene-d10	11.30	188	378232	20.00	ng	0.01
75) Chrysene-d12	13.93	240	339540	20.00	ng	0.01
86) Perylene-d12	15.36	264	242413	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.39	112	105127	9.96	ng	0.00
7) Phenol-d6	6.40	99	145122	11.36	ng	0.01
23) Nitrobenzene-d5	7.33	82	72232	8.49	ng	-0.02
41) 2,4,6-Tribromophenol	10.60	330	11939	6.50	ng	0.00
44) 2-Fluorobiphenyl	9.14	172	138568	10.87	ng	-0.01
78) Terphenyl-d14	12.87	244	108054	7.94	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062817\
Data File : BF096273.D
Acq On : 29 Jun 2017 3:13
Operator : SJ/MA
Sample : I3852-17 10X
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
G-50-0-1.5

Quant Time: Jun 29 05:59:49 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF062717.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 28 15:41:49 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.78 min Scan# 798

Delta R.T. -0.00 min

Lab File: BF096273.D

Acq: 29 Jun 2017 3:13

Instrument :

BNA_F

ClientSampleId :

G-50-0-1.5


Tot Ion:152 Resp: 152029

Ion Ratio Lower Upper

152 100

150 153.3 126.2 189.2




115 65.2 52.2 78.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 9.96 ng

RT: 5.39 min Scan# 561

Delta R.T. 0.01 min

Lab File: BF096273.D

Acq: 29 Jun 2017 3:13


Tgt Ion:112 Resp: 105127

Ion Ratio Lower Upper

112 100

64 65.8 46.0 69.0



63 30.5 23.4 35.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 11.36 ng

RT: 6.40 min Scan# 734

Delta R.T. 0.01 min

Lab File: BF096273.D

Acq: 29 Jun 2017 3:13

Instrument :

BNA_F

ClientSampleId :

G-50-0-1.5


Tot Ion: 99 Resp: 145122

Ion Ratio Lower Upper




99 100

42 19.9 13.5 20.3

71 27.1 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.06 min Scan# 1016

Delta R.T. 0.01 min

Lab File: BF096273.D

Acq: 29 Jun 2017 3:13

Tgt Ion: 136 Resp: 588859


Ion Ratio Lower Upper

136 100



137 11.2 8.5 12.7


54 11.3 4.9 7.3#

68 7.0 4.1 6.1#



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 8.49 ng
 RT: 7.33 min Scan# 892
 Delta R.T. -0.02 min
 Lab File: BF096273.D
 Acq: 29 Jun 2017 3:13

Instrument :
 BNA_F
 ClientSampleId :
 G-50-0-1.5

Tot Ion: 82 Resp: 72232
 Ion Ratio Lower Upper
 82 100
 128 41.4 34.0 51.0
 54 65.7 42.2 63.2#




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.82 min Scan# 1314
 Delta R.T. 0.01 min
 Lab File: BF096273.D
 Acq: 29 Jun 2017 3:13

Tgt Ion:164 Resp: 233441
 Ion Ratio Lower Upper
 164 100
 162 99.4 82.6 123.8
 160 45.1 36.2 54.2



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 6.50 ng
 RT: 10.60 min Scan# 1447
 Delta R.T. 0.01 min
 Lab File: BF096273.D
 Acq: 29 Jun 2017 3:13

Instrument :
 BNA_F
 ClientSampleId :
 G-50-0-1.5

Tot Ion	Ratio	Lower	Upper
330	100		
332	101.8	76.6	115.0
141	33.5	31.4	47.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 10.87 ng
 RT: 9.14 min Scan# 1199
 Delta R.T. -0.01 min
 Lab File: BF096273.D
 Acq: 29 Jun 2017 3:13

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.8	29.6	44.4
170	23.1	19.8	29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.30 min Scan# 1566

Delta R.T. 0.01 min

Lab File: BF096273.D

Acq: 29 Jun 2017 3:13

Instrument :

BNA_F

ClientSampled :

G-50-0-1.5


Tot Ion:188 Resp: 378232

Ion Ratio Lower Upper

188 100

94 11.7 9.4 14.2




80 12.5 10.2 15.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0



#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.93 min Scan# 2013

Delta R.T. 0.01 min

Lab File: BF096273.D

Acq: 29 Jun 2017 3:13


Tgt Ion:240 Resp: 339540

Ion Ratio Lower Upper

240 100

120 14.2 5.8 8.8#



236 23.0 20.5 30.7




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 7.94 ng

RT: 12.87 min Scan# 1834

Delta R.T. 0.01 min

Lab File: BF096273.D

Acq: 29 Jun 2017 3:13

Instrument :

BNA_F

ClientSampleId :

G-50-0-1.5


Tot Ion:244 Resp: 108054

Ion Ratio Lower Upper

244 100

212 6.6 6.0 9.0




122 15.7 10.3 15.5#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.36 min Scan# 2256

Delta R.T. 0.02 min

Lab File: BF096273.D

Acq: 29 Jun 2017 3:13


Tgt Ion:264 Resp: 242413

Ion Ratio Lower Upper

264 100

260 24.1 19.5 29.3

265 23.0 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

