

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062821\
 Data File : BF124478.D
 Acq On : 28 Jun 2021 20:19
 Operator : JU/CG
 Sample : M2856-08
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-04-COMP

Quant Time: Jun 29 05:12:33 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF062321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 28 16:01:42 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.692	152	36663	20.000	ng	-0.01
21) Naphthalene-d8	7.975	136	134458	20.000	ng	#-0.01
39) Acenaphthene-d10	9.727	164	82623	20.000	ng	-0.01
64) Phenanthrene-d10	11.210	188	155878	20.000	ng	-0.02
76) Chrysene-d12	13.857	240	100219	20.000	ng	-0.01
86) Perylene-d12	15.280	264	71049	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.316	112	166449	71.400	ng	-0.01
7) Phenol-d6	6.339	99	210971	69.310	ng	-0.02
23) Nitrobenzene-d5	7.257	82	153704	47.397	ng	-0.02
42) 2,4,6-Tribromophenol	10.516	330	67593	68.474	ng	-0.02
45) 2-Fluorobiphenyl	9.051	172	323377	47.945	ng	-0.02
79) Terphenyl-d14	12.798	244	384033	57.394	ng	-0.01
Target Compounds						
50) Dimethylphthalate	9.451	163	61010	9.366	ng	# 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062821\
Data File : BF124478.D
Acq On : 28 Jun 2021 20:19
Operator : JU/CG
Sample : M2856-08
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-04-COMP

Quant Time: Jun 29 05:12:33 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF062321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 28 16:01:42 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.692 min Scan# 783
Delta R.T. -0.012 min
Lab File: BF124478.D
Acq: 28 Jun 2021 20:19




Instrument :
BNA_F
ClientSampleId :
SB-04-COMP


Tgt Ion:152 Resp: 36663
Ion Ratio Lower Upper
152 100
150 135.5 127.0 190.6
115 57.8 54.3 81.5



#5
2-Fluorophenol
Concen: 71.400 ng
RT: 5.316 min Scan# 549
Delta R.T. -0.012 min
Lab File: BF124478.D
Acq: 28 Jun 2021 20:19

Tgt Ion:112 Resp: 166449
Ion Ratio Lower Upper
112 100
64 67.0 61.4 92.0
63 39.6 33.0 49.4









#7
Phenol-d6
Concen: 69.310 ng
RT: 6.339 min Scan# 723
Delta R.T. -0.024 min
Lab File: BF124478.D
Acq: 28 Jun 2021 20:19




Instrument :
BNA_F
ClientSampleId :
SB-04-COMP


Tgt Ion: 99 Resp: 210971
Ion Ratio Lower Upper
99 100
42 17.7 19.8 29.8#
71 45.4 31.1 46.7



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 7.975 min Scan# 1001
Delta R.T. -0.012 min
Lab File: BF124478.D
Acq: 28 Jun 2021 20:19

Tgt Ion: 136 Resp: 134458
Ion Ratio Lower Upper
136 100
137 9.7 8.7 13.1
54 8.8 9.8 14.6#
68 4.6 4.1 6.1









#23
Nitrobenzene-d5
Concen: 47.397 ng
RT: 7.257 min Scan# 879
Delta R.T. -0.024 min
Lab File: BF124478.D
Acq: 28 Jun 2021 20:19




Instrument :
BNA_F
ClientSampleId :
SB-04-COMP


Tgt Ion: 82 Resp: 153704
Ion Ratio Lower Upper
82 100
128 37.5 29.4 44.2
54 56.9 54.1 81.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.727 min Scan# 1299
Delta R.T. -0.012 min
Lab File: BF124478.D
Acq: 28 Jun 2021 20:19

Tgt Ion:164 Resp: 82623
Ion Ratio Lower Upper
164 100
162 105.2 80.7 121.1
160 40.4 37.3 55.9









#42
2,4,6-Tribromophenol
Concen: 68.474 ng
RT: 10.516 min Scan# 1433
Delta R.T. -0.018 min
Lab File: BF124478.D
Acq: 28 Jun 2021 20:19




Instrument :
BNA_F
ClientSampleId :
SB-04-COMP


Tgt Ion: 330 Resp: 67593
Ion Ratio Lower Upper
330 100
332 100.2 77.1 115.7
141 35.4 27.9 41.9



#45
2-Fluorobiphenyl
Concen: 47.945 ng
RT: 9.051 min Scan# 1184
Delta R.T. -0.018 min
Lab File: BF124478.D
Acq: 28 Jun 2021 20:19

Tgt Ion: 172 Resp: 323377
Ion Ratio Lower Upper
172 100
171 34.9 28.1 42.1
170 22.6 19.2 28.8









#50
Dimethylphthalate
Concen: 9.366 ng
RT: 9.451 min Scan# 1252
Delta R.T. -0.024 min
Lab File: BF124478.D
Acq: 28 Jun 2021 20:19




Instrument :
BNA_F
ClientSampleId :
SB-04-COMP


Tgt Ion:163 Resp: 61010
Ion Ratio Lower Upper
163 100
194 4.5 3.1 4.7
164 7.8 8.2 12.2#



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.210 min Scan# 1551
Delta R.T. -0.018 min
Lab File: BF124478.D
Acq: 28 Jun 2021 20:19

Tgt Ion:188 Resp: 155878
Ion Ratio Lower Upper
188 100
94 8.5 6.9 10.3
80 8.5 8.2 12.2









#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.857 min Scan# 2001
Delta R.T. -0.012 min
Lab File: BF124478.D
Acq: 28 Jun 2021 20:19




Instrument :
BNA_F
ClientSampleId :
SB-04-COMP


Tgt Ion:240 Resp: 100219
Ion Ratio Lower Upper
240 100
120 8.0 7.2 10.8
236 26.9 19.0 28.4



#79
Terphenyl-d14
Concen: 57.394 ng
RT: 12.798 min Scan# 1821
Delta R.T. -0.012 min
Lab File: BF124478.D
Acq: 28 Jun 2021 20:19

Tgt Ion:244 Resp: 384033
Ion Ratio Lower Upper
244 100
212 6.9 5.7 8.5
122 8.5 9.7 14.5#





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.280 min Scan# 2243
 Delta R.T. -0.012 min
 Lab File: BF124478.D
 Acq: 28 Jun 2021 20:19

Instrument :
 BNA_F
 ClientSampleId :
 SB-04-COMP

Tgt Ion:264 Resp: 71049
 Ion Ratio Lower Upper
 264 100
 260 20.2 18.7 28.1
 265 24.1 17.8 26.8

