

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF062915\
 Data File : BF080208.D
 Acq On : 29 Jun 2015 16:10
 Operator : TP/IZ
 Sample : PB84267BL
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB84267BL

Quant Time: Jun 30 02:36:52 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF061715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 23 00:53:56 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.29	152	36073	20.00	ng	-0.03
21) Naphthalene-d8	8.58	136	139437	20.00	ng	-0.03
38) Acenaphthene-d10	10.36	164	70262	20.00	ng	-0.03
63) Phenanthrene-d10	11.90	188	144162	20.00	ng	-0.01
75) Chrysene-d12	15.11	240	155713	20.00	ng	0.11
86) Perylene-d12	17.15	264	157914	20.00	ng	0.22
System Monitoring Compounds						
5) 2-Fluorophenol	5.91	112	217514	106.74	ng	-0.02
7) Phenol-d6	6.90	99	277159	102.21	ng	-0.02
23) Nitrobenzene-d5	7.85	82	171612	71.65	ng	-0.02
41) 2,4,6-Tribromophenol	11.16	330	66481	96.76	ng	-0.02
44) 2-Fluorobiphenyl	9.66	172	326932	66.36	ng	-0.03
78) Terphenyl-d14	13.72	244	414143	62.12	ng	0.05


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF062915\
Data File : BF080208.D
Acq On : 29 Jun 2015 16:10
Operator : TP/IZ
Sample : PB84267BL
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB84267BL

Quant Time: Jun 30 02:36:52 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF061715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 23 00:53:56 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.29 min Scan# 368

Delta R.T. -0.03 min

Lab File: BF080208.D

Acq: 29 Jun 2015 16:10

Instrument :

BNA_F

ClientSampleId :

PB84267BL


Tgt Ion:152 Resp: 36073

Ion Ratio Lower Upper

152 100

150 159.5 124.7 187.1




115 63.6 39.0 58.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 106.74 ng

RT: 5.91 min Scan# 247

Delta R.T. -0.02 min

Lab File: BF080208.D

Acq: 29 Jun 2015 16:10


Tgt Ion:112 Resp: 217514

Ion Ratio Lower Upper

112 100

64 48.5 39.7 59.5



63 24.0 17.4 26.0



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 102.21 ng

RT: 6.90 min Scan# 334

Delta R.T. -0.02 min

Lab File: BF080208.D

Acq: 29 Jun 2015 16:10

Instrument :

BNA_F

ClientSampleId :

PB84267BL


Tgt Ion: 99 Resp: 277159

Ion Ratio Lower Upper

99 100

42 13.1 13.7 20.5#




71 26.8 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.58 min Scan# 481

Delta R.T. -0.03 min

Lab File: BF080208.D

Acq: 29 Jun 2015 16:10

Tgt Ion: 136 Resp: 139437


Ion Ratio Lower Upper

136 100

137 10.8 9.0 13.6

54 10.3 8.2 12.2

68 7.0 5.8 8.6





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 71.65 ng
 RT: 7.85 min Scan# 417
 Delta R.T. -0.02 min
 Lab File: BF080208.D
 Acq: 29 Jun 2015 16:10

Instrument :
 BNA_F
 ClientSampleId :
 PB84267BL

Tgt Ion: 82 Resp: 171612
 Ion Ratio Lower Upper
 82 100
 128 43.7 51.0 76.6#
 54 49.9 47.5 71.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.36 min Scan# 636
 Delta R.T. -0.03 min
 Lab File: BF080208.D
 Acq: 29 Jun 2015 16:10

Tgt Ion: 164 Resp: 70262
 Ion Ratio Lower Upper
 164 100
 162 101.2 75.2 112.8
 160 45.2 31.5 47.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E








#41
 2,4,6-Tribromophenol
 Concen: 96.76 ng
 RT: 11.16 min Scan# 706
 Delta R.T. -0.02 min
 Lab File: BF080208.D
 Acq: 29 Jun 2015 16:10

Instrument :
 BNA_F
 ClientSampleId :
 PB84267BL

Tgt Ion:330 Resp: 66481
 Ion Ratio Lower Upper
 330 100
 332 95.2 76.6 114.8
 141 36.8 29.7 44.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 66.36 ng
 RT: 9.66 min Scan# 575
 Delta R.T. -0.03 min
 Lab File: BF080208.D
 Acq: 29 Jun 2015 16:10

Tgt Ion:172 Resp: 326932
 Ion Ratio Lower Upper
 172 100
 171 34.9 26.1 39.1
 170 23.4 17.4 26.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.90 min Scan# 771
Delta R.T. -0.01 min
Lab File: BF080208.D
Acq: 29 Jun 2015 16:10

Instrument :
BNA_F
ClientSampleId :
PB84267BL

Tgt Ion:188 Resp: 144162
Ion Ratio Lower Upper
188 100
94 6.8 11.1 16.7#
80 6.7 11.0 16.4#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 15.11 min Scan# 1052
Delta R.T. 0.11 min
Lab File: BF080208.D
Acq: 29 Jun 2015 16:10

Tgt Ion:240 Resp: 155713
Ion Ratio Lower Upper
240 100
120 13.5 16.2 24.2#
236 25.5 18.4 27.6



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 62.12 ng
 RT: 13.72 min Scan# 930
 Delta R.T. 0.05 min
 Lab File: BF080208.D
 Acq: 29 Jun 2015 16:10

Instrument :
 BNA_F
 ClientSampleId :
 PB84267BL

Tgt Ion:244 Resp: 414143
 Ion Ratio Lower Upper
 244 100
 212 6.9 4.3 6.5#
 122 11.4 17.4 26.2#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 17.15 min Scan# 1230
 Delta R.T. 0.22 min
 Lab File: BF080208.D
 Acq: 29 Jun 2015 16:10

Tgt Ion:264 Resp: 157914
 Ion Ratio Lower Upper
 264 100
 260 23.7 16.7 25.1
 265 21.7 17.2 25.8

