

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF062915\
 Data File : BF080215.D
 Acq On : 29 Jun 2015 19:32
 Operator : TP/IZ
 Sample : G2829-01
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 DUP-01

Quant Time: Jun 30 04:02:01 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF061715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 23 00:53:56 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.29	152	30974	20.00	ng	-0.03
21) Naphthalene-d8	8.58	136	121719	20.00	ng	-0.03
38) Acenaphthene-d10	10.36	164	61068	20.00	ng	-0.03
63) Phenanthrene-d10	11.86	188	119381	20.00	ng	-0.05
75) Chrysene-d12	14.79	240	133749	20.00	ng	-0.21
86) Perylene-d12	16.63	264	133275	20.00	ng	-0.30
System Monitoring Compounds						
5) 2-Fluorophenol	5.90	112	126409	72.24	ng	-0.03
7) Phenol-d6	6.89	99	101112	43.42	ng	-0.03
23) Nitrobenzene-d5	7.85	82	219124	104.80	ng	-0.02
41) 2,4,6-Tribromophenol	11.16	330	92673	155.19	ng	-0.02
44) 2-Fluorobiphenyl	9.66	172	440565	102.88	ng	-0.03
78) Terphenyl-d14	13.53	244	557261	97.31	ng	-0.14


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF062915\
Data File : BF080215.D
Acq On : 29 Jun 2015 19:32
Operator : TP/IZ
Sample : G2829-01
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DUP-01

Quant Time: Jun 30 04:02:01 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF061715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 23 00:53:56 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.29 min Scan# 368

Delta R.T. -0.03 min

Lab File: BF080215.D

Acq: 29 Jun 2015 19:32

Instrument :

BNA_F

ClientSampleId :

DUP-01


Tgt Ion:152 Resp: 30974

Ion Ratio Lower Upper

152 100

150 157.3 124.7 187.1




115 62.6 39.0 58.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 72.24 ng

RT: 5.90 min Scan# 246

Delta R.T. -0.03 min

Lab File: BF080215.D

Acq: 29 Jun 2015 19:32


Tgt Ion:112 Resp: 126409

Ion Ratio Lower Upper

112 100

64 67.0 39.7 59.5#



63 33.4 17.4 26.0#



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 43.42 ng

RT: 6.89 min Scan# 333

Delta R.T. -0.03 min

Lab File: BF080215.D

Acq: 29 Jun 2015 19:32

Instrument :

BNA_F

ClientSampleId :

DUP-01


Tgt Ion: 99 Resp: 101112

Ion Ratio Lower Upper

99 100

42 21.3 13.7 20.5#




71 35.0 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.58 min Scan# 481

Delta R.T. -0.03 min

Lab File: BF080215.D

Acq: 29 Jun 2015 19:32

Tgt Ion: 136 Resp: 121719


Ion Ratio Lower Upper

136 100

137 11.0 9.0 13.6

54 8.8 8.2 12.2

68 6.8 5.8 8.6






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0





#23

Nitrobenzene-d5

Concen: 104.80 ng

RT: 7.85 min Scan# 417

Delta R.T. -0.02 min

Lab File: BF080215.D

Acq: 29 Jun 2015 19:32

Instrument :

BNA_F

ClientSampleId :

DUP-01


Tgt Ion: 82 Resp: 219124

Ion Ratio Lower Upper




82 100

128 45.3 51.0 76.6#

54 48.7 47.5 71.3



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): B
Ion 54.00 (53.70 to 54.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 10.36 min Scan# 636

Delta R.T. -0.03 min

Lab File: BF080215.D

Acq: 29 Jun 2015 19:32


Tgt Ion:164 Resp: 61068

Ion Ratio Lower Upper



164 100

162 100.6 75.2 112.8

160 45.6 31.5 47.3



Abundance Ion 164.00 (163.70 to 164.70): B
Ion 162.00 (161.70 to 162.70): B
Ion 160.00 (159.70 to 160.70): B








#41
 2,4,6-Tribromophenol
 Concen: 155.19 ng
 RT: 11.16 min Scan# 706
 Delta R.T. -0.02 min
 Lab File: BF080215.D
 Acq: 29 Jun 2015 19:32

Instrument :
 BNA_F
 ClientSampleId :
 DUP-01

Tgt Ion:330 Resp: 92673
 Ion Ratio Lower Upper
 330 100
 332 98.1 76.6 114.8
 141 36.1 29.7 44.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 102.88 ng
 RT: 9.66 min Scan# 575
 Delta R.T. -0.03 min
 Lab File: BF080215.D
 Acq: 29 Jun 2015 19:32

Tgt Ion:172 Resp: 440565
 Ion Ratio Lower Upper
 172 100
 171 36.0 26.1 39.1
 170 23.9 17.4 26.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.86 min Scan# 768
Delta R.T. -0.05 min
Lab File: BF080215.D
Acq: 29 Jun 2015 19:32

Instrument :
BNA_F
ClientSampleID :
DUP-01

Tgt Ion:188 Resp: 119381
Ion Ratio Lower Upper
188 100
94 6.2 11.1 16.7#
80 6.8 11.0 16.4#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.79 min Scan# 1024
Delta R.T. -0.21 min
Lab File: BF080215.D
Acq: 29 Jun 2015 19:32

Tgt Ion:240 Resp: 133749
Ion Ratio Lower Upper
240 100
120 7.5 16.2 24.2#
236 25.5 18.4 27.6



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 97.31 ng
 RT: 13.53 min Scan# 914
 Delta R.T. -0.14 min
 Lab File: BF080215.D
 Acq: 29 Jun 2015 19:32

Instrument :
 BNA_F
 ClientSampleId :
 DUP-01

Tgt Ion:244 Resp: 557261
 Ion Ratio Lower Upper
 244 100
 212 7.3 4.3 6.5#
 122 11.5 17.4 26.2#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 16.63 min Scan# 1185
 Delta R.T. -0.30 min
 Lab File: BF080215.D
 Acq: 29 Jun 2015 19:32

Tgt Ion:264 Resp: 133275
 Ion Ratio Lower Upper
 264 100
 260 23.0 16.7 25.1
 265 21.9 17.2 25.8

