

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062916\
 Data File : BF088514.D
 Acq On : 30 Jun 2016 2:22
 Operator : UM/SJ
 Sample : H3829-01
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TILCON-GF-010

Quant Time: Jun 30 03:23:10 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF062916.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 30 02:07:38 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.82	152	131480	20.00	ng	0.00
21) Naphthalene-d8	8.10	136	451508	20.00	ng	-0.01
38) Acenaphthene-d10	9.85	164	176259	20.00	ng	-0.01
63) Phenanthrene-d10	11.32	188	262716	20.00	ng	-0.01
75) Chrysene-d12	13.95	240	262664	20.00	ng	-0.01
86) Perylene-d12	15.36	264	298274	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.42	112	641504	75.56	ng	0.00
7) Phenol-d6	6.44	99	762468	70.23	ng	-0.01
23) Nitrobenzene-d5	7.38	82	524241	60.98	ng	-0.01
41) 2,4,6-Tribromophenol	10.64	330	95069	70.35	ng	0.00
44) 2-Fluorobiphenyl	9.18	172	721733	60.46	ng	-0.01
78) Terphenyl-d14	12.91	244	514217	36.33	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062916\
Data File : BF088514.D
Acq On : 30 Jun 2016 2:22
Operator : UM/SJ
Sample : H3829-01
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TILCON-GF-010

Quant Time: Jun 30 03:23:10 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF062916.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 30 02:07:38 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.82 min Scan# 458

Delta R.T. -0.00 min

Lab File: BF088514.D

Acq: 30 Jun 2016 2:22

Instrument :

BNA_F

ClientSampleId :

TILCON-GF-010


Tot Ion:152 Resp: 131480

Ion Ratio Lower Upper

152 100

150 158.4 124.5 186.7




115 62.8 52.3 78.5



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 75.56 ng

RT: 5.42 min Scan# 335

Delta R.T. -0.00 min

Lab File: BF088514.D

Acq: 30 Jun 2016 2:22


Tgt Ion:112 Resp: 641504

Ion Ratio Lower Upper

112 100

64 55.2 41.5 62.3



63 28.1 20.6 31.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 70.23 ng

RT: 6.44 min Scan# 425

Delta R.T. -0.01 min

Lab File: BF088514.D

Acq: 30 Jun 2016 2:22

Instrument :

BNA_F

ClientSampled :

TILCON-GF-010


Tot Ion: 99 Resp: 762468

Ion Ratio Lower Upper

99 100

42 18.6 13.4 20.0




71 34.5 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.10 min Scan# 570

Delta R.T. -0.01 min

Lab File: BF088514.D

Acq: 30 Jun 2016 2:22

Tgt Ion: 136 Resp: 451508


Ion Ratio Lower Upper

136 100

137 11.2 8.5 12.7

54 9.9 5.4 8.2#

68 8.3 4.9 7.3#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 60.98 ng
 RT: 7.38 min Scan# 507
 Delta R.T. -0.01 min
 Lab File: BF088514.D
 Acq: 30 Jun 2016 2:22

Instrument :
 BNA_F
 ClientSampleId :
 TILCON-GF-010

Tot Ion	82	Resp	524241
Ion Ratio	Lower	Upper	
82	100		
128	41.5	35.8	53.8
54	48.9	37.1	55.7




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.85 min Scan# 723
 Delta R.T. -0.01 min
 Lab File: BF088514.D
 Acq: 30 Jun 2016 2:22

Tgt Ion	164	Resp	176259
Ion Ratio	Lower	Upper	
164	100		
162	104.7	83.7	125.5
160	46.8	38.9	58.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 70.35 ng
 RT: 10.64 min Scan# 792
 Delta R.T. -0.00 min
 Lab File: BF088514.D
 Acq: 30 Jun 2016 2:22

Instrument :
 BNA_F
 ClientSampleId :
 TILCON-GF-010

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.9	0.0	0.0#
141	38.7	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 60.46 ng
 RT: 9.18 min Scan# 664
 Delta R.T. -0.01 min
 Lab File: BF088514.D
 Acq: 30 Jun 2016 2:22

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.7	29.3	43.9
170	23.8	19.8	29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.32 min Scan# 852
Delta R.T. -0.01 min
Lab File: BF088514.D
Acq: 30 Jun 2016 2:22

Instrument :
BNA_F
ClientSampleId :
TILCON-GF-010

Tot Ion:188 Resp: 262716
Ion Ratio Lower Upper
188 100
94 14.8 7.8 11.8#
80 17.3 8.7 13.1#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.95 min Scan# 1082
Delta R.T. -0.01 min
Lab File: BF088514.D
Acq: 30 Jun 2016 2:22

Tgt Ion:240 Resp: 262664
Ion Ratio Lower Upper
240 100
120 15.5 7.1 10.7#
236 26.3 20.3 30.5



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 36.33 ng
 RT: 12.91 min Scan# 991
 Delta R.T. 0.00 min
 Lab File: BF088514.D
 Acq: 30 Jun 2016 2:22

Instrument :
 BNA_F
 ClientSampleId :
 TILCON-GF-010

Tot Ion:244 Resp: 514217
 Ion Ratio Lower Upper
 244 100
 212 7.6 6.5 9.7
 122 14.7 14.8 22.2#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.36 min Scan# 1205
 Delta R.T. -0.00 min
 Lab File: BF088514.D
 Acq: 30 Jun 2016 2:22

Tgt Ion:264 Resp: 298274
 Ion Ratio Lower Upper
 264 100
 260 24.4 19.3 28.9
 265 21.4 17.1 25.7

