

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062917\
 Data File : BF096305.D
 Acq On : 29 Jun 2017 21:30
 Operator : SJ/MA
 Sample : I3882-04 5X
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 G46-1.5-3

Quant Time: Jun 30 03:00:12 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF062717.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 28 15:41:49 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.77	152	181400	20.00	ng	-0.01
21) Naphthalene-d8	8.05	136	716122	20.00	ng	0.00
38) Acenaphthene-d10	9.80	164	260790	20.00	ng	0.00
63) Phenanthrene-d10	11.29	188	366582	20.00	ng	0.00
75) Chrysene-d12	13.92	240	352075	20.00	ng	0.00
86) Perylene-d12	15.34	264	272371	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.37	112	206209	16.38	ng	0.00
7) Phenol-d6	6.39	99	253398	16.62	ng	0.00
23) Nitrobenzene-d5	7.32	82	130603	12.63	ng	-0.04
41) 2,4,6-Tribromophenol	10.59	330	36508	17.79	ng	0.00
44) 2-Fluorobiphenyl	9.13	172	234507	16.47	ng	-0.02
78) Terphenyl-d14	12.87	244	142068	10.07	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF062917\
Data File : BF096305.D
Acq On : 29 Jun 2017 21:30
Operator : SJ/MA
Sample : I3882-04 5X
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
G46-1.5-3

Quant Time: Jun 30 03:00:12 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF062717.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 28 15:41:49 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.77 min Scan# 796

Delta R.T. -0.01 min

Lab File: BF096305.D

Acq: 29 Jun 2017 21:30

Instrument :

BNA_F

ClientSampleId :

G46-1.5-3


Tot Ion:152 Resp: 181400

Ion Ratio Lower Upper

152 100

150 162.6 126.2 189.2




115 69.3 52.2 78.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 16.38 ng

RT: 5.37 min Scan# 559

Delta R.T. -0.01 min

Lab File: BF096305.D

Acq: 29 Jun 2017 21:30


Tgt Ion:112 Resp: 206209

Ion Ratio Lower Upper

112 100

64 65.0 46.0 69.0



63 30.9 23.4 35.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 16.62 ng

RT: 6.39 min Scan# 732

Delta R.T. -0.00 min

Lab File: BF096305.D

Acq: 29 Jun 2017 21:30

Instrument :





BNA_F

ClientSampled :

G46-1.5-3

Tot Ion: 99 Resp: 253398

Ion	Ratio	Lower	Upper
99	100		
42	20.7	13.5	20.3#
71	26.9	24.5	36.7



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.05 min Scan# 1014




Delta R.T. -0.01 min


Lab File: BF096305.D

Acq: 29 Jun 2017 21:30

Tgt Ion: 136 Resp: 716122

Ion	Ratio	Lower	Upper
136	100		
137	11.3	8.5	12.7
54	11.7	4.9	7.3#
68	7.2	4.1	6.1#









#23
 Nitrobenzene-d5
 Concen: 12.63 ng
 RT: 7.32 min Scan# 890
 Delta R.T. -0.04 min
 Lab File: BF096305.D
 Acq: 29 Jun 2017 21:30




Instrument :
 BNA_F
 ClientSampleId :
 G46-1.5-3


Tot Ion: 82 Resp: 130603
 Ion Ratio Lower Upper
 82 100
 128 44.3 34.0 51.0
 54 63.9 42.2 63.2#



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.80 min Scan# 1312
 Delta R.T. -0.01 min
 Lab File: BF096305.D
 Acq: 29 Jun 2017 21:30

Tgt Ion:164 Resp: 260790
 Ion Ratio Lower Upper
 164 100
 162 102.4 82.6 123.8
 160 43.9 36.2 54.2









#41
 2,4,6-Tribromophenol
 Concen: 17.79 ng
 RT: 10.59 min Scan# 1445
 Delta R.T. -0.01 min
 Lab File: BF096305.D
 Acq: 29 Jun 2017 21:30




Instrument :
 BNA_F
 ClientSampleId :
 G46-1.5-3


Tot Ion:330 Resp: 36508
 Ion Ratio Lower Upper
 330 100
 332 94.7 76.6 115.0
 141 32.2 31.4 47.2



#44
 2-Fluorobiphenyl
 Concen: 16.47 ng
 RT: 9.13 min Scan# 1197
 Delta R.T. -0.02 min
 Lab File: BF096305.D
 Acq: 29 Jun 2017 21:30

Tgt Ion:172 Resp: 234507
 Ion Ratio Lower Upper
 172 100
 171 36.3 29.6 44.4
 170 23.6 19.8 29.8





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.29 min Scan# 1564

Delta R.T. -0.00 min

Lab File: BF096305.D

Acq: 29 Jun 2017 21:30

Instrument :

BNA_F

ClientSampleId :

G46-1.5-3


Tot Ion:188 Resp: 366582

Ion Ratio Lower Upper

188 100

94 12.3 9.4 14.2

80 12.3 10.2 15.2




Abundance Ion 188.00 (187.70 to 188.70): E


Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0

Time-->



Time-->



#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.92 min Scan# 2011

Delta R.T. -0.00 min

Lab File: BF096305.D

Acq: 29 Jun 2017 21:30


Tgt Ion:240 Resp: 352075

Ion Ratio Lower Upper

240 100

120 15.9 5.8 8.8#

236 22.6 20.5 30.7




Abundance Ion 240.00 (239.70 to 240.70): E


Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E

Time-->



Time-->



#78

Terphenyl-d14

Concen: 10.07 ng

RT: 12.87 min Scan# 1833

Delta R.T. -0.00 min

Lab File: BF096305.D

Acq: 29 Jun 2017 21:30

Instrument :

BNA_F

ClientSampleId :

G46-1.5-3


Tot Ion:244 Resp: 142068

Ion Ratio Lower Upper

244 100

212 5.6 6.0 9.0#




122 14.2 10.3 15.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.34 min Scan# 2254

Delta R.T. 0.01 min

Lab File: BF096305.D

Acq: 29 Jun 2017 21:30


Tgt Ion:264 Resp: 272371

Ion Ratio Lower Upper

264 100

260 23.7 19.5 29.3

265 21.4 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

