

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF063015\
 Data File : BF080236.D
 Acq On : 30 Jun 2015 15:10
 Operator : TP/IZ
 Sample : PB84270BL
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB84270BL

Quant Time: Jul 01 02:14:53 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF061715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 23 00:53:56 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.28	152	32954	20.00	ng	-0.05
21) Naphthalene-d8	8.57	136	131994	20.00	ng	-0.05
38) Acenaphthene-d10	10.34	164	66620	20.00	ng	-0.05
63) Phenanthrene-d10	11.85	188	141295	20.00	ng	-0.06
75) Chrysene-d12	14.87	240	147679	20.00	ng	-0.13
86) Perylene-d12	16.77	264	143092	20.00	ng	-0.16
System Monitoring Compounds						
5) 2-Fluorophenol	5.90	112	155382	83.47	ng	-0.03
7) Phenol-d6	6.89	99	191970	77.49	ng	-0.03
23) Nitrobenzene-d5	7.84	82	179366	79.11	ng	-0.03
41) 2,4,6-Tribromophenol	11.14	330	47421	72.79	ng	-0.03
44) 2-Fluorobiphenyl	9.65	172	346318	74.13	ng	-0.05
78) Terphenyl-d14	13.57	244	436598	69.05	ng	-0.10


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF063015\
Data File : BF080236.D
Acq On : 30 Jun 2015 15:10
Operator : TP/IZ
Sample : PB84270BL
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB84270BL

Quant Time: Jul 01 02:14:53 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF061715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 23 00:53:56 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.28 min Scan# 367

Delta R.T. -0.05 min

Lab File: BF080236.D

Acq: 30 Jun 2015 15:10

Instrument :

BNA_F

ClientSampleId :

PB84270BL


Tgt Ion:152 Resp: 32954

Ion Ratio Lower Upper

152 100

150 158.9 124.7 187.1




115 64.5 39.0 58.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 83.47 ng

RT: 5.90 min Scan# 246

Delta R.T. -0.03 min

Lab File: BF080236.D

Acq: 30 Jun 2015 15:10


Tgt Ion:112 Resp: 155382

Ion Ratio Lower Upper

112 100

64 50.6 39.7 59.5



63 25.2 17.4 26.0



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 77.49 ng

RT: 6.89 min Scan# 333

Delta R.T. -0.03 min

Lab File: BF080236.D

Acq: 30 Jun 2015 15:10

Instrument :

BNA_F

ClientSampleId :

PB84270BL


Tgt Ion: 99 Resp: 191970

Ion Ratio Lower Upper

99 100

42 13.8 13.7 20.5




71 27.7 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.57 min Scan# 480

Delta R.T. -0.05 min

Lab File: BF080236.D

Acq: 30 Jun 2015 15:10

Tgt Ion: 136 Resp: 131994


Ion Ratio Lower Upper

136 100

137 11.1 9.0 13.6

54 9.5 8.2 12.2

68 7.0 5.8 8.6





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 79.11 ng
 RT: 7.84 min Scan# 416
 Delta R.T. -0.03 min
 Lab File: BF080236.D
 Acq: 30 Jun 2015 15:10




Instrument :
 BNA_F
 ClientSampleId :
 PB84270BL

Tgt Ion: 82 Resp: 179366
 Ion Ratio Lower Upper
 82 100
 128 44.8 51.0 76.6#
 54 48.8 47.5 71.3



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.34 min Scan# 635
 Delta R.T. -0.05 min
 Lab File: BF080236.D
 Acq: 30 Jun 2015 15:10

Tgt Ion: 164 Resp: 66620
 Ion Ratio Lower Upper
 164 100
 162 102.0 75.2 112.8
 160 45.2 31.5 47.3








#41
 2,4,6-Tribromophenol
 Concen: 72.79 ng
 RT: 11.14 min Scan# 705
 Delta R.T. -0.03 min
 Lab File: BF080236.D
 Acq: 30 Jun 2015 15:10

Instrument :
 BNA_F
 ClientSampleId :
 PB84270BL

Tgt Ion:330 Resp: 47421
 Ion Ratio Lower Upper
 330 100
 332 97.3 76.6 114.8
 141 36.0 29.7 44.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 74.13 ng
 RT: 9.65 min Scan# 574
 Delta R.T. -0.05 min
 Lab File: BF080236.D
 Acq: 30 Jun 2015 15:10

Tgt Ion:172 Resp: 346318
 Ion Ratio Lower Upper
 172 100
 171 35.2 26.1 39.1
 170 23.6 17.4 26.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.85 min Scan# 767
 Delta R.T. -0.06 min
 Lab File: BF080236.D
 Acq: 30 Jun 2015 15:10




Instrument :
 BNA_F
 ClientSampleId :
 PB84270BL


Tgt Ion:188 Resp: 141295
 Ion Ratio Lower Upper
 188 100
 94 9.9 11.1 16.7#
 80 10.8 11.0 16.4#



#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 14.87 min Scan# 1031
 Delta R.T. -0.13 min
 Lab File: BF080236.D
 Acq: 30 Jun 2015 15:10

Tgt Ion:240 Resp: 147679
 Ion Ratio Lower Upper
 240 100
 120 7.6 16.2 24.2#
 236 25.1 18.4 27.6









#78
 Terphenyl-d14
 Concen: 69.05 ng
 RT: 13.57 min Scan# 917
 Delta R.T. -0.10 min
 Lab File: BF080236.D
 Acq: 30 Jun 2015 15:10

Instrument :
 BNA_F
 ClientSampleId :
 PB84270BL

Tgt Ion:244 Resp: 436598
 Ion Ratio Lower Upper
 244 100
 212 7.2 4.3 6.5#
 122 11.7 17.4 26.2#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 16.77 min Scan# 1197
 Delta R.T. -0.16 min
 Lab File: BF080236.D
 Acq: 30 Jun 2015 15:10

Tgt Ion:264 Resp: 143092
 Ion Ratio Lower Upper
 264 100
 260 23.6 16.7 25.1
 265 20.8 17.2 25.8

