

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF063016\
 Data File : BF088543.D
 Acq On : 30 Jun 2016 21:56
 Operator : UM/SJ
 Sample : PB91726BS
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB91726BS

Manual Integrations

APPROVED
 SOHIL
 7/1/2016 8:05:20 AM

Quant Time: Jul 01 02:10:11 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF063016.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 30 18:01:55 2016
 Response via : Initial Calibration

7/1/2016 8:05:20 AM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.81	152	132345	20.00	ng	0.00
21) Naphthalene-d8	8.10	136	574513	20.00	ng	0.00
38) Acenaphthene-d10	9.85	164	263756	20.00	ng	0.00
63) Phenanthrene-d10	11.32	188	476796	20.00	ng	0.00
75) Chrysene-d12	13.95	240	362032	20.00	ng	0.00
86) Perylene-d12	15.35	264	355552	20.00	ng	0.00

System Monitoring Compounds

5) 2-Fluorophenol	5.42	112	1047084	118.57	ng	0.01
7) Phenol-d6	6.44	99	1341802	117.60	ng	0.00
23) Nitrobenzene-d5	7.38	82	921198	84.03	ng	0.00
41) 2,4,6-Tribromophenol	10.64	330	304871	124.48	ng	0.00
44) 2-Fluorobiphenyl	9.18	172	1213162	72.65	ng	0.00
78) Terphenyl-d14	12.91	244	1149747	70.74	ng	0.00

Target Compounds

						Qvalue
2) 1,4-Dioxane	2.48	88	140418	32.07	ng	# 29
3) Pyridine	3.16	79	218919	17.23	ng	94
4) n-Nitrosodimethylamine	3.11	42	98719	20.34	ng	93
6) Aniline	6.47	93	276384	16.62	ng	# 87
8) 2-Chlorophenol	6.59	128	188044	19.81	ng	# 81
9) Benzaldehyde	6.35	77	142116	18.39	ng	84
10) Phenol	6.46	94	206656	15.87	ng	# 68
11) bis(2-Chloroethyl)ether	6.55	93	200207	20.62	ng	98
12) 1,3-Dichlorobenzene	6.75	146	215703	20.65	ng	98
13) 1,4-Dichlorobenzene	6.83	146	226585	21.86	ng	99
14) 1,2-Dichlorobenzene	6.98	146	186094m	19.18	ng	
15) Benzyl Alcohol	6.96	79	191137	22.76	ng	98
16) 2,2'-oxybis(1-Chloropropan	7.10	45	282865	20.11	ng	95
17) 2-Methylphenol	7.07	107	180001	23.25	ng	96
18) Hexachloroethane	7.32	117	82667	20.62	ng	# 80
19) n-Nitroso-di-n-propylamine	7.23	70	172324	22.48	ng	91
20) 3+4-Methylphenols	7.22	107	223602	24.06	ng	# 79
22) Acetophenone	7.22	105	286216	20.53	ng	# 83
24) Nitrobenzene	7.39	77	223930	20.26	ng	# 80
25) Isophorone	7.63	82	416344	20.50	ng	# 93
26) 2-Nitrophenol	7.71	139	100972	22.28	ng	95
27) 2,4-Dimethylphenol	7.76	122	211071	22.36	ng	97
28) bis(2-Chloroethoxy)methane	7.85	93	265971	20.13	ng	# 95
29) 2,4-Dichlorophenol	7.95	162	175469	23.00	ng	99
30) 1,2,4-Trichlorobenzene	8.04	180	182565	21.80	ng	97
31) Naphthalene	8.12	128	615218	21.72	ng	98
32) Benzoic acid	7.85	122	109341	15.95	ng	92
33) 4-Chloroaniline	8.17	127	178264	14.15	ng	# 94
34) Hexachlorobutadiene	8.25	225	92846	20.71	ng	98
35) Caprolactam	8.51	113	58463m	22.56	ng	
36) 4-Chloro-3-methylphenol	8.65	107	204210	22.63	ng	97
37) 2-Methylnaphthalene	8.81	142	396569m	21.74	ng	
39) 1,2,4,5-Tetrachlorobenzene	8.98	216	161456	18.40	ng	# 1
40) Hexachlorocyclopentadiene	8.97	237	275625	64.01	ng	99

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF063016\
 Data File : BF088543.D
 Acq On : 30 Jun 2016 21:56
 Operator : UM/SJ
 Sample : PB91726BS
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB91726BS

Manual Integrations

SOHIL
 7/1/2016 8:05:20 AM

Quant Time: Jul 01 02:10:11 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF063016.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 30 18:01:55 2016
 Response via : Initial Calibration

7/1/2016 8:05:20 AM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
42) 2,4,6-Trichlorophenol	9.08	196	114649	19.82	ng	95
43) 2,4,5-Trichlorophenol	9.12	196	115375	23.18	ng #	84
45) 1,1'-Biphenyl	9.28	154	494236	22.63	ng	97
46) 2-Chloronaphthalene	9.30	162	380563	22.20	ng	95
47) 2-Nitroaniline	9.38	65	122084	20.06	ng #	85
48) Acenaphthylene	9.71	152	621613	22.78	ng	99
49) Dimethylphthalate	9.58	163	440707	23.45	ng	100
50) 2,6-Dinitrotoluene	9.63	165	104119	25.00	ng #	73
51) Acenaphthene	9.88	154	444521	26.58	ng	99
52) 3-Nitroaniline	9.79	138	75216	14.21	ng	83
53) 2,4-Dinitrophenol	9.91	184	135424	73.65	ng #	72
54) Dibenzofuran	10.06	168	551391	25.19	ng	94
55) 4-Nitrophenol	9.95	139	244853	60.86	ng	93
56) 2,4-Dinitrotoluene	10.03	165	142523	26.17	ng #	71
57) Fluorene	10.40	166	412016	24.43	ng	99
58) 2,3,4,6-Tetrachlorophenol	10.17	232	105030	27.28	ng #	55
59) Diethylphthalate	10.27	149	436153	23.13	ng	97
60) 4-Chlorophenyl-phenylether	10.39	204	167313	21.35	ng	91
61) 4-Nitroaniline	10.41	138	109986	21.59	ng	100
62) Azobenzene	10.55	77	512027	23.80	ng	93
64) 4,6-Dinitro-2-methylphenol	10.43	198	51680	20.27	ng	90
65) n-Nitrosodiphenylamine	10.51	169	369322	22.89	ng	100
66) 4-Bromophenyl-phenylether	10.88	248	114058	23.74	ng #	92
67) Hexachlorobenzene	10.94	284	113835	21.40	ng #	89
68) Atrazine	11.04	200	119290	23.72	ng	98
69) Pentachlorophenol	11.13	266	194305	61.73	ng	96
70) Phenanthrene	11.35	178	581126	22.30	ng	100
71) Anthracene	11.40	178	653315	25.21	ng	98
72) Carbazole	11.55	167	579512	23.76	ng	100
73) Di-n-butylphthalate	11.90	149	656715	23.15	ng	99
74) Fluoranthene	12.54	202	642324	24.31	ng	95
76) Benzidine	12.66	184	570515	31.18	ng	99
77) Pyrene	12.75	202	614772	20.03	ng	100
79) Butylbenzylphthalate	13.38	149	272706	19.92	ng #	62
80) Benzo(a)anthracene	13.94	228	536547	23.02	ng	100
81) 3,3'-Dichlorobenzidine	13.91	252	116361	13.28	ng #	97
82) Chrysene	13.98	228	462522	20.05	ng	98
83) Bis(2-ethylhexyl)phthalate	13.95	149	353312	22.60	ng #	100
84) Di-n-octyl phthalate	14.56	149	629709	23.71	ng #	100
85) Indeno(1,2,3-cd)pyrene	16.70	276	402594	22.69	ng #	100
87) Benzo(b)fluoranthene	14.96	252	515376m	23.11	ng	
88) Benzo(k)fluoranthene	14.98	252	409641m	21.10	ng	
89) Benzo(a)pyrene	15.29	252	440253	23.31	ng	99
90) Dibenzo(a,h)anthracene	16.72	278	329605	20.90	ng	97
91) Benzo(g,h,i)perylene	17.10	276	324020	19.86	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

```
Data Path : Z:\HPCHEM1\BNA_F\DATA\BF063016\  
Data File : BF088543.D  
Acq On    : 30 Jun 2016   21:56  
Operator  : UM/SJ  
Sample    : PB91726BS  
Misc      :  
ALS Vial  : 11      Sample Multiplier: 1
```


Instrument :
BNA_F
ClientSampleId :
PB91726BS


Manual Integrations

SOHIL
7/1/2016 8:05:20 AM

Quant Time: Jul 01 02:10:11 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF063016.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 30 18:01:55 2016
Response via : Initial Calibration

7/1/2016 8:05:20 AM





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.81 min Scan# 457

Delta R.T. -0.00 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56

Instrument :

BNA_F

ClientSampleId :

PB91726BS

Tgt Ion:152 Resp: 132345

Ion Ratio Lower Upper

152 100


150 158.0 123.8 185.6

115 71.8 39.6 59.4#

Manual Integrations

SOHIL APPROVED


7/1/2016 8:05:20 AM





Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



7/1/2016 8:05:20 AM



#2

1,4-Dioxane

Concen: 32.07 ng

RT: 2.48 min Scan# 78

Delta R.T. 0.09 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56


Tgt Ion: 88 Resp: 140418

Ion Ratio Lower Upper

88 100

58 73.7 0.0 0.0#



43 27.7 3.4 5.2#





Abundance Ion 88.00 (87.70 to 88.70): BF0

Ion 58.00 (57.70 to 58.70): BF0


Ion 43.00 (42.70 to 43.70): BF0





#3
 Pyridine
 Concen: 17.23 ng
 RT: 3.16 min Scan# 138
 Delta R.T. 0.08 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56

Tgt Ion	Ion	Ratio	Lower	Upper
79	100			
52	65.3	56.3	84.5	
51	31.3	27.4	41.2	



Instrument :
 BNA_F
 ClientSampleId :
 PB91726BS




Manual Integrations

APPROVED

SOHIL


7/1/2016 8:05:20 AM


7/1/2016 8:05:20 AM



#4
 n-Nitrosodimethylamine
 Concen: 20.34 ng
 RT: 3.11 min Scan# 133
 Delta R.T. 0.07 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56

Tgt Ion	Ion	Ratio	Lower	Upper
42	100			
74	145.0	108.6	163.0	
44	7.0	5.5	8.3	





#5

2-Fluorophenol

Concen: 118.57 ng

RT: 5.42 min Scan# 335

Delta R.T. 0.01 min

Lab File: BF088543.D


Acq: 30 Jun 2016 21:56

Instrument :

BNA_F

ClientSampleId :

PB91726BS



Tgt Ion: 112 Resp: 1047084

Ion Ratio Lower Upper

112 100


64 65.2 42.2 63.2#

63 33.6 21.8 32.8#

Manual Integrations

SOHIL


7/1/2016 8:05:20 AM




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0



7/1/2016 8:05:20 AM



#6

Aniline

Concen: 16.62 ng

RT: 6.47 min Scan# 427

Delta R.T. -0.01 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56


Tgt Ion: 93 Resp: 276384

Ion Ratio Lower Upper

93 100

66 45.6 29.8 44.8#



65 24.1 14.9 22.3#




Abundance Ion 93.00 (92.70 to 93.70): BF0

Ion 66.00 (65.70 to 66.70): BF0

Ion 65.00 (64.70 to 65.70): BF0





#7

Phenol-d6

Concen: 117.60 ng

RT: 6.44 min Scan# 425

Delta R.T. -0.00 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56

Instrument :

BNA_F

ClientSampleId :

PB91726BS

Tgt Ion: 99 Resp: 1341802

Ion Ratio Lower Upper

99 100


42 18.5 12.2 18.2#

71 36.0 23.4 35.0#

Manual Integrations

SOHIL


7/1/2016 8:05:20 AM





Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



7/1/2016 8:05:20 AM



#8

2-Chlorophenol

Concen: 19.81 ng

RT: 6.59 min Scan# 438

Delta R.T. -0.00 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56


Tgt Ion: 128 Resp: 188044

Ion Ratio Lower Upper

128 100

130 31.8 12.0 52.0



64 72.5 30.8 70.8#



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 130.00 (129.70 to 130.70): E

Ion 64.00 (63.70 to 64.70): BF0





#9

Benzaldehyde

Concen: 18.39 ng

RT: 6.35 min Scan# 417

Delta R.T. -0.00 min

Lab File: BF088543.D


Acq: 30 Jun 2016 21:56

Instrument :

BNA_F

ClientSampleId :

PB91726BS





Tgt Ion	Ratio	Lower	Upper
77	100		
105	94.2	90.6	130.6
106	88.6	85.3	125.3


Manual Integrations

SOHIL

7/1/2016 8:05:20 AM



7/1/2016 8:05:20 AM



#10

Phenol

Concen: 15.87 ng




RT: 6.46 min Scan# 426

Delta R.T. -0.00 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Lower	Upper
94	100		
65	36.9	5.9	45.9
66	56.5	14.0	54.0#





#11

bis(2-Chloroethyl)ether

Concen: 20.62 ng

RT: 6.55 min Scan# 434

Delta R.T. -0.01 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56

Tgt Ion:	93	Resp:	200207
Ion Ratio	Lower	Upper	
93	100		
63	86.2	67.6	107.6
95	30.7	12.5	52.5

Instrument :

BNA_F



ClientSampleId :

PB91726BS



Manual Integrations

SOHIL

7/1/2016 8:05:20 AM



7/1/2016 8:05:20 AM



#12

1,3-Dichlorobenzene

Concen: 20.65 ng




RT: 6.75 min Scan# 452


Delta R.T. -0.00 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56

Tgt Ion:	146	Resp:	215703
Ion Ratio	Lower	Upper	
146	100		
148	64.1	50.9	76.3
75	35.2	25.6	38.4





#13

1,4-Dichlorobenzene

Concen: 21.86 ng

RT: 6.83 min Scan# 459

Delta R.T. -0.00 min

Lab File: BF088543.D


Acq: 30 Jun 2016 21:56

Instrument :

BNA_F

ClientSampleId :

PB91726BS




Tgt Ion:	146	Resp:	226585
Ion Ratio	Lower	Upper	
146	100		
148	64.2	52.0	78.0
111	42.3	33.8	50.8



Manual Integrations

SOHIL

7/1/2016 8:05:20 AM



7/1/2016 8:05:20 AM



#14

1,2-Dichlorobenzene

Concen: 19.18 ng m




RT: 6.98 min Scan# 472

Delta R.T. -0.01 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56

Tgt Ion:	146	Resp:	186094
Ion Ratio	Lower	Upper	
146	100		
148	63.2	52.3	78.5
111	53.8	28.7	43.1#





#15

Benzyl Alcohol

Concen: 22.76 ng

RT: 6.96 min Scan# 470

Delta R.T. -0.00 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56

Instrument :

BNA_F

ClientSampleId :

PB91726BS

Tgt Ion: 79 Resp: 191137

Ion Ratio Lower Upper

79 100



108 77.9 65.0 97.6

77 62.3 50.3 75.5



Manual Integrations

SOHIL

7/1/2016 8:05:20 AM



7/1/2016 8:05:20 AM



#16

2,2'-oxybis(1-Chloropropane)

Concen: 20.11 ng

RT: 7.10 min Scan# 482

Delta R.T. -0.00 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56




Tgt Ion: 45 Resp: 282865

Ion Ratio Lower Upper

45 100

77 14.5 0.0 32.5

79 11.3 0.0 29.5





#17

2-Methylphenol

Concen: 23.25 ng

RT: 7.07 min Scan# 480

Delta R.T. -0.00 min

Lab File: BF088543.D


Acq: 30 Jun 2016 21:56

Instrument :

BNA_F

ClientSampleId :

PB91726BS



Tgt Ion:107 Resp: 180001

Ion Ratio Lower Upper

107 100

108 112.4 90.9 136.3


77 41.0 36.6 55.0

79 41.4 36.5 54.7

Manual Integrations

SOHIL

7/1/2016 8:05:20 AM




Abundance Ion 107.00 (106.70 to 107.70): E


Ion 108.00 (107.70 to 108.70): E

Ion 77.00 (76.70 to 77.70): BF0

Ion 79.00 (78.70 to 79.70): BF0



7/1/2016 8:05:20 AM



#18

Hexachloroethane

Concen: 20.62 ng

RT: 7.32 min Scan# 502

Delta R.T. -0.01 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56


Tgt Ion:117 Resp: 82667

Ion Ratio Lower Upper

117 100

119 94.1 77.4 116.2



201 63.7 80.4 120.6#








Abundance Ion 117.00 (116.70 to 117.70): E

Ion 119.00 (118.70 to 119.70): E

Ion 201.00 (200.70 to 201.70): E





#19

n-Nitroso-di-n-propylamine

Concen: 22.48 ng


RT: 7.23 min Scan# 494

Delta R.T. -0.00 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Lower	Upper
70	100		
42	52.0	49.6	74.4
101	9.4	7.1	10.7
130	19.8	15.4	23.2



Instrument :

BNA_F

ClientSampleId :

PB91726BS

Manual Integrations

SOHIL

7/1/2016 8:05:20 AM

7/1/2016 8:05:20 AM

#20

3+4-Methylphenols

Concen: 24.06 ng


RT: 7.22 min Scan# 493


Delta R.T. -0.00 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Lower	Upper
107	100		
108	89.6	67.8	107.8
77	120.8	59.3	99.3#
79	30.1	7.0	47.0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.10 min Scan# 570

Delta R.T. -0.00 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56

Instrument :

BNA_F

ClientSampleId :

PB91726BS

Tgt Ion:136 Resp: 574513

Ion Ratio Lower Upper

136 100

137 10.8 9.1 13.7


54 7.1 6.6 10.0

68 6.4 5.1 7.7

Manual Integrations

SOHIL

7/1/2016 8:05:20 AM





Abundance Ion 136.00 (135.70 to 136.70): E


Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



7/1/2016 8:05:20 AM



#22

Acetophenone

Concen: 20.53 ng

RT: 7.22 min Scan# 493

Delta R.T. -0.01 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56

Tgt Ion:105 Resp: 286216


Ion Ratio Lower Upper

105 100

71 4.6 5.3 7.9#

51 37.6 18.2 27.4#

120 19.4 18.0 27.0





Abundance Ion 105.00 (104.70 to 105.70): E

Ion 71.00 (70.70 to 71.70): BF0

Ion 51.00 (50.70 to 51.70): BF0

Ion 120.00 (119.70 to 120.70): E







#23
 Nitrobenzene-d5
 Concen: 84.03 ng
 RT: 7.38 min Scan# 507
 Delta R.T. -0.00 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56

Instrument :
 BNA_F
 ClientSampleId :
 PB91726BS



Tgt Ion	Ratio	Lower	Upper
82	100		
128	42.8	35.9	53.9
54	47.2	40.9	61.3

Manual Integrations

SOHIL
 7/1/2016 8:05:20 AM







7/1/2016 8:05:20 AM



#24
 Nitrobenzene
 Concen: 20.26 ng
 RT: 7.39 min Scan# 508
 Delta R.T. -0.01 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Lower	Upper
77	100		
123	38.5	45.0	67.4#
65	13.2	10.2	15.2





#25

Isophorone

Concen: 20.50 ng

RT: 7.63 min Scan# 529

Delta R.T. -0.01 min

Lab File: BF088543.D


Acq: 30 Jun 2016 21:56

Instrument :

BNA_F

ClientSampleId :

PB91726BS





Tgt Ion:	82	Resp:	416344
Ion Ratio	Lower	Upper	
82	100		
95	6.4	5.4	8.2
138	14.4	14.6	21.8#


Manual Integrations

SOHIL

7/1/2016 8:05:20 AM



7/1/2016 8:05:20 AM



#26

2-Nitrophenol

Concen: 22.28 ng




RT: 7.71 min Scan# 536


Delta R.T. -0.00 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56

Tgt Ion:	139	Resp:	100972
Ion Ratio	Lower	Upper	
139	100		
109	29.4	23.0	34.4
65	52.0	45.8	68.8







#27
2,4-Dimethylphenol
Concen: 22.36 ng
RT: 7.76 min Scan# 540
Delta R.T. -0.00 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Instrument :
BNA_F
ClientSampleId :
PB91726BS



Tgt Ion	Ratio	Lower	Upper
122	100		
107	107.4	82.4	123.6
121	58.0	46.3	69.5

Manual Integrations

SOHIL
7/1/2016 8:05:20 AM







7/1/2016 8:05:20 AM



#28
bis(2-Chloroethoxy)methane
Concen: 20.13 ng
RT: 7.85 min Scan# 548
Delta R.T. -0.01 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Lower	Upper
93	100		
95	31.4	26.5	39.7
123	10.7	11.6	17.4#






#29
 2,4-Dichlorophenol
 Concen: 23.00 ng
 RT: 7.95 min Scan# 557
 Delta R.T. -0.00 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56

Instrument :
 BNA_F
 ClientSampleId :
 PB91726BS


Tgt Ion:	162	Resp:	175469
Ion Ratio	Lower	Upper	
162	100		
164	64.8	43.8	83.8
98	41.1	21.3	61.3

Manual Integrations



SOHIL
 7/1/2016 8:05:20 AM



Abundance Ion 162.00 (161.70 to 162.70): E
 Ion 164.00 (163.70 to 164.70): E
 Ion 98.00 (97.70 to 98.70): BF0




7/1/2016 8:05:20 AM





#30
 1,2,4-Trichlorobenzene
 Concen: 21.80 ng
 RT: 8.04 min Scan# 565
 Delta R.T. -0.00 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56

Tgt Ion:	180	Resp:	182565
Ion Ratio	Lower	Upper	
180	100		
182	97.5	76.0	114.0
145	29.8	26.5	39.7



Abundance Ion 180.00 (179.70 to 180.70): E
 Ion 182.00 (181.70 to 182.70): E
 Ion 145.00 (144.70 to 145.70): E







#31
Naphthalene
Concen: 21.72 ng
RT: 8.12 min Scan# 572
Delta R.T. -0.00 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Instrument :
BNA_F
ClientSampleId :
PB91726BS



Tgt Ion	Ratio	Lower	Upper
128	100		
129	10.7	9.4	14.2
127	13.1	10.9	16.3

Manual Integrations

APPROVED
SOHIL
7/1/2016 8:05:20 AM






7/1/2016 8:05:20 AM



#32
Benzoic acid
Concen: 15.95 ng
RT: 7.85 min Scan# 548
Delta R.T. -0.02 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Lower	Upper
122	100		
105	128.4	101.6	141.6
77	100.2	70.6	110.6







#33
4-Chloroaniline
Concen: 14.15 ng
RT: 8.17 min Scan# 576
Delta R.T. -0.00 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Instrument :
BNA_F
ClientSampleId :
PB91726BS



Tgt Ion	Ratio	Resp	Lower	Upper
127	100	178264		
129	32.5	26.3	39.5	
65	24.4	24.7	37.1	
92	17.3	15.4	23.0	

Manual Integrations

SOHIL
7/1/2016 8:05:20 AM






7/1/2016 8:05:20 AM



#34
Hexachlorobutadiene
Concen: 20.71 ng
RT: 8.25 min Scan# 583
Delta R.T. -0.00 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Resp	Lower	Upper
225	100	92846		
223	61.7	50.9	76.3	
227	63.2	51.9	77.9	







#35
 Caprolactam
 Concen: 22.56 ng m
 RT: 8.51 min Scan# 606
 Delta R.T. -0.02 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56

Instrument :
 BNA_F
 ClientSampleId :
 PB91726BS



Tgt Ion:113 Resp: 58463
 Ion Ratio Lower Upper
 113 100
 55 176.8 158.6 198.6
 56 127.8 110.6 150.6

Manual Integrations

APPROVED
 SOHIL
 7/1/2016 8:05:20 AM







7/1/2016 8:05:20 AM



#36
 4-Chloro-3-methylphenol
 Concen: 22.63 ng
 RT: 8.65 min Scan# 618
 Delta R.T. -0.00 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56

Tgt Ion:107 Resp: 204210
 Ion Ratio Lower Upper
 107 100
 144 26.3 20.8 31.2
 142 82.5 63.4 95.2







#37
2-Methylnaphthalene
Concen: 21.74 ng m
RT: 8.81 min Scan# 632
Delta R.T. -0.00 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Instrument :
BNA_F
ClientSampleId :
PB91726BS



Tgt Ion	Ratio	Lower	Upper
142	100		
141	89.2	71.0	106.6
115	36.5	22.6	33.8

Manual Integrations

SOHIL
7/1/2016 8:05:20 AM







7/1/2016 8:05:20 AM



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.85 min Scan# 723
Delta R.T. -0.00 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Lower	Upper
164	100		
162	103.9	85.4	128.2
160	47.3	39.5	59.3







#39
 1,2,4,5-Tetrachlorobenzene
 Concen: 18.40 ng
 RT: 8.98 min Scan# 647
 Delta R.T. -0.00 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56

Instrument :
 BNA_F
 ClientSampleId :
 PB91726BS



Tgt Ion	Ratio	Lower	Upper
216	100		
214	78.9	2.9	4.3#
179	21.8	0.0	0.0#
108	25.6	0.5	0.7#

Manual Integrations

SOHIL
 7/1/2016 8:05:20 AM







7/1/2016 8:05:20 AM



#40
 Hexachlorocyclopentadiene
 Concen: 64.01 ng
 RT: 8.97 min Scan# 646
 Delta R.T. -0.00 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Lower	Upper
237	100		
235	62.8	43.4	83.4
272	12.3	0.0	32.3







#41
 2,4,6-Tribromophenol
 Concen: 124.48 ng
 RT: 10.64 min Scan# 792
 Delta R.T. -0.00 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56

Instrument :
 BNA_F
 ClientSampleId :
 PB91726BS



Tgt Ion	Ratio	Resp	Lower	Upper
330	100	304871		
332	95.6	0.0	0.0	0.0
141	39.1	0.0	0.0	0.0

Manual Integrations

SOHIL
 7/1/2016 8:05:20 AM






7/1/2016 8:05:20 AM



#42
 2,4,6-Trichlorophenol
 Concen: 19.82 ng
 RT: 9.08 min Scan# 656
 Delta R.T. -0.00 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56


Tgt Ion	Ratio	Resp	Lower	Upper
196	100	114649		
198	92.9	78.0	117.0	
200	29.3	25.4	38.2	





#43
 2,4,5-Trichlorophenol
 Concen: 23.18 ng
 RT: 9.12 min Scan# 659
 Delta R.T. -0.00 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56



Instrument :
 BNA_F
 ClientSampleId :
 PB91726BS




Tgt Ion	Ratio	Resp	Lower	Upper
196	100	115375		
198	94.7	77.5	116.3	
97	70.7	32.0	48.0	#
132	35.1	20.9	31.3	#

Manual Integrations


SOHIL
 7/1/2016 8:05:20 AM





7/1/2016 8:05:20 AM



#44
 2-Fluorobiphenyl
 Concen: 72.65 ng
 RT: 9.18 min Scan# 664
 Delta R.T. -0.00 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56



Tgt Ion	Ratio	Resp	Lower	Upper
172	100	1213162		
171	36.4	28.6	43.0	
170	24.3	19.2	28.8	





#45

1,1'-Biphenyl

Concen: 22.63 ng

RT: 9.28 min Scan# 673

Delta R.T. -0.00 min

Lab File: BF088543.D


Acq: 30 Jun 2016 21:56

Instrument :

BNA_F

ClientSampleId :

PB91726BS



Tgt Ion:154 Resp: 494236

Ion Ratio Lower Upper

154 100


153 40.1 20.6 60.6

76 11.7 0.0 35.1

Manual Integrations

SOHIL


7/1/2016 8:05:20 AM




Abundance Ion 154.00 (153.70 to 154.70): E

Ion 153.00 (152.70 to 153.70): E

Ion 76.00 (75.70 to 76.70): BF0



7/1/2016 8:05:20 AM



#46

2-Chloronaphthalene

Concen: 22.20 ng

RT: 9.30 min Scan# 675

Delta R.T. -0.00 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56


Tgt Ion:162 Resp: 380563

Ion Ratio Lower Upper

162 100

127 38.6 35.2 52.8



164 33.7 26.6 39.8




Abundance Ion 162.00 (161.70 to 162.70): E

Ion 127.00 (126.70 to 127.70): E

Ion 164.00 (163.70 to 164.70): E





#47

2-Nitroaniline

Concen: 20.06 ng

RT: 9.38 min Scan# 682

Delta R.T. -0.01 min

Lab File: BF088543.D


Acq: 30 Jun 2016 21:56

Instrument :

BNA_F

ClientSampleId :

PB91726BS





Tgt Ion	Ratio	Lower	Upper
65	100		
92	62.9	54.6	82.0
138	75.0	77.0	115.4#


Manual Integrations

SOHIL

7/1/2016 8:05:20 AM



7/1/2016 8:05:20 AM



#48

Acenaphthylene

Concen: 22.78 ng




RT: 9.71 min Scan# 711


Delta R.T. -0.00 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Lower	Upper
152	100		
151	20.3	16.2	24.4
153	13.0	11.0	16.6







#49
Dimethylphthalate
Concen: 23.45 ng
RT: 9.58 min Scan# 699
Delta R.T. -0.00 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Instrument :
BNA_F
ClientSampleId :
PB91726BS



Tgt Ion	Ratio	Lower	Upper
163	100		
194	3.3	2.8	4.2
164	10.3	8.3	12.5

Manual Integrations

SOHIL
7/1/2016 8:05:20 AM







7/1/2016 8:05:20 AM



#50
2,6-Dinitrotoluene
Concen: 25.00 ng
RT: 9.63 min Scan# 704
Delta R.T. -0.00 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Lower	Upper
165	100		
63	51.5	28.1	42.1#
89	56.3	32.2	48.2#





#51

Acenaphthene

Concen: 26.58 ng

RT: 9.88 min Scan# 726

Delta R.T. -0.00 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56

Instrument :

BNA_F

ClientSampleId :


PB91726BS

Tgt Ion:	154	Resp:	444521
Ion Ratio	Lower	Upper	
154	100		
153	113.1	89.5	134.3
152	53.5	42.7	64.1

Manual Integrations

SOHIL



7/1/2016 8:05:20 AM




Abundance Ion 154.00 (153.70 to 154.70): E

Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E



7/1/2016 8:05:20 AM



#52

3-Nitroaniline

Concen: 14.21 ng


RT: 9.79 min Scan# 718

Delta R.T. -0.01 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56



Tgt Ion:	138	Resp:	75216
Ion Ratio	Lower	Upper	
138	100		
108	11.9	8.5	12.7
92	139.4	95.7	143.5




Abundance Ion 138.00 (137.70 to 138.70): E

Ion 108.00 (107.70 to 108.70): E

Ion 92.00 (91.70 to 92.70): BF0







#53
2,4-Dinitrophenol
Concen: 73.65 ng
RT: 9.91 min Scan# 728
Delta R.T. -0.00 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Instrument :
BNA_F
ClientSampleId :
PB91726BS



Tgt Ion	Ratio	Resp	Lower	Upper
184	100	135424		
63	36.4	57.6	86.4#	
154	57.7	53.5	80.3	

Manual Integrations

SOHIL
7/1/2016 8:05:20 AM






7/1/2016 8:05:20 AM



#54
Dibenzofuran
Concen: 25.19 ng
RT: 10.06 min Scan# 741
Delta R.T. -0.00 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Resp	Lower	Upper
168	100	551391		
139	37.6	26.4	39.6	
169	13.6	10.4	15.6	







#55
4-Nitrophenol
Concen: 60.86 ng
RT: 9.95 min Scan# 732
Delta R.T. -0.00 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Instrument :
BNA_F
ClientSampleId :
PB91726BS



Tgt Ion	Ratio	Lower	Upper
139	100		
109	73.6	48.9	88.9
65	112.4	84.9	124.9

Manual Integrations

SOHIL
7/1/2016 8:05:20 AM







7/1/2016 8:05:20 AM



#56
2,4-Dinitrotoluene
Concen: 26.17 ng
RT: 10.03 min Scan# 739
Delta R.T. -0.00 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Lower	Upper
165	100		
63	42.1	22.0	33.0#
89	73.1	41.1	61.7#
182	2.3	2.0	3.0





#57

Fluorene

Concen: 24.43 ng

RT: 10.40 min Scan# 771

Delta R.T. -0.00 min

Lab File: BF088543.D


Acq: 30 Jun 2016 21:56

Instrument :

BNA_F

ClientSampleId :

PB91726BS



Tgt Ion:166 Resp: 412016

Ion Ratio Lower Upper

166 100


165 98.5 77.8 116.8

167 13.2 11.2 16.8


Manual Integrations

SOHIL

7/1/2016 8:05:20 AM



7/1/2016 8:05:20 AM



#58

2,3,4,6-Tetrachlorophenol

Concen: 27.28 ng

RT: 10.17 min Scan# 751

Delta R.T. -0.00 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56

Tgt Ion:232 Resp: 105030



Ion Ratio Lower Upper


232 100

131 50.5 0.9 1.3#

130 2.3 1.5 2.3#

166 33.2 0.5 0.7#







#59
Diethylphthalate
Concen: 23.13 ng
RT: 10.27 min Scan# 760
Delta R.T. -0.01 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Instrument :
BNA_F
ClientSampleId :
PB91726BS



Tgt Ion	Ratio	Lower	Upper
149	100		
177	18.8	16.9	25.3
150	12.8	10.1	15.1

Manual Integrations

APPROVED
SOHIL
7/1/2016 8:05:20 AM







7/1/2016 8:05:20 AM



#60
4-Chlorophenyl-phenylether
Concen: 21.35 ng
RT: 10.39 min Scan# 770
Delta R.T. -0.00 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Lower	Upper
204	100		
206	32.6	26.3	39.5
141	79.3	55.0	82.6







#61
4-Nitroaniline
Concen: 21.59 ng
RT: 10.41 min Scan# 772
Delta R.T. -0.00 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Instrument :
BNA_F
ClientSampleId :
PB91726BS



Tgt Ion	Ratio	Lower	Upper
138	100		
92	46.9	27.3	67.3
108	66.9	46.7	86.7

Manual Integrations

APPROVED
SOHIL
7/1/2016 8:05:20 AM







7/1/2016 8:05:20 AM



#62
Azobenzene
Concen: 23.80 ng
RT: 10.55 min Scan# 784
Delta R.T. -0.00 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Lower	Upper
77	100		
182	16.3	4.4	44.4
105	21.0	3.8	43.8
51	28.5	9.3	49.3







#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.32 min Scan# 852
Delta R.T. -0.00 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Instrument :
BNA_F
ClientSampleId :
PB91726BS



Tgt Ion	Ratio	Resp	Lower	Upper
188	100	476796		
94	13.0	9.0	13.6	
80	14.9	10.0	15.0	

Manual Integrations

APPROVED
SOHIL
7/1/2016 8:05:20 AM







7/1/2016 8:05:20 AM



#64
4,6-Dinitro-2-methylphenol
Concen: 20.27 ng
RT: 10.43 min Scan# 774
Delta R.T. -0.01 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56


Tgt Ion	Ratio	Resp	Lower	Upper
198	100	51680		
51	66.3	39.6	79.6	
105	64.8	36.6	76.6	





#65
n-Nitrosodiphenylamine
Concen: 22.89 ng
RT: 10.51 min Scan# 781
Delta R.T. -0.00 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56


Instrument :
BNA_F
ClientSampleId :
PB91726BS





Tgt Ion	Ratio	Resp	Lower	Upper
169	100	369322		
168	66.7	53.4	80.0	
167	36.6	29.4	44.0	

Manual Integrations

APPROVED
SOHIL
7/1/2016 8:05:20 AM






7/1/2016 8:05:20 AM



#66
4-Bromophenyl-phenylether
Concen: 23.74 ng
RT: 10.88 min Scan# 813
Delta R.T. -0.00 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Resp	Lower	Upper
248	100	114058		
250	96.6	77.1	115.7	
141	78.6	50.6	76.0	







#67
Hexachlorobenzene
Concen: 21.40 ng
RT: 10.94 min Scan# 818
Delta R.T. -0.01 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Instrument :
BNA_F
ClientSampleId :
PB91726BS



Tgt Ion: 284 Resp: 113835
Ion Ratio Lower Upper
284 100
142 55.8 35.8 53.8#
249 33.5 25.8 38.6

Manual Integrations

SOHIL
7/1/2016 8:05:20 AM







7/1/2016 8:05:20 AM



#68
Atrazine
Concen: 23.72 ng
RT: 11.04 min Scan# 827
Delta R.T. -0.00 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Tgt Ion: 200 Resp: 119290
Ion Ratio Lower Upper
200 100
173 25.4 4.0 44.0
215 48.7 29.3 69.3







#69
 Pentachlorophenol
 Concen: 61.73 ng
 RT: 11.13 min Scan# 835
 Delta R.T. -0.00 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56

Instrument :
 BNA_F
 ClientSampleId :
 PB91726BS



Tgt Ion	Ratio	Lower	Upper
266	100		
268	62.4	52.8	79.2
264	64.5	49.6	74.4

Manual Integrations

SOHIL
 7/1/2016 8:05:20 AM







7/1/2016 8:05:20 AM



#70
 Phenanthrene
 Concen: 22.30 ng
 RT: 11.35 min Scan# 854
 Delta R.T. -0.00 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Lower	Upper
178	100		
176	19.8	15.8	23.6
179	15.9	13.0	19.4







#71
 Anthracene
 Concen: 25.21 ng
 RT: 11.40 min Scan# 859
 Delta R.T. -0.00 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56

Instrument :
 BNA_F
 ClientSampleId :
 PB91726BS



Tgt Ion	Ratio	Lower	Upper
178	100		
176	18.7	15.6	23.4
179	15.3	12.8	19.2

Manual Integrations

APPROVED
 SOHIL
 7/1/2016 8:05:20 AM






7/1/2016 8:05:20 AM



#72
 Carbazole
 Concen: 23.76 ng
 RT: 11.55 min Scan# 872
 Delta R.T. -0.00 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Lower	Upper
167	100		
166	21.9	17.8	26.6
139	13.8	11.2	16.8





#73

Di-n-butylphthalate

Concen: 23.15 ng

RT: 11.90 min Scan# 902

Delta R.T. -0.00 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56

Instrument :

BNA_F


ClientSampleId :

PB91726BS


Manual Integrations

SOHIL



7/1/2016 8:05:20 AM



Tgt Ion	Ratio	Lower	Upper
149	100		
150	9.5	7.8	11.6
104	5.5	4.0	6.0



7/1/2016 8:05:20 AM



#74

Fluoranthene

Concen: 24.31 ng




RT: 12.54 min Scan# 958


Delta R.T. -0.00 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Lower	Upper
202	100		
101	8.7	0.0	33.1
203	17.5	0.0	38.1





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.95 min Scan# 1082

Delta R.T. -0.00 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56

Instrument :

BNA_F

ClientSampleId :

PB91726BS

Tgt Ion:240 Resp: 362032

Ion Ratio Lower Upper

240 100



120 14.8 6.8 10.2#

236 26.0 20.2 30.2



Manual Integrations

SOHIL APPROVED

7/1/2016 8:05:20 AM



7/1/2016 8:05:20 AM



#76

Benzidine

Concen: 31.18 ng

RT: 12.66 min Scan# 969

Delta R.T. -0.00 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56




Tgt Ion:184 Resp: 570515


Ion Ratio Lower Upper

184 100

185 14.7 12.5 18.7

183 11.7 9.3 13.9







#77
 Pyrene
 Concen: 20.03 ng
 RT: 12.75 min Scan# 977
 Delta R.T. -0.01 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56

Instrument :
 BNA_F
 ClientSampleId :
 PB91726BS



Tgt Ion	Ratio	Lower	Upper
202	100		
200	21.8	17.4	26.2
203	18.5	14.5	21.7

Manual Integrations

SOHIL
 7/1/2016 8:05:20 AM






7/1/2016 8:05:20 AM



#78
 Terphenyl-d14
 Concen: 70.74 ng
 RT: 12.91 min Scan# 991
 Delta R.T. -0.00 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Lower	Upper
244	100		
212	8.1	6.0	9.0
122	13.9	11.2	16.8





#79

Butylbenzylphthalate

Concen: 19.92 ng

RT: 13.38 min Scan# 1032

Delta R.T. -0.01 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56

Instrument :

BNA_F

ClientSampleId :


PB91726BS

Tgt Ion:	149	Resp:	272706
Ion Ratio	Lower	Upper	
149	100		
91	94.9	48.0	72.0#
206	13.8	16.0	24.0#

Manual Integrations

SOHIL


7/1/2016 8:05:20 AM





Abundance Ion 149.00 (148.70 to 149.70): E

Ion 91.00 (90.70 to 91.70): BF0

Ion 206.00 (205.70 to 206.70): E



7/1/2016 8:05:20 AM



#80

Benzo(a)anthracene

Concen: 23.02 ng


RT: 13.94 min Scan# 1081

Delta R.T. -0.00 min

Lab File: BF088543.D

Acq: 30 Jun 2016 21:56



Tgt Ion:	228	Resp:	536547
Ion Ratio	Lower	Upper	
228	100		
226	27.9	22.3	33.5
229	20.1	16.0	24.0



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E






#81
 3,3'-Dichlorobenzidine
 Concen: 13.28 ng
 RT: 13.91 min Scan# 1078
 Delta R.T. -0.00 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56

Instrument :
 BNA_F
 ClientSampleId :
 PB91726BS


Tgt Ion	Ratio	Lower	Upper
252	100		
254	64.4	52.6	78.8
126	13.9	6.2	9.2

Manual Integrations



APPROVED
 SOHIL
 7/1/2016 8:05:20 AM



Abundance Ion 252.00 (251.70 to 252.70): E
 Ion 254.00 (253.70 to 254.70): E
 Ion 126.00 (125.70 to 126.70): E




7/1/2016 8:05:20 AM






#82
 Chrysene
 Concen: 20.05 ng
 RT: 13.98 min Scan# 1084
 Delta R.T. -0.00 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Lower	Upper
228	100		
226	30.4	25.4	38.2
229	20.1	16.3	24.5



Abundance Ion 228.00 (227.70 to 228.70): E
 Ion 226.00 (225.70 to 226.70): E
 Ion 229.00 (228.70 to 229.70): E







#83
Bis(2-ethylhexyl)phthalate
Concen: 22.60 ng
RT: 13.95 min Scan# 1082
Delta R.T. -0.00 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Instrument :
BNA_F
ClientSampleId :
PB91726BS



Tgt Ion	Ratio	Lower	Upper
149	100		
167	25.7	20.5	30.7
279	3.0	2.0	3.0

Manual Integrations

SOHIL
7/1/2016 8:05:20 AM







7/1/2016 8:05:20 AM



#84
Di-n-octyl phthalate
Concen: 23.71 ng
RT: 14.56 min Scan# 1135
Delta R.T. -0.00 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Lower	Upper
149	100		
167	1.4	0.0	0.0
43	10.8	0.0	0.0







#85
 Indeno(1,2,3-cd)pyrene
 Concen: 22.69 ng
 RT: 16.70 min Scan# 1322
 Delta R.T. -0.00 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56

Instrument :
 BNA_F
 ClientSampleId :
 PB91726BS



Tgt Ion	Ratio	Resp	Lower	Upper
276	100	402594		
138	30.8	0.0	0.0	0.0
277	24.8	0.0	0.0	0.0

Manual Integrations

APPROVED
 SOHIL
 7/1/2016 8:05:20 AM







7/1/2016 8:05:20 AM



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.35 min Scan# 1204
 Delta R.T. -0.00 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Resp	Lower	Upper
264	100	355552		
260	24.0	19.2	28.8	
265	21.7	16.9	25.3	







#87
Benzo(b)fluoranthene
Concen: 23.11 ng m
RT: 14.96 min Scan# 1170
Delta R.T. -0.00 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Instrument :
BNA_F
ClientSampleId :
PB91726BS



Tgt Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.4	26.2
125	10.6	7.1	10.7

Manual Integrations

APPROVED
SOHIL
7/1/2016 8:05:20 AM







7/1/2016 8:05:20 AM



#88
Benzo(k)fluoranthene
Concen: 21.10 ng m
RT: 14.98 min Scan# 1172
Delta R.T. -0.00 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Lower	Upper
252	100		
253	22.5	18.0	27.0
125	14.1	11.2	16.8







#89
Benzo(a)pyrene
Concen: 23.31 ng
RT: 15.29 min Scan# 1199
Delta R.T. -0.01 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Instrument :
BNA_F
ClientSampleId :
PB91726BS



Tgt Ion	Ratio	Lower	Upper
252	100		
253	21.7	17.9	26.9
125	15.9	12.5	18.7

Manual Integrations

APPROVED
SOHIL
7/1/2016 8:05:20 AM







7/1/2016 8:05:20 AM



#90
Dibenzo(a,h)anthracene
Concen: 20.90 ng
RT: 16.72 min Scan# 1324
Delta R.T. -0.00 min
Lab File: BF088543.D
Acq: 30 Jun 2016 21:56

Tgt Ion	Ratio	Lower	Upper
278	100		
139	18.0	15.7	23.5
279	23.4	19.4	29.2






#91
 Benzo(g,h,i)perylene
 Concen: 19.86 ng
 RT: 17.10 min Scan# 1357
 Delta R.T. -0.01 min
 Lab File: BF088543.D
 Acq: 30 Jun 2016 21:56

Instrument :
 BNA_F
 ClientSampleId :
 PB91726BS

Tgt Ion:	276	Resp:	324020
Ion Ratio	Lower	Upper	
276	100		
277	23.9	18.9	28.3
138	28.4	21.4	32.2

Manual Integrations

APPROVED
 SOHIL
 7/1/2016 8:05:20 AM





Abundance

Ion 276.00 (275.70 to 276.70): E

Ion 277.00 (276.70 to 277.70): E

Ion 138.00 (137.70 to 138.70): E



7/1/2016 8:05:20 AM